

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1. Abbaspoor Z, Akbari M, Najar S. Effect of foot and hand massage in post-cesarean section pain control: a randomized control trial. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2014;15(1):132-6. Epub 2013/01/29.
2. Adachi M, Ishihara K, Abe S, Okuda K, Ishikawa T. Effect of professional oral health care on the elderly living in nursing homes. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 2002;94(2):191-5. Epub 2002/09/11.
3. Adachi N, Munesada M, Yamada N, Suzuki H, Futohashi A, Shigeeda T, et al. Effects of aromatherapy massage on face-down posture-related pain after vitrectomy: a randomized controlled trial. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2014;15(2):482-9. Epub 2013/03/08.
4. Adams-Wendling L, DeDonder J, Tidwell S, Pimple C, Schmiot L, Okeson D. Budgeting nursing workload for required minimum data set assessments. *J Nurs Manag*. 2007;15(4):442-8. Epub 2007/04/26.
5. Adderley U, Stubbs N. Stockings or bandages for leg-ulcer compression? *Nurs Times*. 2014;110(15):19-20. Epub 2014/05/16.
6. Adegoke BO, Badmos KA. Acceleration of pressure ulcer healing in spinal cord injured patients using interrupted direct current. *Afr J Med Med Sci*. 2001;30(3):195-7. Epub 2003/09/27.
7. Adlbrecht C, Huelsmann M, Berger R, Moertl D, Strunk G, Oesterle A, et al. Cost analysis and cost-effectiveness of NT-proBNP-guided heart failure specialist care in addition to home-based nurse care. *Eur J Clin Invest*. 2011;41(3):315-22. Epub 2010/11/13.
8. Aelfers E, Bosma H, Houkes I, van Eijk JT. Effectiveness of a minimal psychological intervention to reduce mild to moderate depression and chronic fatigue in a working population: the design of a randomized controlled trial. *BMC Public Health*. 2013;13:129. Epub 2013/02/14.
9. Agac E, Gunes UY. Effect on pain of changing the needle prior to administering medicine intramuscularly: a randomized controlled trial. *J Adv Nurs*. 2011;67(3):563-8. Epub 2011/01/05.
10. Aghababaeian H, Sedaghat S, Tahery N, Moghaddam AS, Maniei M, Bahrami N, et al. A comparative study of the effect of triage training by role-playing and educational video on the knowledge and performance of emergency medical service staffs in Iran. *Prehosp Disaster Med*. 2013;28(6):605-9. Epub 2013/11/16.
11. Aghdas K, Talat K, Sepideh B. Effect of immediate and continuous mother-infant skin-to-skin contact on breastfeeding self-efficacy of primiparous women: a randomised control trial. *Women Birth*. 2014;27(1):37-40. Epub 2013/11/13.
12. Agodoa SE, Holder MA, Fowler SM. Effects of recliner-chair versus traditional hospital bed on postsurgical diagnostic laparoscopic recovery time. *J Perianesth Nurs*. 2002;17(5):318-24. Epub 2002/10/18.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

13.
Agren S, Evangelista LS, Hjelm C, Stromberg A. Dyads affected by chronic heart failure: a randomized study evaluating effects of education and psychosocial support to patients with heart failure and their partners. *J Card Fail.* 2012;18(5):359-66. Epub 2012 Mar 2.
14.
Agren S, L SE, Davidson T, Stromberg A. Cost-effectiveness of a nurse-led education and psychosocial programme for patients with chronic heart failure and their partners. *J Clin Nurs.* 2013;22(15-16):2347-53.
15.
Ahmad UN, Yiwombe M, Chisepo P, Cole TJ, Heikens GT, Kerac M. Interpretation of World Health Organization growth charts for assessing infant malnutrition: a randomised controlled trial. *J Paediatr Child Health.* 2014;50(1):32-9. Epub 2013/10/19.
16.
Aho AL, Tarkka M-T, Åstedt-Kurki P, Sorvari L, Kaunonen M. Evaluating a Bereavement Follow-Up Intervention for Grieving Fathers and Their Experiences of Support After the Death of a Child—A Pilot Study. *Death Studies.* 2011;35(10):879-904.
17.
Aimonino Ricauda N, Tibaldi V, Leff B, Scarafiotti C, Marinello R, Zanolchi M, et al. Substitutive "hospital at home" versus inpatient care for elderly patients with exacerbations of chronic obstructive pulmonary disease: a prospective randomized, controlled trial. *J Am Geriatr Soc.* 2008;56(3):493-500. Epub 2008/01/09.
18.
Aittasalo M, Miilunpalo S, Suni J. The effectiveness of physical activity counseling in a work-site setting. A randomized, controlled trial. *Patient Educ Couns.* 2004;55(2):193-202.
19.
Ajimsha MS, Daniel B, Chithra S. Effectiveness of myofascial release in the management of chronic low back pain in nursing professionals. *J Bodyw Mov Ther.* 2014;18(2):273-81. Epub 2014/04/15.
20.
Akin Korhan E, Khorshid L, Uyar M. Reflexology: its effects on physiological anxiety signs and sedation needs. *Holist Nurs Pract.* 2014;28(1):6-23. Epub 2013/12/07.
21.
Albers LL, Sedler KD, Bedrick EJ, Teaf D, Peralta P. Midwifery care measures in the second stage of labor and reduction of genital tract trauma at birth: a randomized trial. *J Midwifery Womens Health.* 2005;50(5):365-72. Epub 2005/09/13.
22.
Albers-Heitner P, Winkens R, Berghmans B, Joore M, Nieman F, Severens J, et al. Consumer satisfaction among patients and their general practitioners about involving nurse specialists in primary care for patients with urinary incontinence. *Scand J Caring Sci.* 2013;27(2):253-9.
23.
Alessi CA, Martin JL, Webber AP, Cynthia Kim E, Harker JO, Josephson KR. Randomized, controlled trial of a nonpharmacological intervention to improve abnormal sleep/wake patterns in nursing home residents. *J Am Geriatr Soc.* 2005;53(5):803-10. Epub 2005/05/10.
24.
Alexander JL, Wagner CL. Is harmonica playing an effective adjunct therapy to pulmonary rehabilitation? *Rehabil Nurs.* 2012;37(4):207-12.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

25.
Alhani F. The effect of programmed distraction on the pain caused by venipuncture among adolescents on hemodialysis. *Pain Management Nursing*. 2010;11(2):85-91.
26.
Alinier G, Hunt B, Gordon R, Harwood C. Effectiveness of intermediate-fidelity simulation training technology in undergraduate nursing education. *J Adv Nurs*. 2006;54(3):359-69. Epub 2006/04/25.
27.
Alipour Z, Eskandari N, Ahmari Tehran H, Eshagh Hossaini SK, Sangi S. Effects of music on physiological and behavioral responses of premature infants: a randomized controlled trial. *Complement Ther Clin Pract*. 2013;19(3):128-32. Epub 2013/07/31.
28.
Alkire MR, Swank ML. Use of inpatient continuous passive motion versus no CPM in computer-assisted total knee arthroplasty. *Orthop Nurs*. 2010;29(1):36-40. Epub 2010/02/10.
29.
Allard N. Day surgery and recovery in women with a suspicious breast lesion: evaluation of a psychoeducational nursing intervention. *Canadian oncology nursing journal = Revue canadienne de nursing oncologique*. 2006;16(3):137-53. Epub 2007/05/26.
30.
Allen JK, Blumenthal RS, Margolis S, Young DR, Miller ER, 3rd, Kelly K. Nurse case management of hypercholesterolemia in patients with coronary heart disease: results of a randomized clinical trial. *Am Heart J*. 2002;144(4):678-86. Epub 2002/10/03.
31.
Allen JK, Dennison Himmelfarb CR, Szanton SL, Frick KD. Cost-effectiveness of nurse practitioner/community health worker care to reduce cardiovascular health disparities. *The Journal of cardiovascular nursing*. 2014;29(4):308-14. Epub 2013/05/03.
32.
Allen JK, Stephens J, Dennison Himmelfarb CR, Stewart KJ, Hauck S. Randomized controlled pilot study testing use of smartphone technology for obesity treatment. *J Obes*. 2013;2013:151597. Epub 2014/01/07.
33.
Allen VJ, Methven L, Gosney M. Impact of serving method on the consumption of nutritional supplement drinks: randomized trial in older adults with cognitive impairment. *J Adv Nurs*. 2014;70(6):1323-33. Epub 2013/11/21.
34.
Allison TG, Farkouh ME, Smars PA, Evans RW, Squires RW, Gabriel SE, et al. Management of coronary risk factors by registered nurses versus usual care in patients with unstable angina pectoris (a chest pain evaluation in the emergency room [CHEER] substudy). *Am J Cardiol*. 2000;86(2):133-8. Epub 2000/07/29.
35.
Allred KD, Byers JF, Sole ML. The effect of music on postoperative pain and anxiety. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2010;11(1):15-25. Epub 2010/03/09.
36.
Al-Maiyah M, Bajwa A, Mackenney P, Port A, Gregg PJ, Hill D, et al. Glove perforation and contamination in primary total hip arthroplasty. *J Bone Joint Surg Br*. 2005;87(4):556-9. Epub 2005/03/30.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

37.
Alonso C, Larburu I, Bon E, Gonzalez MM, Iglesias MT, Urreta I, et al. Efficacy of petrolatum jelly for the prevention of diaper rash: a randomized clinical trial. *J Spec Pediatr Nurs*. 2013;18(2):123-32.
38.
Altay N, Çavuşoğlu H. Using Orem's self-care model for asthmatic adolescents. *Journal for Specialists in Pediatric Nursing*. 2013;18(3):233-42.
39.
Alus M, Okumus H, Mete S, Guclu S. The effects of different maternal positions on non-stress test: an experimental study. *J Clin Nurs*. 2007;16(3):562-8. Epub 2007/03/06.
40.
Alwyn T, John B, Hodgson RJ, Phillips CJ. The addition of a psychological intervention to a home detoxification programme. *Alcohol Alcohol*. 2004;39(6):536-41. Epub 2004/10/07.
41.
Ameen J, Coll AM, Peters M. Impact of tele-advice on community nurses' knowledge of venous leg ulcer care. *J Adv Nurs*. 2005;50(6):583-94. Epub 2005/06/02.
42.
Ammentorp J, Sabroe S, Kofoed PE, Mainz J. Effects of a communication course for clinicians on parents' perception of care - a randomized controlled trial. *Scand J Caring Sci*. 2009;23(3):506-17. Epub 2009/03/18.
43.
Ammentorp J, Sabroe S, Kofoed P-E, Mainz J. The effect of training in communication skills on medical doctors' and nurses' self-efficacy. A randomized controlled trial. *Patient Educ Couns*. 2007;66(3):270-7.
44.
Ammenwerth E, Eichstadter R, Haux R, Pohl U, Rebel S, Ziegler S. A randomized evaluation of a computer-based nursing documentation system. *Methods Inf Med*. 2001;40(2):61-8.
45.
Amoako E, Skelly AH, Rossen EK. Outcomes of an intervention to reduce uncertainty among African American women with diabetes. *Western journal of nursing research*. 2008;30(8):928-42. Epub 2008/07/04.
46.
An K, Kim YS, Kim HY, Lee H, Hahm DH, Lee KS, et al. Needle-free acupuncture benefits both patients and clinicians. *Neurol Res*. 2010;32(Suppl 1):22-6.
47.
Anastasi JK, Capili B, Kim G, McMahon D, Heitkemper MM. Symptom management of HIV-related diarrhea by using normal foods: A randomized controlled clinical trial. *Janac-Journal of the Association of Nurses in Aids Care*. 2006;17(2):47-57.
48.
Ancheta IB, Evans M, Miller AB, Chiong JR, Battie C. Does clinician's knowledge of B-type natriuretic peptide levels translate to improvement of quality of life and less hospitalization days in patients with heart failure? *Progress in cardiovascular nursing*. 2009;24(1):12-8. Epub 2009/03/06.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

49.
Ancoli-Israel S, Martin JL, Kripke DF, Marler M, Klauber MR. Effect of light treatment on sleep and circadian rhythms in demented nursing home patients. *J Am Geriatr Soc.* 2002;50(2):282-9. Epub 2002/05/25.
50.
Andersen C, Rorth M, Ejlersen B, Stage M, Moller T, Midtgaard J, et al. The effects of a six-week supervised multimodal exercise intervention during chemotherapy on cancer-related fatigue. *Eur J Oncol Nurs.* 2013;17(3):331-9. Epub 2012/10/23.
51.
Anderson GC, Chiu S-H, Dombrowski MA, Swinth JY, Albert JM, Wada N. Mother-newborn contact in a randomized trial of kangaroo (skin-to-skin) care. *J Obstet Gynecol Neonatal Nurs.* 2003;32(5):604-11.
52.
Anderson JM, Murphy AA, Boyle KB, Yaeger KA, Halamek LP. Simulating extracorporeal membrane oxygenation emergencies to improve human performance. Part II: assessment of technical and behavioral skills. *Simul Healthc.* 2006;1(4):228-32. Epub 2006/01/01.
53.
Anderson KH, Ford S, Robson D, Cassis J, Rodrigues C, Gray R. An exploratory, randomized controlled trial of adherence therapy for people with schizophrenia. *Int J Ment Health Nurs.* 2010;19(5):340-9. Epub 2010/10/05.
54.
Anderson LA, Gross JB. Aromatherapy with peppermint, isopropyl alcohol, or placebo is equally effective in relieving postoperative nausea. *J Perianesth Nurs.* 2004;19(1):29-35.
55.
Anderson S, Cockrell J, Beller P, Murphy E, Nelson P, Hawkins M, et al. Administration of local anesthetic agents to decrease pain associated with peripheral vascular access. *Journal of infusion nursing : the official publication of the Infusion Nurses Society.* 2010;33(6):353-61. Epub 2010/11/17.
56.
Andrews JO, Felton G, Ellen Wewers M, Waller J, Tinggen M. The effect of a multi-component smoking cessation intervention in African American women residing in public housing. *Res Nurs Health.* 2007;30(1):45-60. Epub 2007/01/24.
57.
Andriessen A, Polignano R, Abel M. Monitoring the microcirculation to evaluate dressing performance in patients with venous leg ulcers. *J Wound Care.* 2009;18(4):145-50. Epub 2009/04/08.
58.
Andrighetti TP, Knestruck JM, Marowitz A, Martin C, Engstrom JL. Shoulder dystocia and postpartum hemorrhage simulations: student confidence in managing these complications. *J Midwifery Womens Health.* 2012;57(1):55-60. Epub 2012/01/19.
59.
Ang E, Mordiffi SZ, Wong HB. Evaluating the use of a targeted multiple intervention strategy in reducing patient falls in an acute care hospital: a randomized controlled trial. *J Adv Nurs.* 2011;67(9):1984-92. Epub 2011/04/22.
60.
Anifantaki S, Prinianakis G, Vitsaksaki E, Katsouli V, Mari S, Symianakis A, et al. Daily interruption of sedative infusions in an adult medical-surgical intensive care unit: randomized controlled trial. *J Adv Nurs.* 2009;65(5):1054-60. Epub 2009/04/29.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

61.
Antall GF, Kresevic D. The use of guided imagery to manage pain in an elderly orthopaedic population. *Orthopaedic nursing / National Association of Orthopaedic Nurses*. 2004;23(5):335-40.
62.
Antic NA, Buchan C, Esterman A, Hensley M, Naughton MT, Rowland S, et al. A randomized controlled trial of nurse-led care for symptomatic moderate-severe obstructive sleep apnea. *Am J Respir Crit Care Med*. 2009;179(6):501-8. Epub 2009/01/13.
63.
Antunes JC, Nascimento MA. [The non-nutritive sucking of premature newborn as a nursing technology]. *Rev Bras Enferm*. 2013;66(5):663-7. Epub 2013/11/13. A sucção não nutritiva do recém-nascido prematuro como uma tecnologia de enfermagem.
64.
Apostolo JL, Cardoso DF, Rosa AI, Paul C. The effect of cognitive stimulation on nursing home elders: a randomized controlled trial. *J Nurs Scholarsh*. 2014;46(3):157-66. Epub 2014/03/07.
65.
Aranda S, Jefford M, Yates P, Gough K, Seymour J, Francis P, et al. Impact of a novel nurse-led prechemotherapy education intervention (ChemoEd) on patient distress, symptom burden, and treatment-related information and support needs: results from a randomised, controlled trial. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO*. 2012;23(1):222-31. Epub 2011/04/08.
66.
Aranda S, Schofield P, Weih L, Milne D, Yates P, Faulkner R. Meeting the support and information needs of women with advanced breast cancer: a randomised controlled trial. *Br J Cancer*. 2006;95(6):667-73. Epub 2006/09/13.
67.
Arendts G, Etherton-Bear C, Howard K, Lewin G, Sim M, Pickstock S, et al. Nurse led care coordination: trial protocol and development of a best practice resource guide for a cluster controlled clinical trial in Australian aged care facilities. *Arch Gerontol Geriatr*. 2014;58(1):15-9. Epub 2013/08/27.
68.
Arikan D, Alp H, Gozum S, Orbak Z, Cifci EK. Effectiveness of massage, sucrose solution, herbal tea or hydrolysed formula in the treatment of infantile colic. *J Clin Nurs*. 2008;17(13):1754-61.
69.
Arino M, Barrington JP, Morrison AL, Gillies D. Management of the changeover of inotrope infusions in children. *Intensive Crit Care Nurs*. 2004;20(5):275-80. Epub 2004/09/29.
70.
Arnts IJ, Heijnen JA, Wilbers HT, van der Wilt GJ, Groenewoud JM, Liem KD. Effectiveness of heparin solution versus normal saline in maintaining patency of intravenous locks in neonates: a double blind randomized controlled study. *J Adv Nurs*. 2011;67(12):2677-85. Epub 2011/07/05.
71.
Artinian NT, Flack JM, Nordstrom CK, Hockman EM, Washington OG, Jen KL, et al. Effects of nurse-managed telemonitoring on blood pressure at 12-month follow-up among urban African Americans. *Nurs Res*. 2007;56(5):312-22. Epub 2007/09/12.
72.
Arts EEA, Landewe-Cleuren SANT, Schaper NC, Vrijhoef HJM. The cost-effectiveness of substituting physicians with diabetes nurse specialists: a randomized controlled trial with 2-year follow-up. *J Adv Nurs*. 2012;68(6):1224-34.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

73.
Arvidsson S, Bergman S, Arvidsson B, Fridlund B, Tingström P. Effects of a self-care promoting problem-based learning programme in people with rheumatic diseases: a randomized controlled study. *J Adv Nurs*. 2013;69(7):1500-14.
74.
Arving C, Brandberg Y, Feldman I, Johansson B, Glimelius B. Cost-utility analysis of individual psychosocial support interventions for breast cancer patients in a randomized controlled study. *Psychooncology*. 2014;23(3):251-8. Epub 2013/10/12.
75.
Arving C, Sjoden PO, Bergh J, Hellbom M, Johansson B, Glimelius B, et al. Individual psychosocial support for breast cancer patients: a randomized study of nurse versus psychologist interventions and standard care. *Cancer Nurs*. 2007;30(3):E10-9. Epub 2007/05/19.
76.
Arving C, Sjoden P-O, Bergh J, Lindstrom AT, Wasteson E, Glimelius B, et al. Satisfaction, utilisation and perceived benefit of individual psychosocial support for breast cancer patients--a randomised study of nurse versus psychologist interventions. *Patient Educ Couns*. 2006;62(2):235-43.
77.
Asakawa K, Koyama K, Yamagata Z. Effect of educational intervention using the internet on quantitative ultrasound parameters in prevention of osteoporosis: A randomized controlled trial in young Japanese women. *International Journal of Women's Health*. 2011;3(1):415-22.
78.
Ashby RL, Gabe R, Ali S, Adderley U, Bland JM, Cullum NA, et al. Clinical and cost-effectiveness of compression hosiery versus compression bandages in treatment of venous leg ulcers (Venous leg Ulcer Study IV, VenUS IV): a randomised controlled trial. *Lancet*. 2014;383(9920):871-9. Epub 2013/12/10.
79.
Ashrafinia F, Mirmohammadali M, Rajabi H, Kazemnejad A, Sadeghniithaghighi K, Amelvalizadeh M, et al. The effects of Pilates exercise on sleep quality in postpartum women. *J Bodyw Mov Ther*. 2014;18(2):190-9. Epub 2014/04/15.
80.
Atkins DV. Self-massage for knee osteoarthritis in the African American. *JOCEPS: The Journal of Chi Eta Phi Sorority*. 2011;55(1):32-3.
81.
Au F, Shiell A, Van Der Pol M, Johnston DW, Tough S. Does supplementary prenatal nursing and home visitation reduce healthcare costs in the year after childbirth? *J Adv Nurs*. 2006;56(6):657-68.
82.
Augustin AC, de Quadros AS, Sarmiento-Leite RE. Early sheath removal and ambulation in patients submitted to percutaneous coronary intervention: a randomised clinical trial. *Int J Nurs Stud*. 2010;47(8):939-45. Epub 2010/02/24.
83.
Avdal EU, Kizilci S, Demirel N. The effects of web-based diabetes education on diabetes care results: a randomized control study. *Comput Inform Nurs*. 2011;29(2):101-6.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

84.
Aveyard P, Lawrence T, Croghan E, Evans O, Cheng KK. Is advice to stop smoking from a midwife stressful for pregnant women who smoke? Data from a randomized controlled trial. *Preventive Medicine*. 2005;40(5):575-82.
85.
Axelin A, Kirjavainen J, Salanterä S, Lehtonen L. Effects of pain management on sleep in preterm infants. *Eur J Pain*. 2010;14(7):752-8. Epub 2009/12/19.
86.
Ayhan H, Iyigun E, Tastan S, Orhan ME, Ozturk E. Comparison of two different oxygen delivery methods in the early postoperative period: randomized trial. *J Adv Nurs*. 2009;65(6):1237-47. Epub 2009/04/21.
87.
Baba LR, McGrath JM, Liu J. The efficacy of mechanical vibration analgesia for relief of heel stick pain in neonates: a novel approach. *J Perinat Neonatal Nurs*. 2010;24(3):274-83. Epub 2010/08/11.
88.
Backman M, Wengström Y, Johansson B, Sköldengen I, Börjesson S, Tärnbro S, et al. A randomized pilot study with daily walking during adjuvant chemotherapy for patients with breast and colorectal cancer. *Acta Oncologica*. 2014;53(4):510-20.
89.
Badger T, Segrin C, Pasvogel A, Lopez AM. The effect of psychosocial interventions delivered by telephone and videophone on quality of life in early-stage breast cancer survivors and their supportive partners. *J Telemed Telecare*. 2013;19(5):260-5. Epub 2013/10/29.
90.
Badger TA, Braden CJ, Mishel MH. Depression burden, self-help interventions, and side effect experience in women receiving treatment for breast cancer. *Oncol Nurs Forum*. 2001;28(3):567-74. Epub 2001/05/08.
91.
Bagchi AD, Dale S, Verbitsky-Savitz N, Andrecheck S, Zavotsky K, Eisenstein R. Examining effectiveness of medical interpreters in emergency departments for Spanish-speaking patients with limited English proficiency: results of a randomized controlled trial. *Annals of emergency medicine*. 2011;57(3):248-56 e1-4. Epub 2010/08/04.
92.
Bagheri-Nesami M, Espahbodi F, Nikkhah A, Shorofi SA, Charati JY. The effects of lavender aromatherapy on pain following needle insertion into a fistula in hemodialysis patients. *Complementary Therapies in Clinical Practice*. 2014;20(1):1-4.
93.
Bagheri-Nesami M, Shorofi SA, Zargar N, Sohrabi M, Gholipour-Baradari A, Khalilian A. The effects of foot reflexology massage on anxiety in patients following coronary artery bypass graft surgery: A randomized controlled trial. *Complementary Therapies in Clinical Practice*. 2014;20(1):42-7.
94.
Baird CL, Murawski MM, Wu J. Efficacy of guided imagery with relaxation for osteoarthritis symptoms and medication intake. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2010;11(1):56-65. Epub 2010/03/09.
95.
Baird CL, Sands L. A pilot study of the effectiveness of guided imagery with progressive muscle relaxation to reduce chronic pain and mobility difficulties of osteoarthritis. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2004;5(3):97-104. Epub 2004/09/11.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

96.

Bakan G, Akyol AD. Theory-guided interventions for adaptation to heart failure. *J Adv Nurs*. 2008;61(6):596-608.

97. Bakas T, Farran CJ, Austin JK, Given BA, Johnson EA, Williams LS. Content validity and satisfaction with a stroke caregiver intervention program. *J Nurs Scholarsh*. 2009;41(4):368-75. Epub 2009/11/28.

98.

Baker R, Holloway J, Holtkamp CC, Larsson A, Hartman LC, Pearce R, et al. Effects of multi-sensory stimulation for people with dementia. *J Adv Nurs*. 2003;43(5):465-77. Epub 2003/08/16.

99.

Bakhshi F, Namjou Z, Andishmand A, Panabadi A, Bagherinasab M, Sarebanhassanabadi M. Effect of positioning on patient outcomes after coronary angiography: a single-blind randomized controlled trial. *J Nurs Res*. 2014;22(1):45-50. Epub 2014/02/13.

100.

Bakitas M, Lyons KD, Hegel MT, Balan S, Barnett KN, Brokaw FC, et al. The project ENABLE II randomized controlled trial to improve palliative care for rural patients with advanced cancer: baseline findings, methodological challenges, and solutions. *Palliat Support Care*. 2009;7(1):75-86. Epub 2009/07/22.

101.

Bakker TJ, Duivenvoorden HJ, van der Lee J, Olde Rikkert MG, Beekman AT, Ribbe MW. Prognostic factors for a favourable long-term outcome from an integrative psychotherapeutic nursing home programme. *Dement Geriatr Cogn Disord*. 2011;32(5):318-31.

102.

Baldwin R, Pratt H, Goring H, Marriott A, Roberts C. Does a nurse-led mental health liaison service for older people reduce psychiatric morbidity in acute general medical wards? A randomised controlled trial. *Age Ageing*. 2004;33(5):472-8. Epub 2004/06/26.

103.

Balegar VK, Azeem MI, Spence K, Badawi N. Extending total parenteral nutrition hang time in the neonatal intensive care unit: is it safe and cost effective? *J Paediatr Child Health*. 2013;49(1):E57-61. Epub 2013/01/17.

104.

Balk J, Day R, Rosenzweig M, Beriwal S. Pilot, randomized, modified, double-blind, placebo-controlled trial of acupuncture for cancer-related fatigue. *J Soc Integr Oncol*. 2009;7(1):4-11.

105.

Baraz S, Parvardeh S, Mohammadi E, Broumand B. Dietary and fluid compliance: an educational intervention for patients having haemodialysis. *J Adv Nurs*. 2010;66(1):60-8. Epub 2010/04/29.

106.

Barclay J, Vestey J, Lambert A, Balmer C. Reducing the symptoms of lymphoedema: is there a role for aromatherapy? *Eur J Oncol Nurs*. 2006;10(2):140-9. Epub 2006/03/28.

107.

Bardy J, Molassiotis A, Ryder WD, Mais K, Sykes A, Yap B, et al. A double-blind, placebo-controlled, randomised trial of active manuka honey and standard oral care for radiation-induced oral mucositis. *The British journal of oral & maxillofacial surgery*. 2012;50(3):221-6. Epub 2011/06/04.

108.

Barlow JH, Powell LA, Gilchrist M, Fotiadou M. The effectiveness of the Training and Support Program for parents of children with disabilities: a randomized controlled trial. *J Psychosom Res*. 2008;64(1):55-62. Epub 2007/12/26.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

109.

Barlow JH, Turner AP, Gilchrist M. A randomised controlled trial of lay-led self-management for myocardial infarction patients who have completed cardiac rehabilitation. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2009;8(4):293-301. Epub 2009/03/06.

110.

Barria RM, Lorca P, Munoz S. Randomized controlled trial of vascular access in newborns in the neonatal intensive care unit. *J Obstet Gynecol Neonatal Nurs*. 2007;36(5):450-6.

111.

Barroso J, Relf MV, Williams MS, Arscott J, Moore ED, Caiola C, et al. A randomized controlled trial of the efficacy of a stigma reduction intervention for HIV-infected women in the Deep South. *AIDS Patient Care STDS*. 2014;28(9):489-98. Epub 2014/08/02.

112.

Barton D, La Vasseur B, Loprinzi C, Novotny P, Wilwerding MB, Sloan J. Venlafaxine for the control of hot flashes: results of a longitudinal continuation study. *Oncol Nurs Forum*. 2002;29(1):33-40. Epub 2002/01/31.

113.

Bashour HN, Kharouf MH, Abdulsalam AA, El Asmar K, Tabbaa MA, Cheikha SA. Effect of postnatal home visits on maternal/infant outcomes in Syria: a randomized controlled trial. *Public Health Nurs*. 2008;25(2):115-25. Epub 2008/02/26.

114.

Basic D, Conforti DA. A prospective, randomised controlled trial of an aged care nurse intervention within the emergency department. *Australian Health Review*. 2005;29(1):51-9.

115.

Bastani F, Hidarnia A, Montgomery KS, Aguilar-Vafaei ME, Kazemnejad A. Does relaxation education in anxious primigravid Iranian women influence adverse pregnancy outcomes? A randomized controlled trial. *Journal of Perinatal and Neonatal Nursing*. 2006;20(2):138-46.

116.

Bates-Jensen BM, Alessi CA, Al-Samarrai NR, Schnelle JF. The effects of an exercise and incontinence intervention on skin health outcomes in nursing home residents. *J Am Geriatr Soc*. 2003;51(3):348-55. Epub 2003/02/18.

117.

Battersby MW, Beattie J, Pols RG, Smith DP, Condon J, Blunden S. A randomised controlled trial of the Flinders Program of chronic condition management in Vietnam veterans with co-morbid alcohol misuse, and psychiatric and medical conditions. *Aust N Z J Psychiatry*. 2013;47(5):451-62.

118.

Bauer CL, Victorson D, Rosenbloom S, Barocas J, Silver RK. Alleviating distress during antepartum hospitalization: a randomized controlled trial of music and recreation therapy. *J Womens Health (Larchmt)*. 2010;19(3):523-31. Epub 2010/02/10.

119.

Bauer MS, Biswas K, Kilbourne AM. Enhancing multiyear guideline concordance for bipolar disorder through collaborative care. *Am J Psychiatry*. 2009;166(11):1244-50. Epub 2009/10/03.

120.

Baumann BM, McCans K, Stahmer SA, Leonard MB, Shults J, Holmes WC. Caregiver and health care provider satisfaction with volumetric bladder ultrasound. *Acad Emerg Med*. 2007;14(10):903-7. Epub 2007/09/28.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

121.

Baumann BM, McCans K, Stahmer SA, Leonard MB, Shults J, Holmes WC. Volumetric bladder ultrasound performed by trained nurses increases catheterization success in pediatric patients. *American Journal of Emergency Medicine*. 2008;26(1):18-23.

122.

Bausone-Gazda D, Lefaiver CA, Walters SA. A randomized controlled trial to compare the complications of 2 peripheral intravenous catheter-stabilization systems. *Journal of infusion nursing : the official publication of the Infusion Nurses Society*. 2010;33(6):371-84. Epub 2010/11/17.

123.

Baxter P, Akhtar-Danesh N, Landeen J, Norman G. Teaching critical management skills to senior nursing students: videotaped or interactive hands-on instruction? *Nurs Educ Perspect*. 2012;33(2):106-10.

124.

Bay PS, Ivy SS, Terry CL. The effect of spiritual retreat on nurses' spirituality: a randomized controlled study. *Holist Nurs Pract*. 2010;24(3):125-33. Epub 2010/04/28.

125.

Bearman GML, Rosato A, Elam K, Sanogo K, Stevens MP, Sessler CN, et al. A crossover trial of antimicrobial scrubs to reduce methicillin-resistant staphylococcus aureus burden on healthcare worker apparel. *Infection Control & Hospital Epidemiology*. 2012;33(3):268-75.

126.

Beattie J, Battersby MW, Pols RG. The acceptability and outcomes of a peer- and health-professional-led Stanford self-management program for Vietnam veterans with alcohol misuse and their partners. *Psychiatr Rehabil J*. 2013;36(4):306-13. Epub 2013/11/14.

127.

Beck AM, Damkjaer K, Tetens I. Lack of compliance of staff in an intervention study with focus on nutrition, exercise and oral care among old (65+ yrs) Danish nursing home residents. *Aging Clin Exp Res*. 2009;21(2):143-9.

128.

Beck CK, Vogelpohl TS, Rasin JH, Uriri JT, O'Sullivan P, Walls R, et al. Effects of behavioral interventions on disruptive behavior and affect in demented nursing home residents. *Nurs Res*. 2002;51(4):219-28. Epub 2002/07/20.

129.

Beckie TM, Beckstead JW, Groer MW. The influence of cardiac rehabilitation on inflammation and metabolic syndrome in women with coronary heart disease. *The Journal of cardiovascular nursing*. 2010;25(1):52-60. Epub 2009/11/26.

130.

Beckie TM, Beckstead JW, Kip KE, Fletcher G. Improvements in heart rate recovery among women after cardiac rehabilitation completion. *The Journal of cardiovascular nursing*. 2014;29(1):38-47. Epub 2012/11/17.

131.

Beebe LH. Community nursing support for clients with schizophrenia. *Arch Psychiatr Nurs*. 2001;15(5):214-22.

132.

Beebe LH, Smith K, Burk R, Dessieux O, Velligan D, Tavakoli A, et al. Effect of a motivational group intervention upon exercise self efficacy and outcome expectations for exercise in Schizophrenia Spectrum Disorders (SSDs). *J Am Psychiatr Nurses Assoc*. 2010;16(2):105-13. Epub 2010/05/07.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

133.

Beebe LH, Smith K, Davis J, Roman M, Burke R. Meet me at the crossroads: clinical research engages practitioners, educators, students, and patients. *Perspect Psychiatr Care*. 2012;48(2):76-82.

134.

Beeber LS, Holditch-Davis D, Perreira K, Schwartz TA, Lewis V, Blanchard H, et al. Short-term in-home intervention reduces depressive symptoms in Early Head Start Latina mothers of infants and toddlers. *Res Nurs Health*. 2010;33(1):60-76. Epub 2010/01/01.

135.

Beeckman D, Clays E, Van Hecke A, Vanderwee K, Schoonhoven L, Verhaeghe S. A multi-faceted tailored strategy to implement an electronic clinical decision support system for pressure ulcer prevention in nursing homes: a two-armed randomized controlled trial. *Int J Nurs Stud*. 2013;50(4):475-86.

136.

Beeckman D, Schoonhoven L, Fletcher J, Furtado K, Heyman H, Paquay L, et al. Pressure ulcers and incontinence-associated dermatitis: effectiveness of the Pressure Ulcer Classification education tool on classification by nurses. *Qual Saf Health Care*. 2010;19(5):e3. Epub 2010/07/31.

137.

Behrend SW. Patients with primary brain tumors. *Oncol Nurs Forum*. 2014;41(3):335-6. Epub 2014/04/29.

138.

Behrendt R, Ghaznavi AM, Mahan M, Craft S, Siddiqui A. Continuous bedside pressure mapping and rates of hospital-associated pressure ulcers in a medical intensive care unit. *Am J Crit Care*. 2014;23(2):127-33.

139.

Belgacem Bnd, Auclair C, Fedor M-C, Brugnon D, Blanquet M, Tournilhac O, et al. A caregiver educational program improves quality of life and burden for cancer patients and their caregivers: A randomised clinical trial. *Eur J Oncol Nurs*. 2013;17(6):870-6.

140.

Bell AM, Fonda SJ, Walker MS, Schmidt V, Vigersky RA. Mobile phone-based video messages for diabetes self-care support. *Journal of diabetes science and technology*. 2012;6(2):310-9. Epub 2012/04/28.

141.

Benatar D, Bondmass M, Ghitelman J, Avitall B. Outcomes of chronic heart failure. *Arch Intern Med*. 2003;163(3):347-52. Epub 2003/02/13.

142.

Bennett JA, Lyons KS, Winters-Stone K, Nail LM, Scherer J. Motivational interviewing to increase physical activity in long-term cancer survivors: a randomized controlled trial. *Nurs Res*. 2007;56(1):18-27. Epub 2006/12/21.

143.

Bennett PN, Miller MD, Woodman RJ, Hill K, Murray S, Gleadle JM. Nutrition screening by nurses in dialysis. *J Clin Nurs*. 2013;22(5-6):723-32.

144.

Benson EE, McMillan DE, Ong B. The effects of active warming on patient temperature and pain after total knee arthroplasty. *Am J Nurs*. 2012;112(5):26-33; quiz 4, 42. Epub 2012/05/02.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

145.

Berg A, Sadowski K, Beyrodt M, Hanns S, Zimmermann M, Langer G, et al. Snoezelen, structured reminiscence therapy and 10-minutes activation in long term care residents with dementia (WISDE): study protocol of a cluster randomized controlled trial. *BMC geriatr.* 2010;10:5.

146.

Berger R, Gekopf M. An intervention for reducing secondary traumatization and improving professional self-efficacy in well baby clinic nurses following war and terror: a random control group trial. *Int J Nurs Stud.* 2011;48(5):601-10. Epub 2010/10/12.

147.

Bergh IH, Stener-Victorin E, Wallin G, Martensson L. Comparison of the PainMatcher and the Visual Analogue Scale for assessment of labour pain following administered pain relief treatment. *Midwifery.* 2011;27(1):e134-9. Epub 2009/06/09.

148.

Bergomi P, Chieppi M, Maini A, Mugnos T, Spotti D, Tzialla C, et al. Nonpharmacological techniques to reduce pain in preterm infants who receive heel-lance procedure: a randomized controlled trial. *Res Theory Nurs Pract.* 2014;28(4):335-48. Epub 2015/01/13.

149.

Bergstrom N, Horn SD, Rapp MP, Stern A, Barrett R, Watkiss M. Turning for Ulcer Reduction: a multisite randomized clinical trial in nursing homes. *J Am Geriatr Soc.* 2013;61(10):1705-13.

150.

Berlin A, Nilsson G, Tornkvist L. Cultural competence among Swedish child health nurses after specific training: A randomized trial. *Nursing & health sciences.* 2010;12(3):381-91. Epub 2010/08/24.

151.

Bernardo LM, Gardner MJ, Lucke J, Ford H. The effects of core and peripheral warming methods on temperature and physiologic variables in injured children. *Pediatr Emerg Care.* 2001;17(2):138-42.

152.

Bernitz S, Aas E, Oian P. Economic evaluation of birth care in low-risk women. A comparison between a midwife-led birth unit and a standard obstetric unit within the same hospital in Norway. A randomised controlled trial. *Midwifery.* 2012;28(5):591-9. Epub 2012/08/21.

153.

Berry AM. A comparison of Listerine(R) and sodium bicarbonate oral cleansing solutions on dental plaque colonisation and incidence of ventilator associated pneumonia in mechanically ventilated patients: a randomised control trial. *Intensive Crit Care Nurs.* 2013;29(5):275-81.

154.

Berry AM, Davidson PM, Masters J, Rolls K, Ollerton R. Effects of three approaches to standardized oral hygiene to reduce bacterial colonization and ventilator associated pneumonia in mechanically ventilated patients: a randomised control trial. *Int J Nurs Stud.* 2011;48(6):681-8. Epub 2010/12/28.

155.

Berry JW, Elliott TR, Grant JS, Edwards G, Fine PR. Does problem-solving training for family caregivers benefit their care recipients with severe disabilities? A latent growth model of the Project CLUES randomized clinical trial. *Rehabil Psychol.* 2012;57(2):98-112. Epub 2012/06/13.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

156.

Berti JS, Tonon E, Ronchi CF, Berti HW, Stefano LM, Gut AL, et al. Manual hyperinflation combined with expiratory rib cage compression for reduction of length of ICU stay in critically ill patients on mechanical ventilation. *J Bras Pneumol.* 2012;38(4):477-86. Epub 2012/09/12.

157.

Bertuzzi D, Nogueira, Moraes MA, Mussi C, Rabelo ER. The knowledge of patients with heart failure in the homecare context: an experimental study. *Online Brazilian Journal of Nursing.* 2012;11(3):572-82.

158.

Beyazit Y, Koklu S, Ozturk ZA, Yuksel O, Ibis M, Arhan M, et al. Inclusion of a spasmolytic in bowel cleansing: a prospective randomized study. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates.* 2011;34(5):352-5. Epub 2011/10/08.

159.

Bhalla VK, Bolduc A, Lewis F, NeSmith E, Hogan C, Edmunds JS, et al. Verification of Resident Bedside-Procedure Competency by Intensive Care Nursing Staff. *Journal of Trauma Nursing.* 2014;21(2):57-60.

160.

Bhethanabhotla S, Thukral A, Sankar MJ, Agarwal R, Paul VK, Deorari AK. Effect of position of infant during phototherapy in management of hyperbilirubinemia in late preterm and term neonates: a randomized controlled trial. *J Perinatol.* 2013;33(10):795-9.

161.

Bianco L, Perrelli E, Towle V, Van Ness PH, Juthani-Mehta M. Pilot randomized controlled dosing study of cranberry capsules for reduction of bacteriuria plus pyuria in female nursing home residents. *J Am Geriatr Soc.* 2012;60(6):1180-1.

162.

Bick DE, Kettle C, Macdonald S, Thomas PW, Hills RK, Ismail KM. PERineal Assessment and Repair Longitudinal Study (PEARLS): protocol for a matched pair cluster trial. *BMC pregnancy and childbirth.* 2010;10:10. Epub 2010/02/27.

163.

Bilgin S, Gozum S. Reducing burnout in mothers with an intellectually disabled child: an education programme. *J Adv Nurs.* 2009;65(12):2552-61. Epub 2009/11/28.

164.

Billipp SH. The psychosocial impact of interactive computer use within a vulnerable elderly population: A report on a randomized prospective trial in a home health care setting. *Public Health Nurs.* 2001;18(2):138-45.

165.

Binns-Turner PG, Wilson LL, Pryor ER, Boyd GL, Prickett CA. Perioperative music and its effects on anxiety, hemodynamics, and pain in women undergoing mastectomy. *Aana J.* 2011;79(4 Suppl):S21-7. Epub 2012/03/13.

166.

Bird L, Arthur A, Niblock T, Stone R, Watson L, Cox K. Rehabilitation programme after stem cell transplantation: randomized controlled trial. *J Adv Nurs.* 2010;66(3):607-15. Epub 2010/04/29.

167.

Biro MA, Waldenstrom U, Brown S, Pannifex JH. Satisfaction with team midwifery care for low- and high-risk women: a randomized controlled trial. *Birth.* 2003;30(1):1-10. Epub 2003/02/13.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

168.

Biro MA, Waldenstrom U, Pannifex JH. Team midwifery care in a tertiary level obstetric service: a randomized controlled trial. *Birth*. 2000;27(3):168-73. Epub 2001/03/17.

169.

Bjorkdahl A, Nilsson AL, Grimby G, Sunnerhagen KS. Does a short period of rehabilitation in the home setting facilitate functioning after stroke? A randomized controlled trial. *Clin Rehabil*. 2006;20(12):1038-49. Epub 2006/12/07.

170.

Black JT, Romano PS, Sadeghi B, Auerbach AD, Ganiats TG, Greenfield S, et al. A remote monitoring and telephone nurse coaching intervention to reduce readmissions among patients with heart failure: study protocol for the Better Effectiveness After Transition - Heart Failure (BEAT-HF) randomized controlled trial. *Trials*. 2014;15:124. Epub 2014/04/15.

171.

Blackburn S, DePaul D, Loan LA, Marbut K, Taquino LT, Thomas KA, et al. Neonatal thermal care, part III: The effect of infant position and temperature probe placement. *Neonat Netw*. 2001;20(3):25-30.

172.

Blair Irvine A, Billow MB, Eberhage MG, Seeley JR, McMahon E, Bourgeois M. Mental illness training for licensed staff in long-term care. *Issues Ment Health Nurs*. 2012;33(3):181-94. Epub 2012/03/01.

173.

Blank FS, Smithline HA. Evaluation of an educational video for cardiac patients. *Clin Nurs Res*. 2002;11(4):403-16. Epub 2002/11/05.

174.

Blank MB, Hanrahan NP, Fishbein M, Wu ES, Tennille JA, Ten Have TR, et al. A randomized trial of a nursing intervention for HIV disease management among persons with serious mental illness. *Psychiatr Serv*. 2011;62(11):1318-24. Epub 2012/01/03.

175.

Blank MB, Hennessy M, Eisenberg MM. Increasing quality of life and reducing HIV burden: the PATH+ intervention. *AIDS Behav*. 2014;18(4):716-25. Epub 2013/09/04.

176.

Blay N, Donoghue J. The effect of pre-admission education on domiciliary recovery following laparoscopic cholecystectomy. *Aust J Adv Nurs*. 2005;22(4):14-9. Epub 2006/02/25.

177.

Bliss DZ, Savik K, Jung HJ, Whitebird R, Lowry A. Symptoms associated with dietary fiber supplementation over time in individuals with fecal incontinence. *Nurs Res*. 2011;60(3 Suppl):S58-67. Epub 2011/05/14.

178.

Bloomfield J, Roberts J, While A. The effect of computer-assisted learning versus conventional teaching methods on the acquisition and retention of handwashing theory and skills in pre-qualification nursing students: a randomised controlled trial. *Int J Nurs Stud*. 2010;47(3):287-94. Epub 2009/09/19.

179.

Blue L, Lang E, McMurray JJ, Davie AP, McDonagh TA, Murdoch DR, et al. Randomised controlled trial of specialist nurse intervention in heart failure. *Bmj*. 2001;323(7315):715-8. Epub 2001/09/29.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

180.

Blum EP, Burns SM. Perioperative communication and family members' perceived level of anxiety and satisfaction. *ORNAC J*. 2013;31(3):14, 6-9, 34-6, passim. Epub 2013/11/23.

181.

Boet S, Bould MD, Sharma B, Revees S, Naik VN, Tribby E, et al. Within-team debriefing versus instructor-led debriefing for simulation-based education: a randomized controlled trial. *Ann Surg*. 2013;258(1):53-8. Epub 2013/06/04.

182.

Boland A, Haycox A, Bagust A, Fitzsimmons L. A randomised controlled trial to evaluate the clinical and cost-effectiveness of Hickman line insertions in adult cancer patients by nurses. *Health Technol Assess*. 2003;7(36):iii, ix-x, 1-99. Epub 2003/11/13.

183.

Booth J, Hagen S, McClurg D, Norton C, MacInnes C, Collins B, et al. A feasibility study of transcutaneous posterior tibial nerve stimulation for bladder and bowel dysfunction in elderly adults in residential care. *J Am Med Dir Assoc*. 2013;14(4):270-4. Epub 2012/12/05.

184.

Boots BK, Edmundson EE. A controlled, randomised trial comparing single to multiple application lidocaine analgesia in paediatric patients undergoing urethral catheterisation procedures. *J Clin Nurs*. 2010;19(5-6):744-8. Epub 2010/05/27.

185.

Borges WJ, Ostwald SK. Improving foot self-care behaviors with Pies Sanos. *Western journal of nursing research*. 2008;30(3):325-41; discussion 42-9. Epub 2007/07/04.

186.

Bormann JE, Oman D, Walter KH, Johnson BD. Mindful attention increases and mediates psychological outcomes following mantram repetition practice in veterans with posttraumatic stress disorder. *Med Care*. 2014;52(12 Suppl 5):S13-8. Epub 2014/11/15.

187.

Borras JM, Sanchez-Hernandez A, Navarro M, Martinez M, Mendez E, Ponton JL, et al. Compliance, satisfaction, and quality of life of patients with colorectal cancer receiving home chemotherapy or outpatient treatment: a randomised controlled trial. *Bmj*. 2001;322(7290):826. Epub 2001/04/06.

188.

Bosak KA, Yates B, Pozehl B. Effects of an Internet physical activity intervention in adults with metabolic syndrome. *Western journal of nursing research*. 2010;32(1):5-22. Epub 2009/04/10.

189.

Bost N, Wallis M. The effectiveness of a 15 minute weekly massage in reducing physical and psychological stress in nurses. *Aust J Adv Nurs*. 2006;23(4):28-33. Epub 2006/06/28.

190.

Bosworth HB, Olsen MK, Gentry P, Orr M, Dudley T, McCant F, et al. Nurse administered telephone intervention for blood pressure control: a patient-tailored multifactorial intervention. *Patient Educ Couns*. 2005;57(1):5-14. Epub 2005/03/31.

191.

Bosworth HB, Olsen MK, Grubber JM, Neary AM, Orr MM, Powers BJ, et al. Two self-management interventions to improve hypertension control: a randomized trial. *Ann Intern Med*. 2009;151(10):687-95.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

192.

Boter H, Group HS. Multicenter randomized controlled trial of an outreach nursing support program for recently discharged stroke patients. *Stroke*. 2004;35(12):2867-72.

193.

Botngard A, Skranes LP, Skranes J, Dollner H. Multimedia based health information to parents in a pediatric acute ward: A randomized controlled trial. *Patient Educ Couns*. 2013. Epub 2013/05/21.

194.

Bottorff JL, Johnson JL, Moffat B, Fofonoff D, Budz B, Groening M. Synchronizing clinician engagement and client motivation in telephone counseling. *Qual Health Res*. 2004;14(4):462-77. Epub 2004/04/08.

195.

Boult C, Reider L, Leff B, Frick KD, Boyd CM, Wolff JL, et al. The effect of guided care teams on the use of health services: results from a cluster-randomized controlled trial. *Arch Intern Med*. 2011;171(5):460-6.

196. Bouman A, van Rossum E, Evers S, Ambergen T, Kempen G, Knipschild P. Effects on health care use and associated cost of a home visiting program for older people with poor health status: a randomized clinical trial in the Netherlands. *Journals of Gerontology Series A: Biological Sciences & Medical Sciences*. 2008;63A(3):291-7.

197.

Bouwen A, De Lepeleire J, Buntinx F. Rate of accidental falls in institutionalised older people with and without cognitive impairment halved as a result of a staff-oriented intervention. *Age Ageing*. 2008;37(3):306-10.

198.

Bowles KH, McCorkle R, Nuamah IF. Homecare referrals and 12-week outcomes following surgery for cancer. *Oncol Nurs Forum*. 2008;35(3):377-83. Epub 2008/05/10.

199.

Bowman K. Commentary on "Loving-kindness meditation for chronic low back pain". *J Holist Nurs*. 2005;23(3):305-9. Epub 2005/07/29.

200.

Boxer RS, Dolansky MA, Bodnar CA, Singer ME, Albert JM, Gravenstein S. A randomized trial of heart failure disease management in skilled nursing facilities: design and rationale. *J Am Med Dir Assoc*. 2013;14(9):710 e5 -11.

201.

Boyd M, Armstrong D, Parker J, Pilcher C, Zhou L, McKenzie-Green B, et al. Do gerontology nurse specialists make a difference in hospitalization of long-term care residents? Results of a randomized comparison trial. *J Am Geriatr Soc*. 2014;62(10):1962-7. Epub 2014/10/07.

202.

Boyne JJ, Vrijhoef HJ, Spreeuwenberg M, De Weerd G, Kragten J, Gorgels AP, et al. Effects of tailored telemonitoring on heart failure patients' knowledge, self-care, self-efficacy and adherence: a randomized controlled trial. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2014;13(3):243-52. Epub 2013/05/01.

203.

Brabban A, Tai S, Turkington D. Predictors of outcome in brief cognitive behavior therapy for schizophrenia. *Schizophr Bull*. 2009;35(5):859-64. Epub 2009/07/03.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

204.

Brachlow AE, Ness KK, McPheeters ML, Gurney JG. Comparison of indicators for a primary care medical home between children with autism or asthma and other special health care needs: National Survey of Children's Health. *Arch Pediatr Adolesc Med*. 2007;161(4):399-405. Epub 2007/04/04.

205.

Bradbury AW, Adam DJ, Bell J, Forbes JF, Fowkes FG, Gillespie I, et al. Multicentre randomised controlled trial of the clinical and cost-effectiveness of a bypass-surgery-first versus a balloon-angioplasty-first revascularisation strategy for severe limb ischaemia due to infrainguinal disease. The Bypass versus Angioplasty in Severe Ischaemia of the Leg (BASIL) trial. *Health Technol Assess*. 2010;14(14):1-210, iii-iv. Epub 2010/03/24.

206.

Bragelien R, Rokke W, Markestad T. Stimulation of sucking and swallowing to promote oral feeding in premature infants. *Acta Paediatr*. 2007;96(10):1430-2. Epub 2007/08/24.

207.

Bramble M, Moyle W, Shum D. A quasi-experimental design trial exploring the effect of a partnership intervention on family and staff well-being in long-term dementia care. *Aging & Mental Health*. 2011;15(8):995-1007. Epub 2011/06/28.

208.

Braun SM, Beurskens AJ, Kleynen M, Oudelaar B, Schols JM, Wade DT. A multicenter randomized controlled trial to compare subacute 'treatment as usual' with and without mental practice among persons with stroke in Dutch nursing homes. *J Am Med Dir Assoc*. 2012;13(1):85 e1-7.

209.

Bredart A, Mignot V, Rousseau A, Dolbeault S, Beauloye N, Adam V, et al. Validation of the EORTC QLQ-SAT32 cancer inpatient satisfaction questionnaire by self- versus interview-assessment comparison. *Patient Educ Couns*. 2004;54(2):207-12. Epub 2004/08/04.

210.

Bredie SJ, Fouwels AJ, Wollersheim H, Schippers GM. Effectiveness of Nurse Based Motivational Interviewing for smoking cessation in high risk cardiovascular outpatients: a randomized trial. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2011;10(3):174-9. Epub 2010/07/14.

211.

Breedland I, van Scheppingen C, Leijnsma M, Verheij-Jansen NP, van Weert E. Effects of a group-based exercise and educational program on physical performance and disease self-management in rheumatoid arthritis: a randomized controlled study. *Phys Ther*. 2011;91(6):879-93. Epub 2011/04/09.

212.

Brew BK, Marks GB, Almqvist C, Cistulli PA, Webb K, Marshall NS. Breastfeeding and snoring: a birth cohort study. *PloS one*. 2014;9(1):e84956. Epub 2014/01/15.

213.

Breyse J, Wendt J, Dixon S, Murphy A, Wilson J, Meurer J, et al. Nurse case management and housing interventions reduce allergen exposures: the Milwaukee randomized controlled trial. *Public Health Rep*. 2011;126 Suppl 1:89-99. Epub 2011/05/14.

214.

Bridges EJ, Woods SL, Brengelmann GL, Mitchell P, Laurent-Bopp D. Effect of the 30° lateral recumbent position on pulmonary artery and pulmonary artery wedge pressures in critically ill adult cardiac surgery patients. *Am J Crit Care*. 2000;9(4):262-75.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

215.

Brienza D, Kelsey S, Karg P, Allegretti A, Olson M, Schmeler M, et al. A randomized clinical trial on preventing pressure ulcers with wheelchair seat cushions. *J Am Geriatr Soc.* 2010;58(12):2308-14. Epub 2010/11/13.

216.

Brindle CT, Wegelin JA. Prophylactic dressing application to reduce pressure ulcer formation in cardiac surgery patients. *J Wound Ostomy Continence Nurs.* 2012;39(2):133-42.

217.

Brittle N, Patel S, Wright C, Baral S, Versfeld P, Sackley C. An exploratory cluster randomized controlled trial of group exercise on mobility and depression in care home residents. *Clin Rehabil.* 2009;23(2):146-54. Epub 2009/01/24.

218.

Broers CJM, Smulders J, Van Der Ploeg TJ, Arnold AER, Umans VAWM. Nurse practitioner equally as good as a resident in the treatment of stable patients after recent myocardial infarction, but with more patient satisfaction. 'Nurse practitioner' even bekwaam als assistent-geneeskundige voor de behandeling van stabiele patiënten na een recent myocardinfarct, maar met meer tevredenheid bij patiënten. 2006;150(46):2544-8.

219.

Broome ME, Dokken DL, Broome CD, Woodring B, Stegelman MF. A study of parent/grandparent education for managing a febrile illness using the CALM approach. *J Pediatr Health Care.* 2003;17(4):176-83. Epub 2003/07/09.

220.

Brooten D, Youngblut JM, Brown L, Finkler SA, Neff DF, Madigan E. A randomized trial of nurse specialist home care for women with high-risk pregnancies: outcomes and costs. *Am J Manag Care.* 2001;7(8):793-803.

221.

Brown SA, Kouzekanani K, Garcia AA, Orlander PR, Hanis CL. Diabetes self-management and leptin in Mexican Americans with type 2 diabetes: the Starr County border health initiative. *Diabetes Educ.* 2013;39(6):820-7. Epub 2013/09/21.

222.

Brown-Etris M, Milne C, Orsted H, Gates JL, Netsch D, Punchello M, et al. A prospective, randomized, multisite clinical evaluation of a transparent absorbent acrylic dressing and a hydrocolloid dressing in the management of Stage II and shallow Stage III pressure ulcers. *Adv Skin Wound Care.* 2008;21(4):169-74. Epub 2008/04/04.

223.

Broyles LM, Gordon AJ, Rodriguez KL, Hanusa BH, Kengor C, Kraemer KL. Evaluation of a pilot training program in alcohol screening, brief intervention, and referral to treatment for nurses in inpatient settings. *J Addict Nurs.* 2013;24(1):8-19. Epub 2013/01/01.

224.

Bruce ML, Brown EL, Raue PJ, Mlodzianowski AE, Meyers BS, Leon AC, et al. A randomized trial of depression assessment intervention in home health care. *J Am Geriatr Soc.* 2007;55(11):1793-800. Epub 2007/10/06.

225.

Bruera E, Hui D, Dalal S, Torres-Vigil I, Trumble J, Roosth J, et al. Parenteral hydration in patients with advanced cancer: a multicenter, double-blind, placebo-controlled randomized trial. *J Clin Oncol.* 2013;31(1):111-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

226.

Bruera E, Yennurajalingam S, Palmer JL, Perez-Cruz PE, Frisbee-Hume S, Allo JA, et al. Methylphenidate and/or a Nursing Telephone Intervention for Fatigue in Patients With Advanced Cancer: A Randomized, Placebo-Controlled, Phase II Trial. *J Clin Oncol*. 2013;31(19):2421-7.

227.

Bryanton J, Walsh D, Barrett M, Gaudet D. Tub bathing versus traditional sponge bathing for the newborn. *J Obstet Gynecol Neonatal Nurs*. 2004;33(6):704-12.

228.

Brydges R, Carnahan H, Rose D, Dubrowski A. Comparing self-guided learning and educator-guided learning formats for simulation-based clinical training. *J Adv Nurs*. 2010;66(8):1832-44. Epub 2010/06/19.

229.

Bugge C, Williams B, Hagen S, Logan J, Glazener C, Pringle S, et al. A process for Decision-making after Pilot and feasibility Trials (ADePT): development following a feasibility study of a complex intervention for pelvic organ prolapse. *Trials*. 2013;14:353. Epub 2013/10/29.

230.

Bulduk S, Erdogan S. The effects of peer education on reduction of the HIV/sexually transmitted infection risk behaviors among Turkish university students. *The Journal of the Association of Nurses in AIDS Care : JANAC*. 2012;23(3):233-43. Epub 2011/04/19.

231.

Bull MJ, Hansen HE, Gross CR. A professional-patient partnership model of discharge planning with elders hospitalized with heart failure. *Appl Nurs Res*. 2000;13(1):19-28.

232.

Bullock L, Bloom T, Davis J, Kilburn E, Curry MA. Abuse disclosure in privately and medicaid-funded pregnant women. *J Midwifery Womens Health*. 2006;51(5):361-9. Epub 2006/09/02.

233.

Bullock L, Everett KD, Mullen PD, Geden E, Longo DR, Madsen R. Baby BEEP: A randomized controlled trial of nurses' individualized social support for poor rural pregnant smokers. *Matern Child Health J*. 2009;13(3):395-406. Epub 2008/05/23.

234.

Bultas MW, Hassler M, Ercole PM, Rea G. Effectiveness of high-fidelity simulation for pediatric staff nurse education. *Pediatr Nurs*. 2014;40(1):27-32, 42. Epub 2014/04/25.

235.

Burgener SC, Marsh-Yant S, Nega KK. A combined, multimodal intervention for individuals with dementia. *Res Gerontol Nurs*. 2011;4(1):64-75.

236.

Burke CN, Voepel-Lewis T, Hadden S, DeGrandis M, Skotcher S, D'Agostino R, et al. Parental presence on emergence: effect on postanesthesia agitation and parent satisfaction. *J Perianesth Nurs*. 2009;24(4):216-21. Epub 2009/08/04.

237.

Burke NG, Green C, McHugh G, McGolderick N, Kilcoyne C, Kenny P. A prospective randomised study comparing the jubilee dressing method to a standard adhesive dressing for total hip and knee replacements. *J Tissue Viability*. 2012;21(3):84-7. Epub 2012/06/05.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

238.
Burke SD, Vercler SJ, Bye RNO, Desmond PC, Rees YW. Local anesthesia before IV catheterization. *Am*. 2011;111(2):40-5; quiz 6-7.
239.
Burkhart L, Schmidt W. Measuring effectiveness of a spiritual care pedagogy in nursing education. *J Prof Nurs*. 2012;28(5):315-21. Epub 2012/09/26.
240.
Burkhart PV, Dunbar-Jacob JM, Fireman P, Rohay F. Practice applications of research. Children's adherence to recommended asthma self-management. *Pediatr Nurs*. 2002;28(4):409-14.
241.
Burkhart PV, Rayens MK, Oakley MG, Abshire DA, Zhang M. Testing an intervention to promote children's adherence to asthma self-management. *J Nurs Scholarsh*. 2007;39(2):133-40. Epub 2007/05/31.
242.
Burnett CA, Juszczak E, Sullivan PB. Nurse management of intractable functional constipation: a randomised controlled trial. *Arch Dis Child*. 2004;89(8):717-22. Epub 2004/07/23.
243.
Burton C, Gibbon B. Expanding the role of the stroke nurse: a pragmatic clinical trial. *J Adv Nurs*. 2005;52(6):640-50. Epub 2005/11/30.
244.
Butler KM, Begley K, Riker C, Gokun Y, Anderson D, Adkins S, et al. Smoke-free coalition cohesiveness in rural tobacco-growing communities. *J Community Health*. 2014;39(3):592-8. Epub 2013/12/18.
245.
Butts JB. Outcomes of comfort touch in institutionalized elderly female residents. *Geriatr Nurs*. 2001;22(4):180-4.
246.
Butz AM, Syron L, Johnson B, Spaulding J, Walker M, Bollinger ME. Home-based asthma self-management education for inner city children. *Public Health Nurs*. 2005;22(3):189-99. Epub 2005/06/29.
247.
Byers AM, Lamanna L, Rosenberg A. The effect of motivational interviewing after ischemic stroke on patient knowledge and patient satisfaction with care: a pilot study. *J Neurosci Nurs*. 2010;42(6):312-22. Epub 2011/01/07.
248.
Byma EA, Given BA, Given CW, You M. The effects of mastery on pain and fatigue resolution. *Oncol Nurs Forum*. 2009;36(5):544-52.
249.
Caljouw MA, Hogendorf-Burgers ME. GYNOTEL: telephone advice to gynaecological surgical patients after discharge. *J Clin Nurs*. 2010;19(23-24):3301-6. Epub 2010/10/16.
250.
Calvo R, Martinez-Zapata MJ, Urrutia G, Gich I, Jordan M, Del Arco A, et al. Low- vs. high-pressure suction drainage after total knee arthroplasty: a double-blind randomized controlled trial. *J Adv Nurs*. 2012;68(4):758-66.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

251.

Cameron ID, Kurrle SE, Quine S, Sambrook PN, March L, Chan DK, et al. Improving adherence with the use of hip protectors among older people living in nursing care facilities: a cluster randomized trial. *J Am Med Dir Assoc*. 2011;12(1):50-7.

252.

Cameron J, Hoffman D, Wilson J, Cherry G. Comparison of two peri-wound skin protectants in venous leg ulcers: a randomised controlled trial. *J Wound Care*. 2005;14(5):233-6. Epub 2005/05/25.

253.

Cames C, Cournil A, de Vincenzi I, Gaillard P, Meda N, Luchters S, et al. Postpartum weight change among HIV-infected mothers by antiretroviral prophylaxis and infant feeding modality in a research setting. *AIDS*. 2014;28(1):85-94. Epub 2014/01/15.

254.

Campbell DA, Lake MF, Falk M, Backstrand JR. A randomized control trial of continuous support in labor by a lay doula. *J Obstet Gynecol Neonatal Nurs*. 2006;35(4):456-64. Epub 2006/08/03.

255.

Campbell-Jones V. A comparison of lidocaine versus normal saline for local anesthesia before intravenous cannula insertion. *J Natl Black Nurses Assoc*. 2010;21(2):27-33.

256.

Campbell-Yeo M, Johnston C, Benoit B, Latimer M, Vincer M, Walker CD, et al. Trial of repeated analgesia with Kangaroo Mother Care (TRAKC Trial). *BMC Pediatr*. 2013;13:182. Epub 2013/11/29.

257.

Campbell-Yeo ML, Johnston CC, Joseph KS, Feeley N, Chambers CT, Barrington KJ, et al. Co-bedding between preterm twins attenuates stress response after heel lance: results of a randomized trial. *Clin J Pain*. 2014;30(7):598-604. Epub 2013/12/05.

258.

Can G, Topuz E, Derin D, Durna Z, Aydinler A. Effect of kefir on the quality of life of patients being treated for colorectal cancer. *Oncol Nurs Forum*. 2009;36(6):E335-42.

259.

Candiotti K, Rodriguez Y, Koyyalamudi P, Curia L, Arheart KL, Birnbach DJ. The effect of needle bevel position on pain for subcutaneous lidocaine injection. *J Perianesth Nurs*. 2009;24(4):241-3.

260.

Canga Armayor AD, Narvaiza Solís MJ. Nursing interventions aimed at reducing complications set in the hospitalisation of the elderly. *Intervención de enfermería para disminuir las complicaciones derivadas de la hospitalización en los ancianos*. 2006;17(1):24-31.

261.

Caplan GA, Williams AJ, Daly B, Abraham K. A randomized, controlled trial of comprehensive geriatric assessment and multidisciplinary intervention after discharge of elderly from the emergency department--the DEED II study. *J Am Geriatr Soc*. 2004;52(9):1417-23. Epub 2004/09/03.

262.

Caprilli S, Vagnoli L, Bastiani C, Messeri A. Pain and distress in children undergoing blood sampling: effectiveness of distraction with soap bubbles: A randomized controlled study. *Children's Nurses: Italian Journal of Pediatric Nursing Science / Infermieri dei Bambini: Giornale Italiano di Scienze Infermieristiche Pediatriche*. 2012;4(1):15-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

263.

Cardenas-Valladolid J, Salinero-Fort MA, Gomez-Campelo P, de Burgos-Lunar C, Abanades-Herranz JC, Arnal-Selfa R, et al. Effectiveness of standardized Nursing Care Plans in health outcomes in patients with type 2 Diabetes Mellitus: a two-year prospective follow-up study. *PLoS one*. 2012;7(8):e43870. Epub 2012/09/07.

264.

Carfoot S, Williamson PR, Dickson R. The value of a pilot study in breast-feeding research. *Midwifery*. 2004;20(2):188-93. Epub 2004/06/05.

265.

Caris-Verhallen WM, Kerkstra A, Bensing JM, Grypdonck MH. Effects of video interaction analysis training on nurse-patient communication in the care of the elderly. *Patient Educ Couns*. 2000;39(1):91-103. Epub 2000/10/03.

266.

Carnevale GJ, Anselmi V, Busichio K, Millis SR. Changes in ratings of caregiver burden following a community-based behavior management program for persons with traumatic brain injury. *J Head Trauma Rehabil*. 2002;17(2):83-95. Epub 2002/03/23.

267.

Carrico RM, Coty MB, Goss LK, Lajoie AS. Changing health care worker behavior in relation to respiratory disease transmission with a novel training approach that uses biosimulation. *Am J Infect Control*. 2007;35(1):14-9. Epub 2007/02/06.

268.

Carrieri-Kohlman V, Gormley JM, Eiser S, Demir-Deviren S, Nguyen H, Paul SM, et al. Dyspnea and the affective response during exercise training in obstructive pulmonary disease. *Nurs Res*. 2001;50(3):136-46. Epub 2001/06/08.

269.

Carroll DL, Rankin SH. Comparing interventions in older unpartnered adults after myocardial infarction. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2006;5(1):83-9. Epub 2005/11/01.

270.

Carroll DL, Rankin SH, Cooper BA. The effects of a collaborative peer advisor/advanced practice nurse intervention: cardiac rehabilitation participation and rehospitalization in older adults after a cardiac event. *The Journal of cardiovascular nursing*. 2007;22(4):313-9. Epub 2007/06/26.

271.

Carson JW, Keefe FJ, Lynch TR, Carson KM, Goli V, Fras AM, et al. Loving-kindness meditation for chronic low back pain: results from a pilot trial. *J Holist Nurs*. 2005;23(3):287-304. Epub 2005/07/29.

272.

Carter AJ, Deselms J, Ruyle S, Morrissey-Lucas M, Kollar S, Cannon S, et al. Postanesthesia care unit visitation decreases family member anxiety. *J Perianesth Nurs*. 2012;27(1):3-9. Epub 2012/01/24.

273.

Casper GR, Brennan PF, Burke LJ, Nicolalde D. HeartCareII: patients' use of a home care web resource. *Stud Health Technol Inform*. 2009;146:139-43. Epub 2009/07/14.

274.

Castral TC, Warnock F, Leite AM, Haas VJ, Scochi CG. The effects of skin-to-skin contact during acute pain in preterm newborns. *Eur J Pain*. 2008;12(4):464-71. Epub 2007/09/18.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

275.

Castro-Sanchez AM, Aguilar-Ferrandiz ME, Mataran-Penarrocha GA, Sanchez-Joya Mdel M, Arroyo-Morales M, Fernandez-de-las-Penas C. Short-term effects of a manual therapy protocol on pain, physical function, quality of sleep, depressive symptoms, and pressure sensitivity in women and men with fibromyalgia syndrome: a randomized controlled trial. *Clin J Pain*. 2014;30(7):589-97. Epub 2013/11/28.

276.

Catlin A, Taylor-Ford RL. Investigation of standard care versus sham Reiki placebo versus actual Reiki therapy to enhance comfort and well-being in a chemotherapy infusion center. *Oncol Nurs Forum*. 2011;38(3):E212-20. Epub 2011/05/03.

277.

Cereda E, Gini A, Pedrolli C, Vanotti A. Disease-specific, versus standard, nutritional support for the treatment of pressure ulcers in institutionalized older adults: a randomized controlled trial. *J Am Geriatr Soc*. 2009;57(8):1395-402. Epub 2009/07/01.

278.

Cetinkaya B, Basbakkal Z. The effectiveness of aromatherapy massage using lavender oil as a treatment for infantile colic. *Int J Nurs Pract*. 2012;18(2):164-9. doi: 10.1111/j.1440-172X.2012.02015.x.

279.

Ch, Dröes R, de Lange J, Ettema T, Cools H, van Tilburg W. The implementation of integrated emotion-oriented care: Did it actually change the attitude, skills and time spent of trained caregivers? *Dementia* (14713012). 2013;12(5):536-50.

280.

Chailer M, Ellis J, Stolarik A, Woodend K. Cold therapy for the management of pain associated with deep breathing and coughing post-cardiac surgery. *Can J Cardiovasc Nurs*. 2010;20(2):18-24.

281.

Chair SY, Taylor-Piliae RE, Lam G, Chan S. Effect of positioning on back pain after coronary angiography. *J Adv Nurs*. 2003;42(5):470-8. Epub 2003/05/20.

282.

Chair SY, Thompson DR, Li SK. The effect of ambulation after cardiac catheterization on patient outcomes. *J Clin Nurs*. 2007;16(1):212-4. Epub 2006/12/22.

283.

Chambers SK, Girgis A, Occhipinti S, Hutchison S, Turner J, McDowell M, et al. A Randomized Trial Comparing Two Low-Intensity Psychological Interventions for Distressed Patients With Cancer and Their Caregivers. *Oncol Nurs Forum*. 2014;41(4):E256-66.

284.

Chami K, Gavazzi G, Bar-Hen A, Carrat F, de Wazieres B, Lejeune B, et al. A short-term, multicomponent infection control program in nursing homes: a cluster randomized controlled trial. *J Am Med Dir Assoc*. 2012;13(6):569 e9-17. Epub 2012/06/12.

285.

Champion JD, Collins JL. Comparison of a theory-based (AIDS Risk Reduction Model) cognitive behavioral intervention versus enhanced counseling for abused ethnic minority adolescent women on infection with sexually transmitted infection: results of a randomized controlled trial. *Int J Nurs Stud*. 2012;49(2):138-50. Epub 2011/09/23.

286.

Champion V, Skinner CS, Hui S, Monahan P, Juliar B, Daggy J, et al. The effect of telephone versus print tailoring for mammography adherence. *Patient Educ Couns*. 2007;65(3):416-23. Epub 2007/01/02.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

287.

Champion VL, Skinner CS, Foster JL. The effects of standard care counseling or telephone/in-person counseling on beliefs, knowledge, and behavior related to mammography screening. *Oncol Nurs Forum*. 2000;27(10):1565-71. Epub 2000/12/05.

288.

Chan AW, Lee A, Lee DT, Suen LK, Tam WW, Chair SY, et al. The sustaining effects of Tai chi Qigong on physiological health for COPD patients: a randomized controlled trial. *Complementary therapies in medicine*. 2013;21(6):585-94. Epub 2013/11/28.

289.

Chan ES, Koh D, Teo YC, Hj Tamin R, Lim A, Fredericks S. Biochemical and psychometric evaluation of Self-Healing Qigong as a stress reduction tool among first year nursing and midwifery students. *Complement Ther Clin Pract*. 2013;19(4):179-83. Epub 2013/11/10.

290.

Chan MF. A randomised controlled study of the effects of music on sleep quality in older people. *J Clin Nurs*. 2011;20(7-8):979-87. Epub 2011/02/08.

291.

Chan MF, Chan EA, Mok E. Effects of music on depression and sleep quality in elderly people: A randomised controlled trial. *Complementary therapies in medicine*. 2010;18(3-4):150-9. Epub 2010/08/07.

292.

Chan MF, Chan EA, Mok E, Kwan Tse FY. Effect of music on depression levels and physiological responses in community-based older adults. *Int J Ment Health Nurs*. 2009;18(4):285-94. Epub 2009/07/15.

293.

Chan MF, Ko CY. Osteoporosis prevention education programme for women. *J Adv Nurs*. 2006;54(2):159-70.

294.

Chan MF, Ko CY, Day MC. The effectiveness of an osteoporosis prevention education programme for women in Hong Kong: a randomized controlled trial. *J Clin Nurs*. 2005;14(9):1112-23. Epub 2005/09/17.

295.

Chan MF, Wong OC, Chan HL, Fong MC, Lai SY, Lo CW, et al. Effects of music on patients undergoing a C-clamp procedure after percutaneous coronary interventions. *J Adv Nurs*. 2006;53(6):669-79. Epub 2006/03/24.

296.

Chan MF, Wong ZY, Onishi H, Thayala NV. Effects of music on depression in older people: a randomised controlled trial. *J Clin Nurs*. 2012;21(5-6):776-83. Epub 2011/11/01.

297.

Chan RJ, Mann J, Tripcony L, Keller J, Cheuk R, Blades R, et al. Natural oil-based emulsion containing allantoin versus aqueous cream for managing radiation-induced skin reactions in patients with cancer: a phase 3, double-blind, randomized, controlled trial. *Int J Radiat Oncol Biol Phys*. 2014;90(4):756-64. Epub 2014/08/26.

298.

Chan S, Lam TH. Preventing exposure to second-hand smoke. *Semin Oncol Nurs*. 2003;19(4):284-90. Epub 2004/01/02.

299.

Chan S, Lam TH. Protecting sick children from exposure to passive smoking through mothers' actions: a randomized controlled trial of a nursing intervention. *J Adv Nurs*. 2006;54(4):440-9. Epub 2006/05/05.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

300.

Chan SS, Wong DC, Lam TH. Will mothers of sick children help their husbands to stop smoking after receiving a brief intervention from nurses? Secondary analysis of a randomised controlled trial. *BMC Pediatr.* 2013;13:50. Epub 2013/04/10.

301.

Chan SW, Li Z, Klainin-Yobas P, Ting S, Chan MF, Eu PW. Effectiveness of a peer-led self-management programme for people with schizophrenia: protocol for a randomized controlled trial. *J Adv Nurs.* 2014;70(6):1425-35. Epub 2013/11/15.

302.

Chan YK, Stewart S, Calderone A, Scuffham P, Goldstein S, Carrington MJ. Exploring the potential to remain "Young @ Heart": initial findings of a multi-centre, randomised study of nurse-led, home-based intervention in a hybrid health care system. *Int J Cardiol.* 2012;154(1):52-8. Epub 2010 Oct 2.

303.

Chang AM, Ip WY, Cheung TH. Patient-controlled analgesia versus conventional intramuscular injection: a cost effectiveness analysis. *J Adv Nurs.* 2004;46(5):531-41. Epub 2004/05/14.

304.

Chang ET, Lai HL, Chen PW, Hsieh YM, Lee LH. The effects of music on the sleep quality of adults with chronic insomnia using evidence from polysomnographic and self-reported analysis: a randomized control trial. *Int J Nurs Stud.* 2012;49(8):921-30. Epub 2012/04/13.

305.

Chang HK, Peng TC, Wang JH, Lai HL. Psychophysiological responses to sedative music in patients awaiting cardiac catheterization examination: a randomized controlled trial. *The Journal of cardiovascular nursing.* 2011;26(5):E11-8. Epub 2011/03/05.

306.

Chang MY, Chang LY, Huang YC, Lin KM, Cheng CH. Chair-sitting exercise intervention does not improve respiratory muscle function in mechanically ventilated intensive care unit patients. *Respir Care.* 2011;56(10):1533-8.

307.

Chang MY, Chen CH, Huang KF. Effects of music therapy on psychological health of women during pregnancy. *J Clin Nurs.* 2008;17(19):2580-7. Epub 2008/02/27.

308.

Chang MY, Wang SY, Chen CH. Effects of massage on pain and anxiety during labour: a randomized controlled trial in Taiwan. *J Adv Nurs.* 2002;38(1):68-73. Epub 2002/03/16.

309.

Chang M-Y, Chen C-H, Huang K-F. A comparison of massage effects on labor pain using the McGill Pain Questionnaire. *J Nurs Res.* 2006;14(3):190-7.

310.

Chang SC, Huang CY, Chen SY, Liao YC, Lin CH, Wang HH. Evaluation of a critical appraisal program for clinical nurses: a controlled before-and-after study. *Journal of continuing education in nursing.* 2013;44(1):43-8. Epub 2013/02/16.

311.

Chang SH, Fang MC, Chang HY. Enhancing three bliss concepts among nursing home elders in Taiwan. *J Clin Nurs.* 2010;19(5-6):682-90.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

312.

Chang SH, Fang MC, Yang YS. Effectiveness of transcutaneous electrical acupoint stimulation for improving depressive mood status among nursing home elders in Taiwan: a pilot study. *Geriatr Nurs*. 2010;31(5):324-30. Epub 2010/10/12.

313.

Chang Y-J, Lin C-P, Lin Y-J, Lin C-H. Effects of single-hole and cross-cut nipple units on feeding efficiency and physiological parameters in premature infants. *J Nurs Res*. 2007;15(3):215-23.

314.

Chang YM, Cheng SY, Lin ML, Gau FY, Chao YFC. The effectiveness of intradialytic leg ergometry exercise for improving sedentary life style and fatigue among patients with chronic kidney disease: A randomized clinical trial. *Int J Nurs Stud*. 2010;47(11):1383-8.

315.

Chant C, Mustard M, Thorpe KE, Friedrich JO. Nurse- vs nomogram-directed glucose control in a cardiovascular intensive care unit. *Am J Crit Care*. 2012;21(4):270-8. Epub 2012/07/04.

316.

Chao HL, Miao SJ, Liu PF, Lee HH, Chen YM, Yao CT, et al. The beneficial effect of ST-36 (Zusanli) acupressure on postoperative gastrointestinal function in patients with colorectal cancer. *Oncol Nurs Forum*. 2013;40(2):E61-8. Epub 2013/03/02.

317.

Chao J, Wang Y, Xu H, Yu Q, Jiang L, Tian L, et al. The effect of community-based health management on the health of the elderly: a randomized controlled trial from China. *BMC Health Serv Res*. 2012;12:449. Epub 2012/12/12.

318.

Chappell NL, Reid RC. Burden and well-being among caregivers: examining the distinction. *Gerontologist*. 2002;42(6):772-80. Epub 2002/11/27.

319.

Charalambous A, Frangos S, Talias M. A randomized controlled trial for the use of Thymus Honey in decreasing Salivary Gland Damage following Radioiodine Therapy for Thyroid cancer: research protocol. *J Adv Nurs*. 2014;70(7):1663-71.

320.

Chase T, Jha A, Brooks CA, Allshouse A. A pilot feasibility study of massage to reduce pain in people with spinal cord injury during acute rehabilitation. *Spinal Cord*. 2013;51(11):847-51. Epub 2013/09/18.

321.

Chassagne P, Jego A, Gloc P, Capet C, Trivalle C, Doucet J, et al. Does treatment of constipation improve faecal incontinence in institutionalized elderly patients? *Age and Ageing*. 2000;29(2):159-64.

322.

Chazan S, Buda I, Neshet N, Paz J, Weinbroum AA. Low-dose ketamine via intravenous patient-controlled analgesia device after various transthoracic procedures improves analgesia and patient and family satisfaction. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2010;11(3):169-76. Epub 2010/08/24.

323.

Cheater FM, Baker R, Reddish S, Spiers N, Wailoo A, Gillies C, et al. Cluster randomized controlled trial of the effectiveness of audit and feedback and educational outreach on improving nursing practice and patient outcomes. *Med Care*. 2006;44(6):542-51.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

324.

Chee YK, Gitlin LN, Dennis MP, Hauck WW. Predictors of adherence to a skill-building intervention in dementia caregivers. *J Gerontol A Biol Sci Med Sci.* 2007;62(6):673-8. Epub 2007/06/28.

325.

Chen CF, Wang RH, Cheng SN, Chang YC. Assessment of chemotherapy-induced oral complications in children with cancer. *J Pediatr Oncol Nurs.* 2004;21(1):33-9. Epub 2004/04/03.

326.

Chen HM, Chen CH. Effects of acupressure on menstrual distress in adolescent girls: a comparison between Hegu-Sanyinjiao matched points and Hegu, Zusanli single point. *J Clin Nurs.* 2010;19(7-8):998-1007.

327.

Chen HM, Wang HH, Chen CH, Hu HM. Effectiveness of a stretching exercise program on low back pain and exercise self-efficacy among nurses in Taiwan: a randomized clinical trial. *Pain management nursing : official journal of the American Society of Pain Management Nurses.* 2014;15(1):283-91. Epub 2012/12/26.

328.

Chen HY, Chuang CH. The learning effectiveness of nursing students using online testing as an assistant tool: a cluster randomized controlled trial. *Nurse education today.* 2012;32(3):208-13. Epub 2011/04/01.

329.

Chen J, Sadakata M, Ishida M, Sekizuka N, Sayama M. Baby massage ameliorates neonatal jaundice in full-term newborn infants. *The Tohoku journal of experimental medicine.* 2011;223(2):97-102. Epub 2011/01/26.

330.

Chen JH, Chao YH, Lu SF, Shiung TF, Chao YF. The effectiveness of valerian acupressure on the sleep of ICU patients: a randomized clinical trial. *Int J Nurs Stud.* 2012;49(8):913-20.

331.

Chen JL, Weiss SJ, Heyman MB, Cooper B, Lustig RH. The Active Balance Childhood program for improving coping and quality of life in Chinese American children. *Nurs Res.* 2010;59(4):270-9. Epub 2010/06/30.

332.

Chen KM, Chen MH, Hong SM, Chao HC, Lin HS, Li CH. Physical fitness of older adults in senior activity centres after 24-week silver yoga exercises. *J Clin Nurs.* 2008;17(19):2634-46. Epub 2008/09/24.

333.

Chen KM, Chen MH, Lin MH, Fan JT, Lin HS, Li CH. Effects of yoga on sleep quality and depression in elders in assisted living facilities. *J Nurs Res.* 2010;18(1):53-61. Epub 2010/03/12.

334.

Chen KM, Fan JT, Wang HH, Wu SJ, Li CH, Lin HS. Silver yoga exercises improved physical fitness of transitional frail elders. *Nurs Res.* 2010;59(5):364-70. Epub 2010/09/03.

335.

Chen MC, Liu HE, Huang HY, Chiou AF. The effect of a simple traditional exercise programme (Baduanjin exercise) on sleep quality of older adults: a randomized controlled trial. *Int J Nurs Stud.* 2012;49(3):265-73. Epub 2011/10/04.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

336.

Chen PY, Huang YC, Kao YH, Chen JY. Effects of an exercise program on blood biochemical values and exercise stage of chronic kidney disease patients. *J Nurs Res.* 2010;18(2):98-107.

337.

Chen S, Walsh SM. Effect of a creative-bonding intervention on Taiwanese nursing students' self-transcendence and attitudes toward elders. *Res Nurs Health.* 2009;32(2):204-16. Epub 2008/12/17.

338.

Chen SH, Tsai YF, Sun CY, Wu IW, Lee CC, Wu MS. The impact of self-management support on the progression of chronic kidney disease--a prospective randomized controlled trial. *Nephrology, dialysis, transplantation : official publication of the European Dialysis and Transplant Association - European Renal Association.* 2011;26(11):3560-6. Epub 2011/03/19.

339.

Chen SL, Liang T, Lee ML, Liao IC. Effects of concept map teaching on students' critical thinking and approach to learning and studying. *J Nurs Educ.* 2011;50(8):466-9. Epub 2011/04/29.

340.

Chen SM, Creedy D, Lin HS, Wollin J. Effects of motivational interviewing intervention on self-management, psychological and glycemic outcomes in type 2 diabetes: A randomized controlled trial. *Int J Nurs Stud.* 2012;49(6):637-44.

341.

Chen SY, Sheu S, Chang CS, Wang TH, Huang MS. The effects of the self-efficacy method on adult asthmatic patient self-care behavior. *J Nurs Res.* 2010;18(4):266-74. Epub 2010/12/09.

342.

Chen WC, Chu H, Lu RB, Chou YH, Chen CH, Chang YC, et al. Efficacy of progressive muscle relaxation training in reducing anxiety in patients with acute schizophrenia. *J Clin Nurs.* 2009;18(15):2187-96. Epub 2009/07/09.

343.

Chen Y, Yang X, Wang L, Zhang X. A randomized controlled trial of the effects of brief mindfulness meditation on anxiety symptoms and systolic blood pressure in Chinese nursing students. *Nurse education today.* 2013;33(10):1166-72.

344.

Chen YC, Chiang LC. Effectiveness of hand-washing teaching programs for families of children in paediatric intensive care units. *J Clin Nurs.* 2007;16(6):1173-9. Epub 2007/05/24.

345.

Chen YC, Wu LF, Mu PF, Lin LH, Chou SS, Shie HG. Using Chest Vibration Nursing Intervention to Improve Expectoration of Airway Secretions and Prevent Lung Collapse in Ventilated ICU Patients: A Randomized Controlled Trial. *Journal of the Chinese Medical Association.* 2009;72(6):316-22.

346.

Cheng CM, Chiu MJ, Wang JH, Liu HC, Shyu YI, Huang GH, et al. Cognitive stimulation during hospitalization improves global cognition of older Taiwanese undergoing elective total knee and hip replacement surgery. *J Adv Nurs.* 2012;68(6):1322-9. Epub 2011/10/13.

347.

Cheng KK. Children's acceptance and tolerance of chlorhexidine and benzydamine oral rinses in the treatment of chemotherapy-induced oropharyngeal mucositis. *Eur J Oncol Nurs.* 2004;8(4):341-9. Epub 2004/11/20.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

348.

Cheng LY, Chan S. Psychoeducation program for chinese family carers of members with schizophrenia. *Western journal of nursing research*. 2005;27(5):583-99; comment 600-3. Epub 2005/07/16.

349.

Cheng M, Cheng S-L, Zhang Q, Jiang H, Cong J-Y, Zang X-Y, et al. The effect of continuous nursing intervention guided by chronotherapeutics on ambulatory blood pressure of older hypertensive patients in the community. *Journal of Clinical Nursing*. 2014;23(15/16):2247-55.

350.

Cheng ST, Chow PK, Song YQ, Yu EC, Chan AC, Lee TM, et al. Mental and physical activities delay cognitive decline in older persons with dementia. *Am J Geriatr Psychiatry*. 2014;22(1):63-74. Epub 2013/04/16.

351.

Chenoweth L, Low L-F, Goodenough B, Zhixin L, Brodaty H, Casey A-N, et al. Something to SMILE About. *J Gerontol Nurs*. 2014;40(2):47-52.

352.

Chetty D, Hoque ME. Effectiveness of a nurse facilitated cognitive group intervention among mild to moderately-depressed-women in KwaZulu-Natal, South Africa. *Afr J Psychiatry (Johannesbg)*. 2013;16(1):29-34. Epub 2013/02/19.

353.

Cheung K, Leung P, Wong YC, To OK, Yeung YF, Chan MW, et al. Water versus antiseptic periurethral cleansing before catheterization among home care patients: a randomized controlled trial. *Am J Infect Control*. 2008;36(5):375-80. Epub 2008/06/10.

354.

Cheung W, Aggarwal G, Fugaccia E, Thanakrishnan G, Milliss D, Anderson R, et al. Palliative care teams in the intensive care unit: a randomised, controlled, feasibility study. *Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine*. 2010;12(1):28-35. Epub 2010/03/04.

355.

Chiang LC, Ma WF, Huang JL, Tseng LF, Hsueh KC. Effect of relaxation-breathing training on anxiety and asthma signs/symptoms of children with moderate-to-severe asthma: a randomized controlled trial. *Int J Nurs Stud*. 2009;46(8):1061-70. Epub 2009/02/28.

356.

Chien H-C, Ku C-H, Lu R-B, Chu H, Tao Y-H, Chou K-R. Effects of social skills training on improving social skills of patients with schizophrenia. *Arch Psychiatr Nurs*. 2003;17(5):228-36.

357.

Chien Wai T, Leung Sau F. Research in brief -- Effectiveness of a nurse-led clinic for clients with mental health problems in a psychiatric outpatient clinic. *Singapore Nursing Journal*. 2012;39(1):48-9.

358.

Chien WT, Chan S, Morrissey J, Thompson D. Effectiveness of a mutual support group for families of patients with schizophrenia. *J Adv Nurs*. 2005;51(6):595-608. Epub 2005/09/01.

359.

Chien WT, Chan SW. One-year follow-up of a multiple-family-group intervention for Chinese families of patients with schizophrenia. *Psychiatr Serv*. 2004;55(11):1276-84. Epub 2004/11/10.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

360.

Chien WT, Lee IY. Randomized controlled trial of a dementia care programme for families of home-resided older people with dementia. *J Adv Nurs*. 2011;67(4):774-87.

361.

Chien WT, Leung SF, Chu CS. A nurse-led, needs-based psycho-education intervention for Chinese patients with first-onset mental illness. *Contemporary nurse*. 2012;40(2):194-209. Epub 2012/05/05.

362.

Chiou PY, Kuo BI, Lee MB, Chen YM, Chuang P, Lin LC. A programme of symptom management for improving quality of life and drug adherence in AIDS/HIV patients. *J Adv Nurs*. 2006;55(2):169-79. Epub 2006/07/27.

363.

Chippis E, Gatens C, Genter L, Musto M, Dubis-Bohn A, Gliemmo M, et al. Pilot study of an oral care protocol on poststroke survivors. *Rehabil Nurs*. 2014;39(6):294-304. Epub 2014/08/19.

364.

Chirinos JA, Gurubhagavatula I, Teff K, Rader DJ, Wadden TA, Townsend R, et al. CPAP, weight loss, or both for obstructive sleep apnea. *N Engl J Med*. 2014;370(24):2265-75. Epub 2014/06/12.

365.

Chiu CW, Wong FK. Effects of 8 weeks sustained follow-up after a nurse consultation on hypertension: a randomised trial. *Int J Nurs Stud*. 2010;47(11):1374-82. Epub 2010/04/24.

366.

Chiu JY, Gau ML, Kuo SY, Chang YH, Kuo SC, Tu HC. Effects of Gua-Sha therapy on breast engorgement: a randomized controlled trial. *J Nurs Res*. 2010;18(1):1-10.

367.

Chiu SC, Cheng KY, Sun TK, Chang KC, Tan TY, Lin TK, et al. The effectiveness of interactive computer assisted instruction compared to videotaped instruction for teaching nurses to assess neurological function of stroke patients: a randomized controlled trial. *Int J Nurs Stud*. 2009;46(12):1548-56. Epub 2009/06/26.

368.

Chiu SH, Anderson GC. Effect of early skin-to-skin contact on mother-preterm infant interaction through 18 months: randomized controlled trial. *Int J Nurs Stud*. 2009;46(9):1168-80. Epub 2009/04/14.

369.

Chlan L, Evans D, Greenleaf M, Walker J. Effects of a single music therapy intervention on anxiety, discomfort, satisfaction, and compliance with screening guidelines in outpatients undergoing flexible sigmoidoscopy. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2000;23(4):148-56. Epub 2001/04/20.

370.

Chlan LL, Sabo J, Savik K. Effects of three groin compression methods on patient discomfort, distress, and vascular complications following a percutaneous coronary intervention procedure. *Nurs Res*. 2005;54(6):391-8. Epub 2005/12/01.

371.

Cho HS, Davis GC, Paek JE, Rao R, Zhao H, Xie XJ, et al. A randomised trial of nursing interventions supporting recovery of the postmastectomy patient. *J Clin Nurs*. 2013;22(7-8):919-29.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

372.

Cho OH, Yoo YS, Kim NC. Efficacy of comprehensive group rehabilitation for women with early breast cancer in South Korea. *Nursing & health sciences*. 2006;8(3):140-6. Epub 2006/08/17.

373.

Cho YC, Tsay SL. The effect of acupressure with massage on fatigue and depression in patients with end-stage renal disease. *J Nurs Res*. 2004;12(1):51-9. Epub 2004/05/12.

374.

Choi SE, Kim HS. Sodium Bicarbonate Solution versus Chlorhexidine Mouthwash in Oral Care of Acute Leukemia Patients Undergoing Induction Chemotherapy: A Randomized Controlled Trial. *Asian Nursing Research*. 2012;6(2):60-6.

375. Choi Y, El Arifeen S, Mannan I, Rahman SM, Bari S, Darmstadt GL, et al. Can mothers recognize neonatal illness correctly? Comparison of maternal report and assessment by community health workers in rural Bangladesh. *Trop Med Int Health*. 2010;15(6):743-53.

376.

Choo J, Lee J, Cho JH, Burke LE, Sekikawa A, Jae SY. Effects of weight management by exercise modes on markers of subclinical atherosclerosis and cardiometabolic profile among women with abdominal obesity: a randomized controlled trial. *BMC Cardiovasc Disord*. 2014;14:82. Epub 2014/07/12.

377.

Chou FY, Dodd MJ, Paul SM. Timing and sustainability of an exercise intervention in women with breast cancer during and after cancer treatment. *Oncol Nurs Forum*. 2012;39(1):91-7. Epub 2011/12/29.

378.

Chou PL, Lin CC. A pain education programme to improve patient satisfaction with cancer pain management: a randomised control trial. *J Clin Nurs*. 2011;20(13-14):1858-69. Epub 2011/05/28.

379.

Chouinard MC, Robichaud-Ekstrand S. The effectiveness of a nursing inpatient smoking cessation program in individuals with cardiovascular disease. *Nurs Res*. 2005;54(4):243-54. Epub 2005/07/20.

380.

Chow J, Rayment G, San Miguel S, Gilbert M. A randomised controlled trial of buttonhole cannulation for the prevention of fistula access complications. *J Ren Care*. 2011;37(2):85-93. Epub 2011/05/13.

381.

Chow KM, Chan CWH, Chan JCY, Choi KKC, Siu KY. A feasibility study of a psychoeducational intervention program for gynecological cancer patients. *Eur J Oncol Nurs*. 2014;18(4):385-92.

382.

Chow MC, Kwok SM, Luk HW, Law JW, Leung BP. Effect of continuous oral suctioning on the development of ventilator-associated pneumonia: a pilot randomized controlled trial. *Int J Nurs Stud*. 2012;49(11):1333-41. Epub 2012/07/04.

383.

Chow SK, Wong FK. Health-related quality of life in patients undergoing peritoneal dialysis: effects of a nurse-led case management programme. *J Adv Nurs*. 2010;66(8):1780-92. Epub 2010/06/19.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

384.

Christensen S. Evaluation of a nurse-designed mobile health education application to enhance knowledge of Pap testing. *Creat Nurs*. 2014;20(2):137-43. Epub 2014/07/09.

385.

Christie J, Bunting B. The effect of health visitors' postpartum home visit frequency on first-time mothers: cluster randomised trial. *Int J Nurs Stud*. 2011;48(6):689-702. Epub 2010/12/07.

386.

Christman NJ, Cain LB. The effects of concrete objective information and relaxation on maintaining usual activity during radiation therapy. *Oncol Nurs Forum*. 2004;31(2):E39-45. Epub 2004/03/16.

387.

Chu A, Mastel-Smith B. The outcomes of anxiety, confidence, and self-efficacy with Internet health information retrieval in older adults: a pilot study. *Comput Inform Nurs*. 2010;28(4):222-8. Epub 2010/06/24.

388.

Chu CI, Liu CY, Sun CT, Lin J. The effect of animal-assisted activity on inpatients with schizophrenia. *J Psychosoc Nurs Ment Health Serv*. 2009;47(12):42-8. Epub 2009/12/17.

389.

Chuang LL, Lin LC, Cheng PJ, Chen CH, Wu SC, Chang CL. Effects of a relaxation training programme on immediate and prolonged stress responses in women with preterm labour. *J Adv Nurs*. 2012;68(1):170-80. Epub 2011/07/21.

390.

Chuang WL, Huang WP, Chen MH, Liu IP, Yu WL, Chin CC. Gauze versus solid skin barrier for tracheostomy care: a crossover randomized clinical trial. *J Wound Ostomy Continence Nurs*. 2013;40(6):573-9. Epub 2013/11/10.

391.

Chung LJ, Tsai PS, Liu BY, Chou KR, Lin WH, Shyu YK, et al. Home-based deep breathing for depression in patients with coronary heart disease: a randomised controlled trial. *Int J Nurs Stud*. 2010;47(11):1346-53. Epub 2010/05/14.

392.

Chung U-L, Hung L-C, Kuo S-C, Huang C-L. Effects of LI4 and BL 67 acupressure on labor pain and uterine contractions in the first stage of labor. *J Nurs Res*. 2003;11(4):251-60.

393.

Chung YC, Chen HH, Yeh ML. Vinegar for decreasing catheter-associated bacteriuria in long-term catheterized patients: a randomized controlled trial. *Biol Res Nurs*. 2012;14(3):294-301. Epub 2011/06/29.

394.

Chunyi G, Xiaodan W, Yan D, Xinli Z, Zheng Z. The effectiveness of a Chinese midwives' antenatal clinic service on childbirth outcomes for primipare: A randomised controlled trial. *Int J Nurs Stud*. 2013;50(12):1689-97.

395.

Chwo MJ, Anderson GC, Good M, Dowling DA, Shiao SH, Chu DM. A randomized controlled trial of early kangaroo care for preterm infants: effects on temperature, weight, behavior, and acuity. *J Nurs Res*. 2002;10(2):129-42.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

396.

Cicolini G, Simonetti V, Comparcini D, Celiberti I, Di Nicola M, Capasso LM, et al. Efficacy of a nurse-led email reminder program for cardiovascular prevention risk reduction in hypertensive patients: A randomized controlled trial. *Int J Nurs Stud*. 2014;51(6):833-43.

397.

Cignacco EL, Sellam G, Stoffel L, Gerull R, Nelle M, Anand KJ, et al. Oral sucrose and "facilitated tucking" for repeated pain relief in preterms: a randomized controlled trial. *Pediatrics*. 2012;129(2):299-308. Epub 2012/01/11.

398. Cimprich B, Ronis DL. An environmental intervention to restore attention in women with newly diagnosed breast cancer. *Cancer Nurs*. 2003;26(4):284-92; quiz 93-4. Epub 2003/07/30.

399.

Cinar IO, Ozturk A. The effect of planned baby care education given to primiparous mothers on maternal attachment and self-confidence levels. *Health Care Women Int*. 2014;35(3):320-33. Epub 2013/11/19.

400.

Clark M, Rogers M, Foster A, Dvorchak F, Saadeh F, Weaver J, et al. A Randomized Trial of the Impact of Survey Design Characteristics on Response Rates Among Nursing Home Providers. *Evaluation & the Health Professions*. 2011;34(4):464-86.

401.

Clark PM, Karagoz T, Apikoglu-Rabus S, Izzettin FV. Effect of pharmacist-led patient education on adherence to tuberculosis treatment. *Am J Health Syst Pharm*. 2007;64(5):497-505. Epub 2007/02/27.

402.

Clarke-O'Neill S, Pettersson L, Fader M, Dean G, Brooks R, Cottenden A. A multicentre comparative evaluation: washable pants with an integral pad for light incontinence. *J Clin Nurs*. 2002;11(1):79-89. Epub 2002/02/16.

403.

Clement S, van Nieuwenhuizen A, Kassam A, Flach C, Lazarus A, de Castro M, et al. Filmed v. live social contact interventions to reduce stigma: randomised controlled trial. *Br J Psychiatry*. 2012;201(1):57-64. Epub 2011/12/14.

404.

Clemson L, Fiatarone Singh MA, Bundy A, Cumming RG, Manollaras K, O'Loughlin P, et al. Integration of balance and strength training into daily life activity to reduce rate of falls in older people (the LiFE study): randomised parallel trial. *BMJ*. 2012;345:e4547.(doi):10.1136/bmj.e4547.

405.

Clignet F, van Meijel B, van Straten A, Cuijpers P. The systematic activation method as a nursing intervention in depressed elderly: a protocol for a multi-centre cluster randomized trial. *BMC Psychiatry*. 2012;12:144. Epub 2012/09/20.

406.

Closa-Monasterolo R, Gispert-Llaurado M, Luque V, Ferre N, Rubio-Torrents C, Zaragoza-Jordana M, et al. Safety and efficacy of inulin and oligofructose supplementation in infant formula: results from a randomized clinical trial. *Clin Nutr*. 2013;32(6):918-27. Epub 2013/03/19.

407.

Cohen LS, Joffe H, Guthrie KA, Ensrud KE, Freeman M, Carpenter JS, et al. Efficacy of omega-3 for vasomotor symptoms treatment: a randomized controlled trial. *Menopause*. 2014;21(4):347-54. Epub 2013/08/29.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

408.

Cohen S, Hayes JS, Tordella T, Puente I. Thermal efficiency of prewarmed cotton, reflective, and forced-warm-air inflatable blankets in trauma patients. *Int J Trauma Nurs*. 2002;8(1):4-8. Epub 2002/01/17.

409.

Colacioppo PM, Gonzalez Riesco ML. Effectiveness of local anaesthetics with and without vasoconstrictors for perineal repair during spontaneous delivery: double-blind randomised controlled trial. *Midwifery*. 2009;25(1):88-95. Epub 2007/07/03.

410.

Coleman EA, Coon SK, Fitzgerald AJ, Cantrell MJ. Breast cancer screening education: comparing outcome skills of nurse practitioner students and medical residents. *Clin Excell Nurse Pract*. 2001;5(2):102-7.

411.

Coleman EA, Coon SK, Kennedy RL, Lockhart KD, Stewart CB, Anaissie EJ, et al. Effects of exercise in combination with epoetin alfa during high-dose chemotherapy and autologous peripheral blood stem cell transplantation for multiple myeloma. *Oncol Nurs Forum*. 2008;35(3):E53-61.

412.

Collins CE, Kershaw J, Brockington S. Effect of nutritional supplements on wound healing in home-nursed elderly: a randomized trial. *Nutrition*. 2005;21(2):147-55.

413.

Collins CL, Barfield C, Horne RS, Davis PG. A comparison of nasal trauma in preterm infants extubated to either heated humidified high-flow nasal cannulae or nasal continuous positive airway pressure. *Eur J Pediatr*. 2014;173(2):181-6. Epub 2013/08/21.

414.

Colon-Emeric CS, McConnell E, Pinheiro SO, Corazzini K, Porter K, Earp KM, et al. CONNECT for better fall prevention in nursing homes: results from a pilot intervention study. *J Am Geriatr Soc*. 2013;61(12):2150-9. Epub 2013/11/28.

415.

Colosimo FC, da Silva SS, Toma Gde A, Pierin AM. [Nursing actions increases the control of hypertensive patients and reduces white-coat effect]. *Rev Esc Enferm USP*. 2012;46 Spec No:10-5. Epub 2013/03/05. Atuacao da enfermeira eleva o controle de hipertensos e diminui o efeito do avental branco.

416.

Colville GA, Cream PR, Kerry SM. Do parents benefit from the offer of a follow-up appointment after their child's admission to intensive care?: an exploratory randomised controlled trial. *Intensive Crit Care Nurs*. 2010;26(3):146-53. Epub 2010/03/30.

417.

Combadiere C, Raoul W, Guillonnet X, Sennlaub F. Comment on "Ccl2, Cx3cr1 and Ccl2/Cx3cr1 chemokine deficiencies are not sufficient to cause age-related retinal degeneration" by Luhmann et al. (*Exp Eye Res*. 2013; 107: 80.doi: 10.1016). *Exp Eye Res*. 2013;25(4):208-13. Epub 2013/02/14.

418.

Cong X, Ludington-Hoe SM, McCain G, Fu P. Kangaroo Care modifies preterm infant heart rate variability in response to heel stick pain: pilot study. *Early Hum Dev*. 2009;85(9):561-7.

419.

Conrad D, Hanson PA, Hasenau SM, Stocker-Schneider J. Identifying the barriers to use of standardized nursing language in the electronic health record by the ambulatory care nurse practitioner. *J Am Acad Nurse Pract*. 2012;24(7):443-51. Epub 2012/06/28.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

420.

Conradsson M, Littbrand H, Lindelof N, Gustafson Y, Rosendahl E. Effects of a high-intensity functional exercise programme on depressive symptoms and psychological well-being among older people living in residential care facilities: A cluster-randomized controlled trial. *Aging & Mental Health*. 2010;14(5):565-76. Epub 2010/05/25.

421.

Convergence Insufficiency Treatment Trial Study G. Randomized clinical trial of treatments for symptomatic convergence insufficiency in children. *Arch Ophthalmol*. 2008;126(10):1336-49. Epub 2008/10/15.

422.

Cooke M, Chaboyer W, Schluter P, Foster M, Harris D, Teakle R. The effect of music on discomfort experienced by intensive care unit patients during turning: a randomized cross-over study. *Int J Nurs Pract*. 2010;16(2):125-31. Epub 2010/05/22.

423.

Cooke M, Chaboyer W, Schluter P, Hiratos M. The effect of music on preoperative anxiety in day surgery. *J Adv Nurs*. 2005;52(1):47-55. Epub 2005/09/10.

424.

Cooke M, Holzhauser K, Jones M, Davis C, Finucane J. The effect of aromatherapy massage with music on the stress and anxiety levels of emergency nurses: comparison between summer and winter. *Journal of Clinical Nursing*. 2007;16(9):1695-703.

425.

Cooke ML, Moyle W, Shum DH, Harrison SD, Murfield JE. A randomized controlled trial exploring the effect of music on agitated behaviours and anxiety in older people with dementia. *Aging & Mental Health*. 2010;14(8):905-16. Epub 2010/07/17.

426.

Cooper MA, Lindsay GM, Kinn S, Swann IJ. Evaluating Emergency Nurse Practitioner services: a randomized controlled trial. *J Adv Nurs*. 2002;40(6):721-30. Epub 2002/12/11.

427.

Cooper P, Gray D. Comparison of two skin care regimes for incontinence. *Br J Nurs*. 2001;10(6 Suppl):S6, S8, S10 passim. Epub 2002/06/19.

428.

Cooper PJ, Tomlinson M, Swartz L, Landman M, Molteno C, Stein A, et al. Improving quality of mother-infant relationship and infant attachment in socioeconomically deprived community in South Africa: randomised controlled trial. *Bmj*. 2009;338:b974. Epub 2009/04/16.

429.

Cornelius JB. Senior nursing students respond to an HIV experiential-teaching method with an African-American female. *J Natl Black Nurses Assoc*. 2004;15(2):11-6. Epub 2005/04/28.

430.

Cossett S, Frasure-Smith N, Dupuis J, Juneau M, Guertin M-C. Randomized Controlled Trial of Tailored Nursing Interventions to Improve Cardiac Rehabilitation Enrollment. *Nurs Res*. 2012;61(2):111-20.

431.

Cossette S, Frasure-Smith N, Robert M, Chouinard MC, Juneau M, Guertin MC, et al. [A pre assessment for nursing intervention to support tobacco cessation in patients hospitalized for cardiac problems: a pilot study (So-Live)]. *Rech Soins Infirm*. 2011(105):60-75. Epub 2011/08/02. Evaluation preliminaire d'une intervention infirmiere de soutien a la cessation tabagique chez des patients hospitalises pour un probleme cardiaque: etude pilote (So-Live).

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

432.

Côté JK, Pepler C. A randomized trial of a cognitive coping intervention for acutely III HIV-positive men. *Nurs Res.* 2002;51(4):237-44.

433.

Coultas D, Frederick J, Barnett B, Singh G, Wludyka P. A randomized trial of two types of nurse-assisted home care for patients with COPD. *Chest.* 2005;128(4):2017-24.

434.

Coulthard MG, Vernon SJ, Lambert HJ, Matthews JN. A nurse led education and direct access service for the management of urinary tract infections in children: prospective controlled trial. *Bmj.* 2003;327(7416):656. Epub 2003/09/23.

435.

Coura LE, Manoel CH, Poffo R, Bedin A, Westphal GA. Randomised, controlled study of preoperative electroacupuncture for postoperative pain control after cardiac surgery. *Acupunct Med.* 2011;29(1):16-20. Epub 2011/03/09.

436.

Courtney M, Edwards H, Chang A, Parker A, Finlayson K, Hamilton K. Fewer emergency readmissions and better quality of life for older adults at risk of hospital readmission: a randomized controlled trial to determine the effectiveness of a 24-week exercise and telephone follow-up program. *J Am Geriatr Soc.* 2009;57(3):395-402. Epub 2009/02/28.

437.

Coutinho GG, Goloni-Bertollo EM, Pavarino-Bertelli EC. Effectiveness of two programs of intermittent ferrous supplementation for treating iron-deficiency anemia in infants: randomized clinical trial. *Sao Paulo Med J.* 2008;126(6):314-8. Epub 2009/03/11.

438.

Cowan MJ, Pike KC, Budzynski HK. Psychosocial nursing therapy following sudden cardiac arrest: impact on two-year survival. *Nurs Res.* 2001;50(2):68-76. Epub 2001/04/17.

439.

Cox CL, McLaughlin RA, Steen BD, Hudson MM. Predicting and modifying substance use in childhood cancer survivors: application of a conceptual model. *Oncol Nurs Forum.* 2006;33(1):51-60. Epub 2006/02/14.

440.

Cox SR, Dages JH, Jarjoura D, Hazelett S. Blood samples drawn from IV catheters have less hemolysis when 5-mL (vs 10-mL) collection tubes are used. *J Emerg Nurs.* 2004;30(6):529-33.

441.

Crainic C, Erickson K, Gardner J, Haberman S, Patten P, Thomas P, et al. Comparison of methods to facilitate postoperative bowel function. *Medsurg Nurs.* 2009;18(4):235-8. Epub 2010/06/18.

442.

Crane-Okada R, Freeman E, Kiger H, Ross M, Elashoff D, Deacon L, et al. Senior Peer Counseling by Telephone for Psychosocial Support After Breast Cancer Surgery: Effects at Six Months. *Oncol Nurs Forum.* 2012;39(1):78-89.

443.

Crane-Okada R, Kiger H, Sugerman F, Uman GC, Shapiro SL, Wyman-McGinty W, et al. Mindful movement program for older breast cancer survivors: a pilot study. *Cancer Nurs.* 2012;35(4):E1-13. Epub 2012/06/19.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

444.

Crawford D, Texter T, Hurt K, VanAelst R, Glaza L, Vander Laan KJ. Traditional nurse instruction versus 2 session nurse instruction plus DVD for teaching ostomy care: a multisite randomized controlled trial. *J Wound Ostomy Continence Nurs.* 2012;39(5):529-37.

445.

Crisp CC, Bandi S, Kleeman SD, Oakley SH, Vaccaro CM, Estanol MV, et al. Patient-controlled versus scheduled, nurse-administered analgesia following vaginal reconstructive surgery: a randomized trial. *Am J Obstet Gynecol.* 2012;207(5):433 e1-6.

446.

Crockett SE, Suarez-Cavelier J, Accola KD, Hadas LA, Harnage DL, Garrett PR, et al. Risk of postoperative hypoglycemia in cardiovascular surgical patients receiving computer-based versus paper-based insulin therapy. *Endocr Pract.* 2012;18(4):529-37.

447.

Crogan NL, Evans BC, Bendel R. Storytelling intervention for patients with cancer: part 2--pilot testing. *Oncol Nurs Forum.* 2008;35(2):265-72.

448.

Crotty M, Whitehead C, Rowett D, Halbert J, Weller D, Finucane P, et al. An outreach intervention to implement evidence based practice in residential care: a randomized controlled trial [ISRCTN67855475]. *BMC Health Serv Res.* 2004;4(1):6. Epub 2004/04/07.

449.

Crowe M, Inder M, Carlyle D, Wilson L, Whitehead L, Panckhurst A, et al. Nurse-led delivery of specialist supportive care for bipolar disorder: a randomized controlled trial. *J Psychiatr Ment Health Nurs.* 2012;19(5):446-54.

450.

Croymans DM, Krell SL, Oh CS, Katiraie M, Lam CY, Harris RA, et al. Effects of resistance training on central blood pressure in obese young men. *J Hum Hypertens.* 2014;28(3):157-64. Epub 2013/09/06.

451.

Crumlish CM, Magel CT. Patient Education on Heart Attack Response: Is Rehearsal the Critical Factor in Knowledge Retention? *MEDSURG Nursing.* 2011;20(6):310-7.

452.

Cuesta R, Sola-Vera J, Uceda F, Garcia Sepulcre MF, Morillo E, Vazquez N. Does "responsive insertion technology" improve practice of colonoscopy? Results of a randomized study. *Scand J Gastroenterol.* 2014;49(3):355-61. Epub 2014/01/15.

453.

Cullum S, Tucker S, Todd C, Brayne C. Effectiveness of liaison psychiatric nursing in older medical inpatients with depression: a randomised controlled trial. *Age Ageing.* 2007;36(4):436-42. Epub 2007/06/01.

454.

Culo S, Mulsant BH, Rosen J, Mazumdar S, Blakesley RE, Houck PR, et al. Treating neuropsychiatric symptoms in dementia with Lewy bodies: a randomized controlled-trial. *Alzheimer Dis Assoc Disord.* 2010;24(4):360-4. Epub 2010/07/14.

455.

Cumming RG, Sherrington C, Lord SR, Simpson JM, Vogler C, Cameron ID, et al. Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. *Bmj.* 2008;336(7647):758-60.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

456.

Curry DM, Brown C, Wrona S. Effectiveness of oral sucrose for pain management in infants during immunizations. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2012;13(3):139-49. Epub 2012/08/30.

457.

Curry MA, Durham L, Bullock L, Bloom T, Davis J. Nurse case management for pregnant women experiencing or at risk for abuse. *J Obstet Gynecol Neonatal Nurs*. 2006;35(2):181-92. Epub 2006/04/20.

458.

Curtis JR, Back AL, Ford DW, Downey L, Shannon SE, Doorenbos AZ, et al. Effect of communication skills training for residents and nurse practitioners on quality of communication with patients with serious illness: a randomized trial. *Jama*. 2013;310(21):2271-81. Epub 2013/12/05.

459.

Cuthbertson BH, Rattray J, Campbell MK, Gager M, Roughton S, Smith A, et al. The PRaCTICaL study of nurse led, intensive care follow-up programmes for improving long term outcomes from critical illness: a pragmatic randomised controlled trial. *Bmj*. 2009;339:b3723. Epub 2009/10/20.

460.

da Mata C, Allen PF, Cronin M, O'Mahony D, McKenna G, Woods N. Cost-effectiveness of ART restorations in elderly adults: a randomized clinical trial. *Community Dent Oral Epidemiol*. 2014;42(1):79-87. Epub 2013/08/21.

461.

da Silva Borges EG, de Souza Vale RG, Cader SA, Leal S, Miguel F, Pernambuco CS, et al. Postural balance and falls in elderly nursing home residents enrolled in a ballroom dancing program. *Arch Gerontol Geriatr*. 2014;59(2):312-6. Epub 2014/05/23.

462.

Dahl JC, Nilsson A. Evaluation of a randomized preventive behavioural medicine work site intervention for public health workers at risk for developing chronic pain. *Eur J Pain*. 2001;5(4):421-32. Epub 2001/12/18.

463.

Dahlen H, Homer C. Perineal trauma and postpartum perineal morbidity in Asian and non-Asian primiparous women giving birth in Australia. *J Obstet Gynecol Neonatal Nurs*. 2008;37(4):455-63. Epub 2008/08/30.

464.

Dahlen HG, Homer CS, Cooke M, Upton AM, Nunn RA, Brodrick BS. 'Soothing the ring of fire': Australian women's and midwives' experiences of using perineal warm packs in the second stage of labour. *Midwifery*. 2009;25(2):e39-48. Epub 2007/11/23.

465.

Dale J, Williams S, Foster T, Higgins J, Snooks H, Crouch R, et al. Safety of telephone consultation for "non-serious" emergency ambulance service patients. *Qual Saf Health Care*. 2004;13(5):363-73. Epub 2004/10/07.

466.

Daly JM, Buckwalter K, Maas M. Written and computerized care plans. Organizational processes and effect on patient outcomes. *J Gerontol Nurs*. 2002;28(9):14-23. Epub 2002/09/21.

467.

Daniel K. Wii-hab for pre-frail older adults. *Rehabil Nurs*. 2012;37(4):195-201. Epub 2012/06/30.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

468.

Daniels K, Arafeh J, Clark A, Waller S, Druzyn M, Chueh J. Prospective randomized trial of simulation versus didactic teaching for obstetrical emergencies. *Simul.* 2010;5(1):40-5.

469.

Dansky KH, Vasey J, Bowles K. Use of telehealth by older adults to manage heart failure. *Res Gerontol Nurs.* 2008;1(1):25-32. Epub 2008/01/01.

470.

Dansky KH, Vasey J, Bowles K. Impact of telehealth on clinical outcomes in patients with heart failure. *Clin Nurs Res.* 2008;17(3):182-99. Epub 2008/07/12.

471.

Darcy W, Jayne M S, Amy R, Amy S, Olivia S, Jennifer Jarred P. Effects of neurodevelopmental stimulation on premature infants in neonatal intensive care: Randomized controlled trial Original Research Articl. *Journal of Neonatal Nursing.* 2012;18(6):210-6.

472.

Darga LL, Magnan M, Mood D, Hryniuk WM, DiLaura NM, Djuric Z. Quality of life as a predictor of weight loss in obese, early-stage breast cancer survivors. *Oncol Nurs Forum.* 2007;34(1):86-92.

473.

Darvishi Khezri H, Haidari Gorji MA, Morad A, Gorji H. Comparison of the antibacterial effects of matrica & Persica and chlorhexidine gluconate mouthwashes in mechanically ventilated ICU patients: a double blind randomized clinical trial. *Rev Chilena Infectol.* 2013;30(4):361-73. Epub 2013/11/20.

474.

Davidson I, Hillier VF, Waters K, Walton T, Booth J. A study to assess the effect of nursing interventions at the weekend for people with stroke. *Clin Rehabil.* 2005;19(2):126-37.

475.

Davies B, Hodnett E, Hannah M, O'Brien-Pallas L, Pringle D, Wells G, et al. Fetal health surveillance: a community-wide approach versus a tailored intervention for the implementation of clinical practice guidelines. *CMAJ.* 2002;167(5):469-74. Epub 2002/09/21.

476.

Davies M, Dixon S, Currie CJ, Davis RE, Peters JR. Evaluation of a hospital diabetes specialist nursing service: a randomized controlled trial. *Diabet Med.* 2001;18(4):301-7. Epub 2001/07/05.

477.

Davis JD, Tremont G, Bishop DS, Fortinsky RH. A telephone-delivered psychosocial intervention improves dementia caregiver adjustment following nursing home placement. *Int J Geriatr Psychiatry.* 2011;26(4):380-7. Epub 2010/09/16.

478.

Dawes HA, Docherty T, Traynor I, Gilmore DH, Jardine AG, Knill-Jones R. Specialist nurse supported discharge in gynaecology: a randomised comparison and economic evaluation. *Eur J Obstet Gynecol Reprod Biol.* 2007;130(2):262-70. Epub 2006/03/15.

479.

Day L, Stotts NA, Frankfurt A, Stralovich-Romani A, Volz M, Muwaswes M, et al. Gastric versus duodenal feeding in patients with neurological disease: a pilot study. *J Neurosci Nurs.* 2001;33(3):148-9, 55-9. Epub 2001/06/21.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

480.

Day T, Iles N, Griffiths P. Effect of performance feedback on tracheal suctioning knowledge and skills: randomized controlled trial. *J Adv Nurs.* 2009;65(7):1423-31. Epub 2009/05/22.

481.

Day T, Wainwright SP, Wilson-Barnett J. An evaluation of a teaching intervention to improve the practice of endotracheal suctioning in intensive care units. *Journal of Clinical Nursing.* 2001;10(5):682-96.

482.

de Jong K, van Sluis P, Nugter MA, Heiser WJ, Spinhoven P. Understanding the differential impact of outcome monitoring: therapist variables that moderate feedback effects in a randomized clinical trial. *Psychother Res.* 2012;22(4):464-74. Epub 2012/04/04.

483.

de Jong M, Lucas C, Bredero H, van Adrichem L, Tibboel D, van Dijk M. Does postoperative 'M' technique massage with or without mandarin oil reduce infants' distress after major craniofacial surgery? *J Adv Nurs.* 2012;68(8):1748-57. Epub 2011/11/05.

484.

de Jonge P, Hadj FB, Boffa D, Zdrojewski C, Dorogi Y, So A, et al. Prevention of major depression in complex medically ill patients: preliminary results from a randomized, controlled trial. *Psychosomatics.* 2009;50(3):227-33.

485.

de la Porte PWFB-A, Lok DJA, van Veldhuisen DJ, van Wijngaarden J, Cornel JH, Zuithoff NPA, et al. Added value of a physician-and-nurse-directed heart failure clinic: results from the Deventer-Alkmaar heart failure study. *Heart.* 2007;93(7):819-25.

486.

de Leeuw J, Prins JB, Teerenstra S, Merx MA, Marres HA, van Achterberg T. Nurse-led follow-up care for head and neck cancer patients: a quasi-experimental prospective trial. *Support Care Cancer.* 2013;21(2):537-47. Epub 2012/08/07.

487.

de Lusignan S, Wells S, Johnson P, Meredith K, Leatham E. Compliance and effectiveness of 1 year's home telemonitoring. The report of a pilot study of patients with chronic heart failure. *Eur J Heart Fail.* 2001;3(6):723-30. Epub 2001/12/12.

488.

de Rotrou J, Cantegreil I, Faucounau V, Wenisch E, Chausson C, Jegou D, et al. Do patients diagnosed with Alzheimer's disease benefit from a psycho-educational programme for family caregivers? A randomised controlled study. *Int J Geriatr Psychiatry.* 2011;26(8):833-42. Epub 2010/10/06.

489.

de Wit M, Gennings C, Jenvey WI, Epstein SK. Randomized trial comparing daily interruption of sedation and nursing-implemented sedation algorithm in medical intensive care unit patients. *Crit Care.* 2008;12(3):R70. Epub 2008/05/22.

490.

de Wit R, van Dam F. From hospital to home care: a randomized controlled trial of a Pain Education Programme for cancer patients with chronic pain. *J Adv Nurs.* 2001;36(6):742-54. Epub 2002/03/21.

491.

Dearn T, Shoemark H. The Effect of Maternal Presence on Premature Infant Response to Recorded Music. *JOGNN: Journal of Obstetric, Gynecologic & Neonatal Nursing.* 2014;43(3):341-50.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

492.

DeBusk RF, Miller NH, Parker KM, Bandura A, Kraemer HC, Cher DJ, et al. Improving patient care. Care management for low-risk patients with heart failure: a randomized, controlled trial. *Ann Intern Med.* 2004;141(8):606.

493.

Defloor T, De Bacquer D, Grypdonck MH. The effect of various combinations of turning and pressure reducing devices on the incidence of pressure ulcers. *Int J Nurs Stud.* 2005;42(1):37-46. Epub 2004/12/08.

494.

Degirmen N, Ozerdogan N, Sayiner D, Kosgeroglu N, Ayranci U. Effectiveness of foot and hand massage in postcesarean pain control in a group of Turkish pregnant women.[Erratum appears in *Appl Nurs Res.* 2011 May;24(2):126]. *Appl Nurs Res.* 2010;23(3):153-8.

495.

Delaney JP, Leong KS, Watkins A, Brodie D. The short-term effects of myofascial trigger point massage therapy on cardiac autonomic tone in healthy subjects. *J Adv Nurs.* 2002;37(4):364-71. Epub 2002/03/02.

496.

Della Pietra GL, Savio K, Oddone E, Reggiani M, Monaco F, Leone MA. Validity and reliability of the Barthel index administered by telephone. *Stroke.* 2011;42(7):2077-9.

497.

Dellasega C, Zerbe TM. Caregivers of frail rural older adults. Effects of an advanced practice nursing intervention. *J Gerontol Nurs.* 2002;28(10):40-9.

498.

Delvaux N, Razavi D, Marchal S, Bredart A, Farvacques C, Slachmuylder JL. Effects of a 105 hours psychological training program on attitudes, communication skills and occupational stress in oncology: a randomised study. *British Journal of Cancer.* 2004;90(1):106-14.

499.

Demark-Wahnefried W, Jones LW, Snyder DC, Sloane RJ, Kimmick GG, Hughes DC, et al. Daughters and Mothers Against Breast Cancer (DAMES): main outcomes of a randomized controlled trial of weight loss in overweight mothers with breast cancer and their overweight daughters. *Cancer.* 2014;120(16):2522-34. Epub 2014/05/09.

500.

Demarre L, Beeckman D, Vanderwee K, Defloor T, Grypdonck M, Verhaeghe S. Multi-stage versus single-stage inflation and deflation cycle for alternating low pressure air mattresses to prevent pressure ulcers in hospitalised patients: a randomised-controlled clinical trial. *Int J Nurs Stud.* 2012;49(4):416-26. Epub 2011/11/08.

501.

Demir Y, Khorshid L. The effect of cold application in combination with standard analgesic administration on pain and anxiety during chest tube removal: a single-blinded, randomized, double-controlled study. *Pain management nursing : official journal of the American Society of Pain Management Nurses.* 2010;11(3):186-96. Epub 2010/08/24.

502.

Denat Y, Khorshid L. The effect of 2 different care products on incontinence-associated dermatitis in patients with fecal incontinence. *J Wound Ostomy Continence Nurs.* 2011;38(2):171-6. Epub 2011/02/18.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

503.

Deng GJ, Liu FR, Zhong QL, Chen J, Yang MF, He HG. The effect of non-pharmacological staged interventions on fatigue and dyspnoea in patients with chronic obstructive pulmonary disease: a randomized controlled trial. *Int J Nurs Pract.* 2013;19(6):636-43. Epub 2013/12/18.

504.

Denison B. Touch the pain away: new research on therapeutic touch and persons with fibromyalgia syndrome. *Holist Nurs Pract.* 2004;18(3):142-51.

505.

D'Eramo Melkus G, Chyun D, Vorderstrasse A, Newlin K, Jefferson V, Langerman S. The effect of a diabetes education, coping skills training, and care intervention on physiological and psychosocial outcomes in black women with type 2 diabetes. *Biol Res Nurs.* 2010;12(1):7-19. Epub 2010/05/21.

506.

Der-Fa L, Hart LK, Lutgendorf SK, Hyunkyung O, Schilling M. Slowing progression of early stages of AD with alternative therapies: A feasibility study. *Geriatr Nurs.* 2013;34(6):457-64.

507.

Derksen RJ, Bakker FC, de Lange-de Klerk ES, Spaans IM, Heilbron EA, Veenings B, et al. Specialized emergency nurses treating ankle and foot injuries: a randomized controlled trial. *The American journal of emergency medicine.* 2007;25(2):144-51. Epub 2007/02/06.

508.

Derksen RJ, Bakker FC, Geervliet PC, de Lange-de Klerk ES, Heilbron EA, Veenings B, et al. Diagnostic accuracy and reproducibility in the interpretation of Ottawa ankle and foot rules by specialized emergency nurses. *The American journal of emergency medicine.* 2005;23(6):725-9. Epub 2005/09/27.

509.

Derksen RJ, Coupe VM, van Tulder MW, Veenings B, Bakker FC. Cost-effectiveness of the SEN-concept: Specialized Emergency Nurses (SEN) treating ankle/foot injuries. *BMC Musculoskelet Disord.* 2007;8:99. Epub 2007/10/03.

510.

Deshler AM, Fee-Schroeder KC, Dowdy JL, Mettler TA, Novotny P, Zhao X, et al. A patient orientation program at a comprehensive cancer center. *Oncol Nurs Forum.* 2006;33(3):569-78. Epub 2006/05/06.

511.

DeSocio JE, Holland ML, Kitzman HJ, Cole RE. The influence of social-developmental context and nurse visitation intervention on self-agency change in unmarried adolescent mothers. *Res Nurs Health.* 2013;36(2):158-70.

512.

Desy PM, Howard PK, Perhats C, Li S. Alcohol screening, brief intervention, and referral to treatment conducted by emergency nurses: an impact evaluation. *J Emerg Nurs.* 2010;36(6):538-45.

513.

Deudon A, Maubourguet N, Gervais X, Leone E, Brocker P, Carcaillon L, et al. Non-pharmacological management of behavioural symptoms in nursing homes. *Int J Geriatr Psychiatry.* 2009;24(12):1386-95. Epub 2009/04/17.

514.

Devane D, Lalor JG. A randomised-controlled trial evaluating a fetal monitoring education programme. *Midwifery.* 2006;22(4):296-307. Epub 2006/08/01.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

515.

Deyirmenjian M, Karam N, Salameh P. Preoperative patient education for open-heart patients: a source of anxiety? *Patient Educ Couns.* 2006;62(1):111-7. Epub 2006/03/15.

516.

Deziel C, Bouchard J, Zellweger M, Madore F. Impact of hemocontrol on hypertension, nursing interventions, and quality of life: a randomized, controlled trial. *Clin J Am Soc Nephrol.* 2007;2(4):661-8.

517.

Dheenan S, Henrich WL. Preventing dialysis hypotension: a comparison of usual protective maneuvers. *Kidney Int.* 2001;59(3):1175-81.

518.

Dhingra A, Agrawal SK, Kumar P, Narang A. A randomised controlled trial of two feeding schedules in neonates weighing <or=1750 g. *J Matern Fetal Neonatal Med.* 2009;22(3):198-203.

519.

Diaz-Rodriguez L, Arroyo-Morales M, Cantarero-Villanueva I, Fernandez-Lao C, Polley M, Fernandez-de-las-Penas C. The application of Reiki in nurses diagnosed with Burnout Syndrome has beneficial effects on concentration of salivary IgA and blood pressure. *Revista latino-americana de enfermagem.* 2011;19(5):1132-8. Epub 2011/10/28.

520.

Diaz-Rodriguez L, Arroyo-Morales M, Fernandez-de-las-Penas C, Garcia-Lafuente F, Garcia-Royo C, Tomas-Rojas I. Immediate effects of reiki on heart rate variability, cortisol levels, and body temperature in health care professionals with burnout. *Biol Res Nurs.* 2011;13(4):376-82. Epub 2011/08/09.

521.

Dibble SL, Chapman J, Mack KA, Shih AS. Acupressure for nausea: results of a pilot study. *Oncol Nurs Forum.* 2000;27(1):41-7. Epub 2000/02/08.

522.

Dibble SL, Luce J, Cooper BA, Israel J, Cohen M, Nussey B, et al. Acupressure for chemotherapy-induced nausea and vomiting: a randomized clinical trial. *Oncol Nurs Forum.* 2007;34(4):813-20. Epub 2007/08/29.

523.

Dickson S, Logan J, Hagen S, Stark D, Glazener C, McDonald AM, et al. Reflecting on the methodological challenges of recruiting to a United Kingdom-wide, multi-centre, randomised controlled trial in gynaecology outpatient settings. *Trials.* 2013;14:389. Epub 2013/11/16.

524.

Dieperink KB, Johansen C, Hansen S, Wagner L, Andersen KK, Minet LR, et al. The effects of multidisciplinary rehabilitation: RePCa-a randomised study among primary prostate cancer patients. *Br J Cancer.* 2013;109(12):3005-13. Epub 2013/10/31.

525.

Dierick-van Daele AT, Metsemakers JF, Derckx EW, Spreeuwenberg C, Vrijhoef HJ. Nurse practitioners substituting for general practitioners: randomized controlled trial. *J Adv Nurs.* 2009;65(2):391-401. Epub 2009/02/05.

526.

Diesel HJ, Ercole PM. Soothability and growth in preterm infants. *J Holist Nurs.* 2012;30(1):38-47. Epub 2011/10/15.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

527.

DiIorio C, Resnicow K, McDonnell M, Soet J, McCarty F, Yeager K. Using motivational interviewing to promote adherence to antiretroviral medications: A pilot study. *Journal of the Association of Nurses in AIDS Care*. 2003;14(2):52-62.

528.

Dine CJ, Gersh RE, Leary M, Riegel BJ, Bellini LM, Abella BS. Improving cardiopulmonary resuscitation quality and resuscitation training by combining audiovisual feedback and debriefing. *Crit Care Med*. 2008;36(10):2817-22.

529.

Dirksen SR, Epstein DR. Efficacy of an insomnia intervention on fatigue, mood and quality of life in breast cancer survivors. *J Adv Nurs*. 2008;61(6):664-75. Epub 2008/02/28.

530.

Dixon A, Clarkin C, Barrowman N, Correll R, Osmond MH, Plint AC. Reduction of radial-head subluxation in children by triage nurses in the emergency department: a cluster-randomized controlled trial. *CMAJ*. 2014;186(9):E317-23. Epub 2014/03/26.

531.

Dixon L, Dolan LM, Brown K, Hilton P. RCT of urethral versus suprapubic catheterization. *Br J Nurs*. 2010;19(18):S7-13. Epub 2010/10/16.

532.

Dodd MJ, Cho MH, Miaskowski C, Painter PL, Paul SM, Cooper BA, et al. A randomized controlled trial of home-based exercise for cancer-related fatigue in women during and after chemotherapy with or without radiation therapy. *Cancer Nurs*. 2010;33(4):245-57. Epub 2010/05/15.

533.

Dodge KA, Goodman WB, Murphy RA, O'Donnell K, Sato J, Guptill S. Implementation and randomized controlled trial evaluation of universal postnatal nurse home visiting. *Am J Public Health*. 2014;104 Suppl 1:S136-43. Epub 2013/12/21.

534.

Doering LV, Chen B, Cross Bodan R, Magsarili MC, Nyamathi A, Irwin MR. Early Cognitive Behavioral Therapy for Depression After Cardiac Surgery. *The Journal of cardiovascular nursing*. 2012. Epub 2012/05/29.

535.

Dolansky MA, Zullo MD, Boxer RS, Moore SM. Initial efficacy of a cardiac rehabilitation transition program: Cardiac TRUST. *J Gerontol Nurs*. 2011;37(12):36-44. Epub 2011/11/17.

536.

Domingues FB, Clausell N, Aliti GB, Dominguez DR, Rabelo ER. Education and telephone monitoring by nurses of patients with heart failure: randomized clinical trial. *Arq Bras Cardiol*. 2011;96(3):233-9. Epub 2011/02/11.

537.

Done DJ, Thomas JA. Training in communication skills for informal carers of people suffering from dementia: a cluster randomized clinical trial comparing a therapist led workshop and a booklet. *Int J Geriatr Psychiatry*. 2001;16(8):816-21. Epub 2001/09/06.

538.

Dong SL, Bullard MJ, Meurer DP, Colman I, Blitz S, Holroyd BR, et al. Emergency triage: comparing a novel computer triage program with standard triage. *Acad Emerg Med*. 2005;12(6):502-7. Epub 2005/06/03.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

539.

Donnelly M, Power M, Russell M, Fullerton K. Randomized controlled trial of an early discharge rehabilitation service: the Belfast Community Stroke Trial. *Stroke*. 2004;35(1):127-33. Epub 2003/12/13.

540.

Doorenbos A, Given B, Given C, Verbitsky N. Physical functioning: effect of behavioral intervention for symptoms among individuals with cancer. *Nurs Res*. 2006;55(3):161-71. Epub 2006/05/19.

541. Doorenbos A, Given B, Given C, Verbitsky N, Cimprich B, McCorkle R. Reducing symptom limitations: a cognitive behavioral intervention randomized trial. *Psychooncology*. 2005;14(7):574-84.

542.

Dorgo S, Robinson KM, Bader J. The effectiveness of a peer-mentored older adult fitness program on perceived physical, mental, and social function. *J Am Acad Nurse Pract*. 2009;21(2):116-22. Epub 2009/02/21.

543.

Dorman Marek K, Stetzer F, Ryan PA, Denison Bub L, Adams SJ, Schlidt A, et al. Nurse Care Coordination and Technology Effects on Health Status of Frail Older Adults via Enhanced Self-Management of Medication. *Nurs Res*. 2013;62(4):269-78.

544.

Dougherty CM, Lewis FM, Thompson EA, Baer JD, Kim W. Short-term efficacy of a telephone intervention by expert nurses after an implantable cardioverter defibrillator. *Pacing Clin Electrophysiol*. 2004;27(12):1594-602. Epub 2004/12/23.

545.

Dougherty CM, Thompson EA, Lewis FM. Long-term outcomes of a telephone intervention after an ICD. *Pacing Clin Electrophysiol*. 2005;28(11):1157-67. Epub 2005/12/20.

546.

Douglas SL, Daly BJ, Kelley CG, O'Toole E, Montenegro H. Impact of a disease management program upon caregivers of chronically critically ill patients. *Chest*. 2005;128(6):3925-36. Epub 2005/12/16.

547.

Dowd T, Kolcaba K, Steiner R. Using cognitive strategies to enhance bladder control and comfort. *Holist Nurs Pract*. 2000;14(2):91-103.

548.

Dowling GA, Graf CL, Hubbard EM, Luxenberg JS. Light treatment for neuropsychiatric behaviors in Alzheimer's disease. *Western journal of nursing research*. 2007;29(8):961-75. Epub 2007/06/29.

549.

Dowling GA, Merrilees J, Mastick J, Chang VY, Hubbard E, Moskowitz JT. Life enhancing activities for family caregivers of people with frontotemporal dementia. *Alzheimer Dis Assoc Disord*. 2014;28(2):175-81. Epub 2013/10/12.

550.

Downe S, Gerrett D, Renfrew MJ. A prospective randomised trial on the effect of position in the passive second stage of labour on birth outcome in nulliparous women using epidural analgesia. *Midwifery*. 2004;20(2):157-68.

551.

Doyle D, Copeland HL, Bush D, Stein L, Thompson S. A course for nurses to handle difficult communication situations. A randomized controlled trial of impact on self-efficacy and performance. *Patient Educ Couns*. 2011;82(1):100-9. Epub 2010/03/23.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

552.

Doyle-Lindrud S. Managing side effects of the novel taxane cabazitaxel in castrate-resistant prostate cancer. *Clinical journal of oncology nursing*. 2012;16(3):286-91. Epub 2012/05/30.

553.

Dracup K, McKinley S, Riegel B, Mieschke H, Doering LV, Moser DK. A nursing intervention to reduce prehospital delay in acute coronary syndrome: a randomized clinical trial. *The Journal of cardiovascular nursing*. 2006;21(3):186-93. Epub 2006/05/16.

554.

Drummond JE, Letourneau N, Neufeld SM, Stewart M, Weir A. Effectiveness of teaching an early parenting approach within a community-based support service for adolescent mothers. *Res Nurs Health*. 2008;31(1):12-22. Epub 2008/01/01.

555.

Du Moulin MF, Hamers JP, Paulus A, Berendsen CL, Halfens R. Effects of introducing a specialized nurse in the care of community-dwelling women suffering from urinary incontinence: a randomized controlled trial. *J Wound Ostomy Continence Nurs*. 2007;34(6):631-40. Epub 2007/11/22.

556.

Du Pen AR, Du Pen S, Hansberry J, Miller-Kraybill B, Millen J, Everly R, et al. An educational implementation of a cancer pain algorithm for ambulatory care. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2000;1(4):116-28. Epub 2001/11/17.

557.

Dubowitz H, Lane WG, Semiatin JN, Magder LS. The SEEK Model of Pediatric Primary Care: Can Child Maltreatment Be Prevented in a Low-Risk Population? *Academic Pediatrics*. 2012;12(4):259-68.

558.

Duffy JR, Hoskins LM, Dudley-Brown S. Development and testing of a caring-based intervention for older adults with heart failure. *The Journal of cardiovascular nursing*. 2005;20(5):325-33. Epub 2005/09/06.

559.

Duffy JR, Hoskins LM, Dudley-Brown S. Improving outcomes for older adults with heart failure: a randomized trial using a theory-guided nursing intervention. *J Nurs Care Qual*. 2010;25(1):56-64. Epub 2009/06/11.

560.

Duggan C, Srinivasan K, Thomas T, Samuel T, Rajendran R, Muthayya S, et al. Vitamin B-12 supplementation during pregnancy and early lactation increases maternal, breast milk, and infant measures of vitamin B-12 status. *J Nutr*. 2014;144(5):758-64. Epub 2014/03/07.

561.

Dulon M, Pohrt U, Skudlik C, Nienhaus A. Prevention of occupational skin disease: a workplace intervention study in geriatric nurses. *Br J Dermatol*. 2009;161(2):337-44.

562.

Dumont C, Bourguignon C. Effect of a computerized insulin dose calculator on the process of glycemic control. *Am J Crit Care*. 2012;21(2):106-15.

563.

Dunagan WC, Littenberg B, Ewald GA, Jones CA, Emery VB, Waterman BM, et al. Randomized trial of a nurse-administered, telephone-based disease management program for patients with heart failure. *J Card Fail*. 2005;11(5):358-65. Epub 2005/06/11.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

564.

Dunbar SB, Butts B, Reilly CM, Gary RA, Higgins MK, Ferranti EP, et al. A pilot test of an integrated self-care intervention for persons with heart failure and concomitant diabetes. *Nurs Outlook*. 2014;62(2):97-111. Epub 2013/11/12.

565.

Dunbar SB, Clark PC, Reilly CM, Gary RA, Smith A, McCarty F, et al. A trial of family partnership and education interventions in heart failure. *J Card Fail*. 2013;19(12):829-41. Epub 2013/12/18.

566.

Duncan DG, Beck SJ, Hood K, Johansen A. Using dietetic assistants to improve the outcome of hip fracture: a randomised controlled trial of nutritional support in an acute trauma ward. *Age Ageing*. 2006;35(2):148-53. Epub 2005/12/16.

567.

Duncan K, Pozehl B. Effects of an exercise adherence intervention on outcomes in patients with heart failure. *Rehabil Nurs*. 2003;28(4):117-22. Epub 2003/07/24.

568.

Dungan K, Graessle K, Sagrilla C. The effect of congestive heart failure on sensor accuracy among hospitalized patients with type 2 diabetes. *Diabetes Technol Ther*. 2013;15(10):817-24. Epub 2013/09/21.

569.

Durham RC, Guthrie M, Morton RV, Reid DA, Treliving LR, Fowler D, et al. Tayside-Fife clinical trial of cognitive-behavioural therapy for medication-resistant psychotic symptoms. Results to 3-month follow-up. *Br J Psychiatry*. 2003;182:303-11. Epub 2003/04/02.

570.

Durmaz A, Dicle A, Cakan E, Cakir S. Effect of screen-based computer simulation on knowledge and skill in nursing students' learning of preoperative and postoperative care management: a randomized controlled study. *Comput Inform Nurs*. 2012;30(4):196-203.

571.

Duygu A, Handan A, Gözümlü S, Orbak Z, Karaca Çifçi E. Effectiveness of massage, sucrose solution, herbal tea or hydrolysed formula in the treatment of infantile colic. *Journal of Clinical Nursing*. 2008;17(13):1754-61

572.

Dyer SL, Collins CT, Baghurst P, Saxon B, Meachan B. Insuflon versus subcutaneous injection for cytokine administration in children and adolescents: a randomized crossover study. *J Pediatr Oncol Nurs*. 2004;21(2):79-86.

573.

Dykes PC, Carroll DL, Benoit A, Coakley A, Chang F, Empoliti J, et al. A randomized trial of standardized nursing patient assessment using wireless devices. *AMIA Annu Symp Proc*. 2007;Annual Symposium Proceedings/AMIA Symposium.:206-10.

574.

Eckenrode J, Campa M, Luckey DW, Henderson CR, Jr., Cole R, Kitzman H, et al. Long-term effects of prenatal and infancy nurse home visitation on the life course of youths: 19-year follow-up of a randomized trial. *Arch Pediatr Adolesc Med*. 2010;164(1):9-15. Epub 2010/01/06.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

575.

Eckenrode J, Ganzel B, Henderson CR, Jr., Smith E, Olds DL, Powers J, et al. Preventing child abuse and neglect with a program of nurse home visitation: the limiting effects of domestic violence. *Jama*. 2000;284(11):1385-91. Epub 2000/09/16.

576.

Edwards H, Courtney M, Finlayson K, Lewis C, Lindsay E, Dumble J. Improved healing rates for chronic venous leg ulcers: pilot study results from a randomized controlled trial of a community nursing intervention. *Int J Nurs Pract*. 2005;11(4):169-76. Epub 2005/06/30.

577.

Edwards H, Courtney M, Finlayson K, Lindsay E, Lewis C, Shuter P, et al. Chronic venous leg ulcers: effect of a community nursing intervention on pain and healing. *Nurs Stand*. 2005;19(52):47-54. Epub 2005/09/17.

578.

Edwards H, Courtney M, Finlayson K, Shuter P, Lindsay E. A randomised controlled trial of a community nursing intervention: improved quality of life and healing for clients with chronic leg ulcers. *J Clin Nurs*. 2009;18(11):1541-9. Epub 2009/06/06.

579.

Edwards RC, Thullen MJ, Korfmacher J, Lantos JD, Henson LG, Hans SL. Breastfeeding and complementary food: randomized trial of community doula home visiting. *Pediatrics*. 2013;132 Suppl 2:S160-6. Epub 2013/11/06.

580.

Efrainsson EO, Hillervik C, Ehrenberg A. Effects of COPD self-care management education at a nurse-led primary health care clinic. *Scand J Caring Sci*. 2008;22(2):178-85. Epub 2008/05/21.

581.

Egan E, Clavarino A, Burridge L, Teuwen M, White E. A randomized control trial of nursing-based case management for patients with chronic obstructive pulmonary disease. *Lippincott's case management : managing the process of patient care*. 2002;7(5):170-9. Epub 2002/10/24.

582.

Eikelenboom N, van Lieshout J, Wensing M, Smeele I, Jacobs AE. Implementation of personalized self-management support using the self-management screening questionnaire SeMaS; a study protocol for a cluster randomized trial. *Trials*. 2013;14:336. Epub 2013/10/19.

583.

Ekers D, Richards D, McMillan D, Bland JM, Gilbody S. Behavioural activation delivered by the non-specialist: phase II randomised controlled trial. *Br J Psychiatry*. 2011;198(1):66-72. Epub 2011/01/05.

584.

Ekman I, Fagerberg B, Andersson B, Matejka G, Persson B. Can treatment with angiotensin-converting enzyme inhibitors in elderly patients with moderate to severe chronic heart failure be improved by a nurse-monitored structured care program? A randomized controlled trial. *Heart Lung*. 2003;32(1):3-9.

585.

Ekstrand KR, Poulsen JE, Hede B, Twetman S, Qvist V, Ellwood RP. A randomized clinical trial of the anti-caries efficacy of 5,000 compared to 1,450 ppm fluoridated toothpaste on root caries lesions in elderly disabled nursing home residents. *Caries Res*. 2013;47(5):391-8. Epub 2013/04/19.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

586.

Ekici Genc R, Conk Z. Impact of effective nursing interventions to the fatigue syndrome in children who receive chemotherapy. *Cancer Nurs.* 2008;31(4):312-7. Epub 2008/07/05.

587.

El Fakiri F, Bruijnzeels MA, Uitewaal PJ, Frenken RA, Berg M, Hoes AW. Intensified preventive care to reduce cardiovascular risk in healthcare centres located in deprived neighbourhoods: a randomized controlled trial. *Eur J Cardiovasc Prev Rehabil.* 2008;15(4):488-93. Epub 2008/08/05.

588.

Elgie R, Sapien R, Fullerton L, Moore B. School nurse online emergency preparedness training: an analysis of knowledge, skills, and confidence. *The Journal of school nursing : the official publication of the National Association of School Nurses.* 2010;26(5):368-76. Epub 2010/05/27.

589.

Elgin K, Cozzi K, Fowler MA, Perry SA, Davis MS, Conaway MR, et al. Maintaining patency with packed red blood cell infusions: comparison of IV normal saline infusion vs. normal saline syringe method. *Medsurg Nurs.* 2011;20(3):134-8. Epub 2011/07/27.

590.

Eller LS. Effects of cognitive-behavioral interventions on quality of life in persons with HIV. *Int J Nurs Stud.* 1999;36(3):223-33.

591.

Ellett ML, Cohen MD, Perkins SM, Croffie JM, Lane KA, Austin JK. Comparing methods of determining insertion length for placing gastric tubes in children 1 month to 17 years of age. *J Spec Pediatr Nurs.* 2012;17(1):19-32. Epub 2011/12/23.

592.

Elley CR, Robertson MC, Garrett S, Kerse NM, McKinlay E, Lawton B, et al. Effectiveness of a falls-and-fracture nurse coordinator to reduce falls: a randomized, controlled trial of at-risk older adults. *Journal of the American Geriatrics Society.* 2008;56(8):1383-9.

593.

Elliott TR, Berry JW, Grant JS. Problem-solving training for family caregivers of women with disabilities: a randomized clinical trial. *Behav Res Ther.* 2009;47(7):548-58.

594.

Elliott-Rudder M, Pilotto L, McIntyre E, Ramanathan S. Motivational interviewing improves exclusive breastfeeding in an Australian randomised controlled trial. *Acta Paediatr.* 2014;103(1):e11-6. Epub 2013/10/15.

595.

Ellis G, Rodger J, McAlpine C, Langhorne P. The impact of stroke nurse specialist input on risk factor modification: a randomised controlled trial. *Age Ageing.* 2005;34(4):389-92. Epub 2005/06/16.

596.

El-Mohandes AA, Kiely M, Gantz MG, El-Khorazaty MN. Very preterm birth is reduced in women receiving an integrated behavioral intervention: a randomized controlled trial. *Matern Child Health J.* 2011;15(1):19-28. Epub 2010/01/19.

597.

Eloniemi-Sulkava U, Notkola IL, Hentinen M, Kivela SL, Sivenius J, Sulkava R. Effects of supporting community-living demented patients and their caregivers: a randomized trial. *J Am Geriatr Soc.* 2001;49(10):1282-7. Epub 2002/03/14.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

598.

Eloniemi-Sulkava U, Saarenheimo M, Laakkonen ML, Pietila M, Savikko N, Kautiainen H, et al. Family care as collaboration: effectiveness of a multicomponent support program for elderly couples with dementia. Randomized controlled intervention study. *J Am Geriatr Soc.* 2009;57(12):2200-8. Epub 2010/02/04.

599.

Elsegood KJ, Wongpakaran N. The effects of guided imagery on affect, cognition, and pain in older adults in residential care: a randomized controlled study from Thailand. *Res Gerontol Nurs.* 2012;5(2):114-22.

600.

Enblom A, Lekander M, Hammar M, Johnsson A, Onelov E, Ingvar M, et al. Getting the grip on nonspecific treatment effects: emesis in patients randomized to acupuncture or sham compared to patients receiving standard care. *PloS one.* 2011;6(3):e14766. Epub 2011/03/31.

601.

Engberg S, Sereika SM, McDowell BJ, Weber E, Brodak I. Effectiveness of prompted voiding in treating urinary incontinence in cognitively impaired homebound older adults. *J Wound Ostomy Continence Nurs.* 2002;29(5):252-65.

602.

England M. Efficacy of cognitive nursing intervention for voice hearing. *Perspect Psychiatr Care.* 2007;43(2):69-76. Epub 2007/03/29.

603.

Enguidanos S, Gibbs N, Jamison P. From hospital to home: a brief nurse practitioner intervention for vulnerable older adults. *J Gerontol Nurs.* 2012;38(3):40-50. Epub 2012/02/04.

604.

Epstein DR, Dirksen SR. Randomized trial of a cognitive-behavioral intervention for insomnia in breast cancer survivors. *Oncol Nurs Forum.* 2007;34(5):E51-9. Epub 2007/09/20.

605.

Erdem O, Gungormus Z. The effect of royal jelly on oral mucositis in patients undergoing radiotherapy and chemotherapy. *Holist Nurs Pract.* 2014;28(4):242-6. Epub 2014/06/12.

606.

Ersig AL, Kleiber C, McCarthy AM, Hanrahan K. Validation of a clinically useful measure of children's state anxiety before medical procedures. *Journal for Specialists in Pediatric Nursing.* 2013;18(4):311-9.

607.

Esguerra-Gonzales A, Ilagan-Honorio M, Kehoe P, Fraschilla S, Lee AJ, Madsen A, et al. Effect of high-frequency chest wall oscillation versus chest physiotherapy on lung function after lung transplant. *Appl Nurs Res.* 2014;27(1):59-66.

608.

Evangelista LS, Heber D, Li Z, Bowerman S, Hamilton MA, Fonarow GC. Reduced body weight and adiposity with a high-protein diet improves functional status, lipid profiles, glycemic control, and quality of life in patients with heart failure: a feasibility study. *The Journal of cardiovascular nursing.* 2009;24(3):207-15. Epub 2009/04/25.

609.

Evans E, Turley N, Robinson N, Clancy M. Randomised controlled trial of patient controlled analgesia compared with nurse delivered analgesia in an emergency department. *Emerg Med J.* 2005;22(1):25-9. Epub 2004/12/22.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

610.

Evans EC, Hain D, Kear TM, Dork LA, Schrauf C. Hemodialysis Catheter Outcomes Pilot Study: No Dressing Coverage With Prescribed Showering. *Nephrology Nursing Journal*. 2014;41(1):53-72.

611. Evans S, Daly A, MacDonald A, Davies P, Booth IW. Impact of nutrient density of nocturnal enteral feeds on appetite: a prospective, randomised crossover study. *Arch Dis Child*. 2007;92(7):602-7. Epub 2007/02/23.

612.

Evans-Hudnall GL, Stanley MA, Clark AN, Bush AL, Resnicow K, Liu Y, et al. Improving secondary stroke self-care among underserved ethnic minority individuals: a randomized clinical trial of a pilot intervention. *J Behav Med*. 2014;37(2):196-204. Epub 2012/12/12.

613.

Ewers P, Bradshaw T, McGovern J, Ewers B. Does training in psychosocial interventions reduce burnout rates in forensic nurses? *J Adv Nurs*. 2002;37(5):470-6

614.

Ezra DG, Chan MP, Solebo L, Malik AP, Crane E, Coombes A, et al. Randomised trial comparing ocular lubricants and polyacrylamide hydrogel dressings in the prevention of exposure keratopathy in the critically ill. *Intensive Care Med*. 2009;35(3):455-61. Epub 2008/09/24.

615.

Fabrellas N, Alemany M, Urquizu M, Bartres C, Pera G, Juve E, et al. Using transient elastography to detect chronic liver diseases in a primary care nurse consultancy. *Nurs Res*. 2013;62(6):450-4. Epub 2013/10/30.

616.

Fader M, Clarke-O'Neill S, Cook D, Dean G, Brooks R, Cottenden A, et al. Management of night-time urinary incontinence in residential settings for older people: an investigation into the effects of different pad changing regimes on skin health. *Journal of Clinical Nursing*. 2003;12(3):374-86.

617.

Fader M, Cottenden A, Getliffe K, Gage H, Clarke-O'Neill S, Jamieson K, et al. Absorbent products for urinary/faecal incontinence: a comparative evaluation of key product designs. *Health Technol Assess*. 2008;12(29):iii-iv, ix-185. Epub 2008/06/13.

618.

Fahlman MM, Topp R, McNevin N, Morgan AL, Boardley DJ. Structured exercise in older adults with limited functional ability: Assessing the benefits of an aerobic plus resistance training program. *J Gerontol Nurs*. 2007;33(6):32-9.

619.

Fairall L, Bachmann MO, Lombard C, Timmerman V, Uebel K, Zwarenstein M, et al. Task shifting of antiretroviral treatment from doctors to primary-care nurses in South Africa (STRETCH): a pragmatic, parallel, cluster-randomised trial. *Lancet*. 2012;380(9845):889-98. Epub 2012/08/21.

620.

Fairall LR, Zwarenstein M, Bateman ED, Bachmann M, Lombard C, Majara BP, et al. Effect of educational outreach to nurses on tuberculosis case detection and primary care of respiratory illness: pragmatic cluster randomised controlled trial. *Bmj*. 2005;331(7519):750-4. Epub 2005/10/01.

621.

Faithfull S, Corner J, Meyer L, Huddart R, Dearnaley D. Evaluation of nurse-led follow up for patients undergoing pelvic radiotherapy. *Br J Cancer*. 2001;85(12):1853-64. Epub 2001/12/19.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

622.

Fan J, Woolfrey K. The effect of triage-applied Ottawa Ankle Rules on the length of stay in a Canadian urgent care department: a randomized controlled trial. *Academic Emergency Medicine*. 2006;13(2):153-7. Epub 2006/01/27.

623.

Fang H-C, Liu C-Y, Day H-L, Chen C-P, Gau M-L. Uncertainty, stress, and birth outcomes in non-hospitalized, high-risk pregnancy women: the effectiveness of health consultation. *Journal of Nursing & Healthcare Research*. 2011;7(1):13-.

624.

Fang L, Hung CH, Wu SL, Fang SH, Stocker J. The effects of cryotherapy in relieving postarthroscopy pain. *J Clin Nurs*. 2012;21(5-6):636-43. Epub 2011/02/22.

625.

Farahani LA, Ghobadzadeh M, Yousefi P. Comparison of the effect of human milk and topical hydrocortisone 1% on diaper dermatitis. *Pediatr Dermatol*. 2013;30(6):725-9. Epub 2013/04/23.

626.

Farmer A, Hardeman W, Hughes D, Prevost AT, Kim Y, Craven A, et al. An explanatory randomised controlled trial of a nurse-led, consultation-based intervention to support patients with adherence to taking glucose lowering medication for type 2 diabetes. *BMC Fam Pract*. 2012;13:30. Epub 2012/04/07.

627.

Farra S, Miller E, Timm N, Schafer J. Improved training for disasters using 3-D virtual reality simulation. *Western journal of nursing research*. 2013;35(5):655-71.

628.

Farrell MJ, Rose L. Use of mobile handheld computers in clinical nursing education. *The Journal of nursing education*. 2008;47(1):13-9.

629.

Fech JC, Welsh R, Hegadoren K, Norris CM. Caring for the radial artery post-angiogram: a pilot study on a comparison of three methods of compression. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2012;11(1):44-50. Epub 2012/02/24.

630.

Feeg VD, Saba VK, Feeg AN. Testing a bedside personal computer Clinical Care Classification System for nursing students using Microsoft Access. *Comput Inform Nurs*. 2008;26(6):339-49.

631.

Fegg MJ, Brandstätter M, Kögler M, Hauke G, Rechenberg-Winter P, Fensterer V, et al. Existential behavioural therapy for informal caregivers of palliative patients: a randomised controlled trial. *Psychooncology*. 2013;22(9):2079-86.

632.

Fein JA, Gorelick MH. The decision to use topical anesthetic for intravenous insertion in the pediatric emergency department. *Acad Emerg Med*. 2006;13(3):264-8. Epub 2006/02/24.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

633.

Feldblum I, German L, Castel H, Harman-Boehm I, Shahar DR. Individualized nutritional intervention during and after hospitalization: the nutrition intervention study clinical trial. *J Am Geriatr Soc.* 2011;59(1):10-7. Epub 2010/11/23.

634.

Feldman H, Gauthier S, Hecker J, Vellas B, Emir B, Mastey V, et al. Efficacy of donepezil on maintenance of activities of daily living in patients with moderate to severe Alzheimer's disease and the effect on caregiver burden. *J Am Geriatr Soc.* 2003;51(6):737-44. Epub 2003/05/22.

635.

Feldman H, Gauthier S, Hecker J, Vellas B, Hux M, Xu Y, et al. Economic evaluation of donepezil in moderate to severe Alzheimer disease. *Neurology.* 2004;63(4):644-50. Epub 2004/08/25.

636.

Feldman PH, Peng TR, Murtaugh CM, Kelleher C, Donelson SM, McCann ME, et al. A randomized intervention to improve heart failure outcomes in community-based home health care. *Home Health Care Serv Q.* 2004;23(1):1-23.

637.

Feng S, Chen L, Wang G, Chen A, Qiu Y. Early oral intake after intra-abdominal gynecological oncology surgery. *Cancer Nurs.* 2008;31(3):209-13. Epub 2008/05/06.

638.

Ferber SG, Makhoul IR. The effect of skin-to-skin contact (kangaroo care) shortly after birth on the neurobehavioral responses of the term newborn: a randomized, controlled trial. *Pediatrics.* 2004;113(4):858-65. Epub 2004/04/03.

639.

Fernandez R, Griffiths R. A comparison of an evidence based regime with the standard protocol for monitoring postoperative observation: a randomised controlled trial. *Aust J Adv Nurs.* 2005;23(1):15-21. Epub 2006/02/25.

640.

Fernandez-Ortega P, Jaime SC, Group GM. 12 Contrasting Protocols on Evidence-based – a Randomised Study for Nursing Care in Mucositis Related Chemotherapy. *Eur J Oncol Nurs.* 2012;16:S5.

641.

Fewtrell MS, Kennedy K, Murgatroyd PR, Williams JE, Chomtho S, Lucas A. Breast-feeding and formula feeding in healthy term infants and bone health at age 10 years. *Br J Nutr.* 2013;110(6):1061-7. Epub 2013/02/08.

642.

Fillion L, Duval S, Dumont S, Gagnon P, Tremblay I, Bairati I, et al. Impact of a meaning-centered intervention on job satisfaction and on quality of life among palliative care nurses. *Psychooncology.* 2009;18(12):1300-10. Epub 2009/01/24.

643.

Fincher W, Shaw J, Ramelet AS. The effectiveness of a standardised preoperative preparation in reducing child and parent anxiety: a single-blind randomised controlled trial. *J Clin Nurs.* 2012;21(7-8):946-55. Epub 2012/02/04.

644.

Finfgeld-Connett D. Web-based treatment for rural women with alcohol problems: preliminary findings. *Comput Inform Nurs.* 2009;27(6):345-53. Epub 2009/11/11.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

645.

Fink RM, Hjort E, Wenger B, Cook PF, Cunningham M, Orf A, et al. The impact of dry versus moist heat on peripheral IV catheter insertion in a hematology-oncology outpatient population. *Oncol Nurs Forum*. 2009;36(4):E198-204. Epub 2009/07/08.

646.

Finkelstein SM, Speedie SM, Demiris G, Veen M, Lundgren JM, Potthoff S. Telehomecare: quality, perception, satisfaction. *Telemed J E Health*. 2004;10(2):122-8. Epub 2004/08/21.

647.

Finkelstein SM, Speedie SM, Potthoff S. Home telehealth improves clinical outcomes at lower cost for home healthcare. *Telemed J E Health*. 2006;12(2):128-36. Epub 2006/04/20.

648.

Finkelstein SM, Speedie SM, Zhou X, Ratner E, Potthoff S. VALUE: Virtual Assisted Living Umbrella for the Elderly -- user patterns. *Conf Proc IEEE Eng Med Biol Soc*. 2006;1:3294-6. Epub 2007/10/20.

649.

Finlayson KJ, Courtney MD, Gibb MA, O'Brien JA, Parker CN, Edwards HE. The effectiveness of a four-layer compression bandage system in comparison with Class 3 compression hosiery on healing and quality of life in patients with venous leg ulcers: a randomised controlled trial. *International wound journal*. 2014;11(1):21-7. Epub 2012/06/22.

650.

Finn KM, Heffner R, Chang Y, Bazari H, Hunt D, Pickell K, et al. Improving the discharge process by embedding a discharge facilitator in a resident team. *Journal of hospital medicine : an official publication of the Society of Hospital Medicine*. 2011;6(9):494-500. Epub 2011/11/02.

651.

Finnegan MJ, Gazzero L, Finnegan JO, Lo P. Comparing the effectiveness of a specialized alternating air pressure mattress replacement system and an air-fluidized integrated bed in the management of post-operative flap patients: a randomized controlled pilot study. *J Tissue Viability*. 2008;17(1):2-9. Epub 2008/02/26.

652.

Finnema E, de Lange J, Droes RM, Ribbe M, van Tilburg W. The quality of nursing home care: do the opinions of family members change after implementation of emotion-oriented care? *J Adv Nurs*. 2001;35(5):728-40. Epub 2001/09/01.

653.

Finotto S, Artioli G, Davoli L, Barbara B. [Nursing interventions for the prevention of the delirium in intensive care unit (ICU): a randomized study]. *Prof Inferm*. 2006;59(4):228-32. Interventi infermieristici nella prevenzione del delirium in Unita Coronarica: uno studio randomizzato.

654.

Fischer HH, Eisert SL, Everhart RM, Durfee MJ, Moore SL, Soria S, et al. Nurse-run, telephone-based outreach to improve lipids in people with diabetes. *Am J Manag Care*. 2012;18(2):77-84.

655.

Fisher DA, Seetoh T, Oh May-Lin H, Viswanathan S, Yanling T, Wong Chiang Y, et al. Automated Measures of Hand Hygiene Compliance among Healthcare Workers Using Ultrasound: Validation and a Randomized Controlled Trial. *Infection Control & Hospital Epidemiology*. 2013;34(9):919-28.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

656.
Fitzsimmons S. Easy rider wheelchair biking. A nursing-recreation therapy clinical trial for the treatment of depression. *J Gerontol Nurs.* 2001;27(5):14-23.
657.
Fjeld KG, Mowe M, Eide H, Willumsen T. Effect of electric toothbrush on residents' oral hygiene: a randomized clinical trial in nursing homes. *Eur J Oral Sci.* 2014;122(2):142-8. Epub 2014/01/21.
658. Flatt-Fultz E, Phillips LA. Empowerment training and direct support professionals' attitudes about individuals with intellectual disabilities. *J Intellect Disabil.* 2012;16(2):119-25.
659.
Flemming KD, Allison TG, Covalt JL, Herzig DE, Brown RD. Utility of a post-hospitalization stroke prevention program managed by nurses. *Hosp Pract (1995).* 2013;41(3):70-9. Epub 2013/08/21.
660.
Flood M, Scharer K. Creativity enhancement: possibilities for successful aging. *Issues Ment Health Nurs.* 2006;27(9):939-59. Epub 2006/09/13.
661.
Flores IQ, Ershler W. Managing neutropenia in older patients with cancer receiving chemotherapy in a community setting. *Clinical journal of oncology nursing.* 2010;14(1):81-6. Epub 2010/02/02.
662.
Fong Cheng KK, Tsui Yuen JKT. A pilot study of chlorhexidine and benzydamine oral rinses for the prevention and treatment of irradiation mucositis in patients with head and neck cancer. *Cancer Nursing.* 2006;29(5):423-30.
663.
Forchuk C, Baruth P, Prendergast M, Holliday R, Bareham R, Brimner S, et al. Postoperative arm massage: a support for women with lymph node dissection. *Cancer Nurs.* 2004;27(1):25-33. Epub 2004/04/28.
664.
Forni C, Loro L, Tremosini M, Mini S, Pignotti E, Bigoni O, et al. Use of polyurethane foam inside plaster casts to prevent the onset of heel sores in the population at risk. A controlled clinical study. *J Clin Nurs.* 2011;20(5-6):675-80. Epub 2011/02/16.
665.
Forsberg KA, Bjorkman T, Sandman PO, Sandlund M. Influence of a lifestyle intervention among persons with a psychiatric disability: a cluster randomised controlled trail on symptoms, quality of life and sense of coherence. *J Clin Nurs.* 2010;19(11-12):1519-28. Epub 2010/04/14.
666.
Forster AJ, Clark HD, Menard A, Dupuis N, Chernish R, Chandok N, et al. Effect of a nurse team coordinator on outcomes for hospitalized medicine patients. *Am J Med.* 2005;118(10):1148-53. Epub 2005/10/01.
667.
Foruzandeh N, Parvin N. Occupational therapy for inpatients with chronic schizophrenia: a pilot randomized controlled trial. *Japan journal of nursing science : JJNS.* 2013;10(1):136-41.
668.
Fossum S, Hays J, Henson MM. A comparison study on the effects of prewarming patients in the outpatient surgery setting. *J Perianesth Nurs.* 2001;16(3):187-94. Epub 2001/06/08.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

669.

Foster JH, Jumnoodoo R. Relapse prevention in serious and enduring mental illness: a pilot study. *J Psychiatr Ment Health Nurs.* 2008;15(7):552-61. Epub 2008/09/05.

670.

Foster L, Brown R, Phillips B, Carlson BL. Easing the burden of caregiving: the impact of consumer direction on primary informal caregivers in Arkansas. *Gerontologist.* 2005;45(4):474-85. Epub 2005/07/30.

671.

Fouladbakhsh JM, Szczesny S, Jenuwine ES, Vallerand AH. Nondrug therapies for pain management among rural older adults. *Pain Manag Nurs.* 2011;12(2):70-81. Epub 2011 Jan 28.

672.

Fox PJ, Vazquez L, Tonner C, Stevens JA, Fineman N, Ross LK. A randomized trial of a multifaceted intervention to reduce falls among community-dwelling adults. *Health Educ Behav.* 2010;37(6):831-48. Epub 2010 Nov 4.

673.

Frame K, Kelly L, Bayley E. Increasing perceptions of self-worth in preadolescents diagnosed with ADHD. *J Nurs Scholarsh.* 2003;35(3):225-9. Epub 2003/10/18.

674.

Franck LS, Allen A, Oulton K. Making pain assessment more accessible to children and parents: can greater involvement improve the quality of care? *Clin J Pain.* 2007;23(4):331-8. Epub 2007/04/24.

675.

Franck LS, Oulton K, Nderitu S, Lim M, Fang S, Kaiser A. Parent involvement in pain management for NICU infants: a randomized controlled trial. *Pediatrics.* 2011;128(3):510-8. Epub 2011/08/24.

676.

Franek A, Kostur R, Polak A, Taradaj J, Szlachta Z, Blaszczyk E, et al. Using High-Voltage Electrical Stimulation in the Treatment of Recalcitrant Pressure Ulcers: Results of a Randomized, Controlled Clinical Study. *Ostomy Wound Management.* 2012;58(3):30-44.

677.

Frank L, Kleinman L, Ciesla G, Rupnow MF, Brodaty H. The effect of risperidone on nursing burden associated with caring for patients with dementia. *J Am Geriatr Soc.* 2004;52(9):1449-55. Epub 2004/09/03.

678.

Franklin AE, Sideras S, Gubrud-Howe P, Lee CS. Comparison of expert modeling versus voice-over PowerPoint lecture and presimulation readings on novice nurses' competence of providing care to multiple patients. *J Nurs Educ.* 2014;53(11):615-22. Epub 2014/10/29.

679.

Franzen C, Bjornstig U, Brulin C, Lindholm L. A cost-utility analysis of nursing intervention via telephone follow-up for injured road users. *BMC Health Serv Res.* 2009;9:98. Epub 2009/06/12.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

680.

Fredericks S. Timing for delivering individualized patient education intervention to Coronary Artery Bypass Graft patients: An RCT. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2009;8(2):144-50. Epub 2008/12/05.

681.

Fredman B, Sheffer O, Zohar E, Paruta I, Richter S, Jedeikin R, et al. Fast-track eligibility of geriatric patients undergoing short urologic surgery procedures. *Anesth Analg*. 2002;94(3):560-4; table of contents.

682.

Fredriksson AC, Hellstrom L, Nilsson U. Patients' perception of music versus ordinary sound in a postanaesthesia care unit: a randomised crossover trial. *Intensive Crit Care Nurs*. 2009;25(4):208-13. Epub 2009/05/19.

683.

Frenkel H, Harvey I, Newcombe RG. Improving oral health in institutionalised elderly people by educating caregivers: a randomised controlled trial. *Community Dent Oral Epidemiol*. 2001;29(4):289-97. Epub 2001/08/23.

684.

Frich LM, Sorensen J, Jacobsen S, Fohlmann B, Hojsted J. Outcomes of follow-up visits to chronic nonmalignant pain patients. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2012;13(4):223-35. Epub 2012/11/20.

685.

Fritz DJ, Hardin SB, Gore PA, Jr., Bram D. A computerized smoking cessation intervention for high school smokers. *Pediatr Nurs*. 2008;34(1):13-7. Epub 2008/03/26.

686.

Froman RD, Owen SV. Randomized study of stability and change in patients' advance directives. *Res Nurs Health*. 2005;28(5):398-407. Epub 2005/09/16.

687.

Fujii C, Masuda S. [Survey on the current status of patients with Parkinson's disease: their lives with in-home care and the services]. *Nihon Koshu Eisei Zasshi*. 2007;54(5):338-47. Epub 2007/06/23.

688. Fukui S, Koike M, Ooba A, Uchitomi Y. The effect of a psychosocial group intervention on loneliness and social support for Japanese women with primary breast cancer. *Oncol Nurs Forum*. 2003;30(5):823-30. Epub 2003/09/02.

689.

Fukui S, Ogawa K, Ohtsuka M, Fukui N. Effect of communication skills training on nurses' detection of patients' distress and related factors after cancer diagnosis: a randomized study. *Psychooncology*. 2009;18(11):1156-64. Epub 2009/02/06.

690.

Fulton TR, Peet GI, McGrath MA, Hilton JD, Smith RE, Sigurdsson AF, et al. Effects of 3 analgesic regimens on the perception of pain after removal of femoral artery sheaths. *Am J Crit Care*. 2000;9(2):125-9. Epub 2000/03/08.

691.

Furze G, Cox H, Morton V, Chuang LH, Lewin RJ, Nelson P, et al. Randomized controlled trial of a lay-facilitated angina management programme. *J Adv Nurs*. 2012;68(10):2267-79. Epub 2012/01/11.

692.

Gabe ME, Murphy F, Davies GA, Russell IT, Jordan S. Medication monitoring in a nurse-led respiratory outpatient clinic: pragmatic randomised trial of the West Wales Adverse Drug Reaction Profile. *PLoS one*. 2014;9(5):e96682. Epub 2014/05/07.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

693.

Gagnon AJ, Waghorn K, Covell C. A randomized trial of one-to-one nurse support of women in labor... including commentary by Hodnett E. *Birth: Issues in Perinatal Care*. 1997;24(2):71-80.

694.

Gagnon MP, Gagnon J, Desmartis M, Njoya M. The impact of blended teaching on knowledge, satisfaction, and self-directed learning in nursing undergraduates: a randomized, controlled trial. *Nurs Educ Perspect*. 2013;34(6):377-82. Epub 2014/01/31.

695.

Galea MP, Tisseverasinghe S, Sherburn M. A randomised controlled trial of transabdominal ultrasound biofeedback for pelvic floor muscle training in older women with urinary incontinence. *Australian & New Zealand Continence Journal*. 2013;19(2):38-44.

696.

Galfin JM, Watkins ER, Harlow T. Evaluation of a training programme to teach a guided self-help psychological intervention to hospice staff. *Int J Palliat Nurs*. 2011;17(3):119-24. Epub 2011/04/08.

697.

Gallo S, DuRand J, Pshon N. A study of naloxone effect on urinary retention in the patient receiving morphine patient-controlled analgesia. *Orthop Nurs*. 2008;27(2):111-5. Epub 2008/04/04.

698.

Galvin K, Webb C, Hillier V. Assessing the impact of a nurse-led health education intervention for people with peripheral vascular disease who smoke: the use of physiological markers, nicotine dependence and withdrawal. *Int J Nurs Stud*. 2001;38(1):91-105.

699.

Gamble J, Creedy D, Moyle W, Webster J, McAllister M, Dickson P. Effectiveness of a counseling intervention after a traumatic childbirth: a randomized controlled trial. *Birth*. 2005;32(1):11-9.

700.

Gandi JC, Wai PS. Impact of Partnership in Coping in mental health recovery: an experimental study at the Federal Neuro-Psychiatric Hospital, Kaduna. *Int J Ment Health Nurs*. 2010;19(5):322-30. Epub 2010/10/05.

701.

Ganter-Ritz V, Speroni KG, Atherton M. A randomized double-blind study comparing intradermal anesthetic tolerability, efficacy, and cost-effectiveness of lidocaine, buffered lidocaine, and bacteriostatic normal saline for peripheral intravenous insertion. *Journal of Infusion Nursing*. 2012;35(2):93-9.

702.

Gao H, Gao X, Liang G, Ma BX. Contra-lateral needling in the treatment of hemiplegia due to acute ischemic stroke. *Acupunct Electrother Res*. 2012;37(1):1-12. Epub 2012/08/03.

703.

Gao LL, Chan SW, Li X, Chen S, Hao Y. Evaluation of an interpersonal-psychotherapy-oriented childbirth education programme for Chinese first-time childbearing women: a randomised controlled trial. *Int J Nurs Stud*. 2010;47(10):1208-16. Epub 2010/04/07.

704.

Gao LL, Chan SWC, Sun K. Effects of an interpersonal-psychotherapy-oriented childbirth education programme for Chinese first-time childbearing women at 3-month follow up: Randomised controlled trial. *Int J Nurs Stud*. 2012;49(3):274-81.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

705.

Gao RH, Pang JL, Du CL, Li XR. Interventional efficacy of rehabilitation nursing on middle-aged type 2 diabetic patients. *Chinese Journal of Clinical Rehabilitation*. 2005;9(15):38-9.

706.

Garasen H, Windspoll R, Johnsen R. Long-term patients' outcomes after intermediate care at a community hospital for elderly patients: 12-month follow-up of a randomized controlled trial. *Scand J Public Health*. 2008;36(2):197-204. Epub 2008/06/04.

707.

Garcia de Lucio L, Garcia Lopez FJ, Marin Lopez MT, Mas Hesse B, Caamano Vaz MD. Training programme in techniques of self-control and communication skills to improve nurses' relationships with relatives of seriously ill patients: a randomized controlled study. *J Adv Nurs*. 2000;32(2):425-31. Epub 2000/08/30.

708.

Garcia-Pena C, Thorogood M, Wonderling D, Reyes-Frausto S. Economic analysis of a pragmatic randomised trial of home visits by a nurse to elderly people with hypertension in Mexico. *Salud Publica Mex*. 2002;44(1):14-20. Epub 2002/03/26.

709.

Gardner EA. Instruction in mastery goal orientation: developing problem solving and persistence for clinical settings. *J Nurs Educ*. 2006;45(9):343-7. Epub 2006/09/28.

710.

Garrow AP, Xing M, Vere J, Verrall B, Wang L, Jude EB. Role of acupuncture in the management of diabetic painful neuropathy (DPN): a pilot RCT. *Acupunct Med*. 2014;32(3):242-9. Epub 2014/03/25.

711.

Gary R. Exercise self-efficacy in older women with diastolic heart failure: results of a walking program and education intervention. *J Gerontol Nurs*. 2006;32(7):31-9; quiz 40-1. Epub 2006/07/26.

712.

Gary TL, Batts-Turner M, Yeh HC, Hill-Briggs F, Bone LR, Wang NY, et al. The effects of a nurse case manager and a community health worker team on diabetic control, emergency department visits, and hospitalizations among urban African Americans with type 2 diabetes mellitus: a randomized controlled trial. *Arch Intern Med*. 2009;169(19):1788-94. Epub 2009/10/28.

713.

Gary TL, Bone LR, Hill MN, Levine DM, McGuire M, Saudek C, et al. Randomized controlled trial of the effects of nurse case manager and community health worker interventions on risk factors for diabetes-related complications in urban African Americans. *Prev Med*. 2003;37(1):23-32. Epub 2003/06/12.

714.

Gasquet I, Falissard B, Ravaud P. Impact of reminders and method of questionnaire distribution on patient response to mail-back satisfaction survey. *J Clin Epidemiol*. 2001;54(11):1174-80. Epub 2001/10/25.

715.

Gaston-Johansson F, Fall-Dickson JM, Nanda JP, Sarenmalm EK, Browall M, Goldstein N. Long-term effect of the self-management comprehensive coping strategy program on quality of life in patients with breast cancer treated with high-dose chemotherapy. *Psychooncology*. 2013;22(3):530-9.

716.

Gau ML, Chang CY, Tian SH, Lin KC. Effects of birth ball exercise on pain and self-efficacy during childbirth: a randomised controlled trial in Taiwan. *Midwifery*. 2011;27(6):e293-300. Epub 2011/04/05.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

717.

Gaugler JE, Reese M, Mittelman MS. Effects of the NYU caregiver intervention-adult child on residential care placement. *Gerontologist*. 2013;53(6):985-97. Epub 2013/01/23.

718.

Gavrinsky S, Koeniger-Donohue R, Steller J, Hawkins JW. Postoperative pain: acupuncture versus percutaneous electrical nerve stimulation. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2012;13(3):150-6. Epub 2012/08/30.

719.

Gega L, Norman IJ, Marks IM. Computer-aided vs. tutor-delivered teaching of exposure therapy for phobia/panic: randomized controlled trial with pre-registration nursing students. *Int J Nurs Stud*. 2007;44(3):397-405. Epub 2006/04/25.

720.

Gellis ZD, Kenaley BL, Ten Have T. Integrated telehealth care for chronic illness and depression in geriatric home care patients: the Integrated Telehealth Education and Activation of Mood (I-TEAM) study. *J Am Geriatr Soc*. 2014;62(5):889-95. Epub 2014/03/25.

721.

Gerdner LA, Buckwalter KC, Reed D. Impact of a psychoeducational intervention on caregiver response to behavioral problems. *Nurs Res*. 2002;51(6):363-74. Epub 2002/12/05.

722.

Gerdprasert S, Pruksacheva T, Panijpan B, Ruenwongsa P. Development of a web-based learning medium on mechanism of labour for nursing students. *Nurse education today*. 2010;30(5):464-9. Epub 2009/11/26.

723.

Germino BB, Mishel MH, Crandell J, Porter L, Blyler D, Jenerette C, et al. Outcomes of an uncertainty management intervention in younger African American and Caucasian breast cancer survivors. *Oncol Nurs Forum*. 2013;40(1):82-92. Epub 2012/12/28.

724.

Gershater MA, Pilhammar E, Apelqvist J, Alm-Roijer C. Patient education for the prevention of diabetic foot ulcers... Interim analysis of a randomised controlled trial due to morbidity and mortality of participants. *European Diabetes Nursing*. 2011;8(3):102-7b.

725.

Geschke K, Scheurich A, Schermuly I, Laux N, Bottcher A, Fellgiebel A. [Effectivity of early psychosocial counselling for family caregivers in general practitioner based dementia care]. *Dtsch Med Wochenschr*. 2012;137(43):2201-6. Epub 2012/10/19. Hausarztbasierte Demenzversorgung: Effektivitat fruher psychosozialer Beratung der Angehorigen.

726.

Gethin G, Cowman S. Manuka honey vs. hydrogel--a prospective, open label, multicentre, randomised controlled trial to compare desloughing efficacy and healing outcomes in venous ulcers. *J Clin Nurs*. 2009;18(3):466-74. Epub 2008/08/30.

727.

Ghafari S, Ahmadi F, Nabavi M, Anoshirvan K, Memarian R, Rafatbakhsh M. Effectiveness of applying progressive muscle relaxation technique on quality of life of patients with multiple sclerosis. *Journal of Clinical Nursing*. 2009;18(15):2171-9.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

728.

Ghetti CM. Effect of music therapy with emotional-approach coping on preprocedural anxiety in cardiac catheterization: a randomized controlled trial. *J Music Ther.* 2013;50(2):93-122. Epub 2013/10/26.

729.

Ghimire A, Limbu TR, Bhandari R. Trans-septal suturing following septoplasty: an alternative for nasal packing. *Nepal Med Coll J.* 2012;14(3):165-8. Epub 2013/09/21.

730.

Ghods AA, Soleimani M, Narimani M. Effect of postoperative supplemental oxygen on nausea and vomiting after cesarean birth. *J Perianesth Nurs.* 2005;20(3):200-5.

731.

Gianakos S, Keeling AW, Haines D, Haugh K. Time in bed after electrophysiological procedures (TIBS IV): a pilot study. *Am J Crit Care.* 2004;13(1):56-8, 87.

732.

Giaquinto S, Cacciato A, Minasi S, Sostero E, Amanda S. Effects of music-based therapy on distress following knee arthroplasty. *Br J Nurs.* 2006;15(10):576-9. Epub 2006/07/13.

733.

Giarelli E, Souders M, Pinto-Martin J, Bloch J, Levy SE. Intervention pilot for parents of children with autistic spectrum disorder. *Pediatr Nurs.* 2005;31(5):389-99. Epub 2005/11/22.

734.

Gibbins S, Stevens B. The influence of gestational age on the efficacy and short-term safety of sucrose for procedural pain relief. *Adv Neonatal Care.* 2003;3(5):241-9. Epub 2003/12/04.

735.

Gibbins S, Stevens B, Hodnett E, Pinelli J, Ohlsson A, Darlington G. Efficacy and safety of sucrose for procedural pain relief in preterm and term neonates. *Nurs Res.* 2002;51(6):375-82. Epub 2002/12/05.

736.

Giele H, Tong A, Huddleston S. Adhesive retention dressings are more comfortable than alginate dressings on split skin graft donor sites--a randomised controlled trial. *Ann R Coll Surg Engl.* 2001;83(6):431-4.

737.

Gielen S, Erbs S, Linke A, Mobius-Winkler S, Schuler G, Hambrecht R. Home-based versus hospital-based exercise programs in patients with coronary artery disease: effects on coronary vasomotion. *Am Heart J.* 2003;145(1):E3. Epub 2003/01/07.

738.

Gies CE, Buchman D, Robinson J, Smolen D. Effect of an inpatient nurse-directed smoking cessation program. *Western journal of nursing research.* 2008;30(1):6-19. Epub 2007/06/07.

739.

Giesler RB, Given B, Given CW, Rawl S, Monahan P, Burns D, et al. Improving the quality of life of patients with prostate carcinoma: a randomized trial testing the efficacy of a nurse-driven intervention. *Cancer.* 2005;104(4):752-62. Epub 2005/06/30.

740.

Gifford WA, Davies BL, Graham ID, Tourangeau A, Woodend AK, Lefebvre N. Developing Leadership Capacity for Guideline Use: A Pilot Cluster Randomized Control Trial. *Worldviews Evid Based Nurs.* 2013;10(1):51-65.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

741.

Gillesby E, Burns S, Dempsey A, Kirby S, Mogensen K, Naylor K, et al. Comparison of delayed versus immediate pushing during second stage of labor for nulliparous women with epidural anesthesia. *J Obstet Gynecol Neonatal Nurs*. 2010;39(6):635-44. Epub 2010/11/04.

742.

Gilmour J, Strong A, Hawkins M, Broadbent R, Huntington A. Nurses and heart failure education in medical wards. *Nurs Prax N Z*. 2013;29(3):5-17. Epub 2014/03/01.

743.

Girgis A, Cockburn J, Butow P, Bowman D, Schofield P, Stojanovski E, et al. Improving patient emotional functioning and psychological morbidity: evaluation of a consultation skills training program for oncologists. *Patient Educ Couns*. 2009;77(3):456-62.

744.

Gitlin LN, Hauck WW, Dennis MP, Winter L. Maintenance of effects of the home environmental skill-building program for family caregivers and individuals with Alzheimer's disease and related disorders. *J Gerontol A Biol Sci Med Sci*. 2005;60(3):368-74. Epub 2005/04/30.

745.

Gitlin LN, Rose K. Factors associated with caregiver readiness to use nonpharmacologic strategies to manage dementia-related behavioral symptoms. *Int J Geriatr Psychiatry*. 2014;29(1):93-102. Epub 2013/05/09.

746.

Gitlin LN, Winter L, Corcoran M, Dennis MP, Schinfeld S, Hauck WW. Effects of the home environmental skill-building program on the caregiver-care recipient dyad: 6-month outcomes from the Philadelphia REACH Initiative. *Gerontologist*. 2003;43(4):532-46. Epub 2003/08/26.

747.

Given B, Given CW, McCorkle R, Kozachik S, Cimprich B, Rahbar MH, et al. Pain and fatigue management: results of a nursing randomized clinical trial. *Oncol Nurs Forum*. 2002;29(6):949-56.

748.

Given B, Given CW, Sikorskii A, You M, McCorkle R, Champion V. Analyzing symptom management trials: the value of both intention-to-treat and per-protocol approaches. *Oncol Nurs Forum*. 2009;36(6):E293-302.

749.

Given C, Given B, Rahbar M, Jeon S, McCorkle R, Cimprich B, et al. Effect of a cognitive behavioral intervention on reducing symptom severity during chemotherapy. *J Clin Oncol*. 2004;22(3):507-16.

750.

Given CW, Given BA, Sikorskii A, You M, Jeon S, Champion V, et al. Deconstruction of nurse-delivered patient self-management interventions for symptom management: factors related to delivery enactment and response. *Ann Behav Med*. 2010;40(1):99-113.

751.

Gjerdingen DK, McGovern P, Pratt R, Johnson L, Crow S. Postpartum doula and peer telephone support for postpartum depression: a pilot randomized controlled trial. *J Prim Care Community Health*. 2013;4(1):36-43. Epub 2013/06/27.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

752.

Glindvad J, Jorgensen M. Postoperative education and pain in patients with inguinal hernia. *J Adv Nurs*. 2007;57(6):649-57. Epub 2007/03/10.

753.

Godino C, Jodar L, Duran A, Martinez I, Schiaffino A. Nursing education as an intervention to decrease fatigue perception in oncology patients. *Eur J Oncol Nurs*. 2006;10(2):150-5. Epub 2006/04/19.

754.

Goedendorp MM, Peters ME, Gielissen MF, Witjes JA, Leer JW, Verhagen CA, et al. Is increasing physical activity necessary to diminish fatigue during cancer treatment? Comparing cognitive behavior therapy and a brief nursing intervention with usual care in a multicenter randomized controlled trial. *Oncologist*. 2010;15(10):1122-32. Epub 2010/10/12.

755.

Goelen G, De Clercq G, Hanssens S. A community peer-volunteer telephone reminder call to increase breast cancer-screening attendance. *Oncol Nurs Forum*. 2010;37(4):E312-7. Epub 2010/07/02.

756.

Goelz T, Wuensch A, Stubenrauch S, Ihorst G, de Figueiredo M, Bertz H, et al. Specific training program improves oncologists' palliative care communication skills in a randomized controlled trial. *J Clin Oncol*. 2011;29(25):3402-7.

757.

Gokmen-Ozel H, Daly A, Davies P, Chahal S, MacDonald A. Errors in emergency feeds in inherited metabolic disorders: a randomised controlled trial of three preparation methods. *Arch Dis Child*. 2010;95(10):776-80. Epub 2010/06/05.

758.

Goldstein A, Grimault P, Henique A, Keller M, Fortin A, Darai E. Preventing postoperative pain by local anesthetic instillation after laparoscopic gynecologic surgery: a placebo-controlled comparison of bupivacaine and ropivacaine. *Anesth Analg*. 2000;91(2):403-7. Epub 2000/07/27.

759.

Gollar KM, Young DG, Bailen J, He W, Forero-Schwanhaeuser S. Efficacy of solifenacin for overactive bladder symptoms, symptom bother, and health-related quality of life in patients by duration of self-reported symptoms: a secondary analysis of the VIBRANT study. *Urol Nurs*. 2012;32(1):38-46, 50. Epub 2012/04/06.

760.

Gollins S, Gaffney C, Slade S, Swindell R. RCT on gentian violet versus a hydrogel dressing for radiotherapy-induced moist skin desquamation. *J Wound Care*. 2008;17(6):268-70, 72, 74-5. Epub 2008/08/01.

761.

Gomez-Gascon T, Martin-Fernandez J, Galvez-Herrer M, Tapias-Merino E, Beamud-Lagos M, Mingote-Adan JC. Effectiveness of an intervention for prevention and treatment of burnout in primary health care professionals. *BMC Fam Pract*. 2013;14:173. Epub 2013/11/19.

762.

Gonzales EA, Ledesma RJA, McAllister DJ, Perry SM, Dyer CA, Maye JP. Effects of guided imagery on postoperative outcomes in patients undergoing same-day surgical procedures: a randomized, single-blind study. *Aana J*. 2010;78(3):181-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

763.

Good M, Albert JM, Anderson GC, Wotman S, Cong X, Lane D, et al. Supplementing relaxation and music for pain after surgery. *Nurs Res*. 2010;59(4):259-69. Epub 2010/06/30.

764.

Good M, Anderson GC, Ahn S, Cong X, Stanton-Hicks M. Relaxation and music reduce pain following intestinal surgery. *Res Nurs Health*. 2005;28(3):240-51. Epub 2005/05/11.

765.

Good M, Stanton-Hicks M, Grass JA, Anderson GC, Lai HL, Roykulcharoen V, et al. Relaxation and music to reduce postsurgical pain. *J Adv Nurs*. 2001;33(2):208-15. Epub 2001/02/13.

766.

Goodman C, Davies SL, Norton C, Fader M, Morris J, Wells M, et al. Can district nurses and care home staff improve bowel care for older people using a clinical benchmarking tool? *British Journal of Community Nursing*. 2013;18(12):580-7.

767.

Goodman H, Parsons A, Davison J, Preedy M, Peters E, Shuldham C, et al. A randomised controlled trial to evaluate a nurse-led programme of support and lifestyle management for patients awaiting cardiac surgery 'Fit for surgery: Fit for life' study. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2008;7(3):189-95. Epub 2007/12/28.

768.

Goodwin JS, Satish S, Anderson ET, Nattinger AB, Freeman JL. Effect of nurse case management on the treatment of older women with breast cancer. *J Am Geriatr Soc*. 2003;51(9):1252-9. Epub 2003/08/16.

769.

Gordon L, Edwards H, Courtney M, Finlayson K, Shuter P, Lindsay E. A cost-effectiveness analysis of two community models of care for patients with venous leg ulcers. *J Wound Care*. 2006;15(8):348-53. Epub 2006/09/28.

770.

Gosselin TK, Schneider SM, Plambeck MA, Rowe K. A prospective randomized, placebo-controlled skin care study in women diagnosed with breast cancer undergoing radiation therapy. *Oncol Nurs Forum*. 2010;37(5):619-26. Epub 2010/08/28.

771.

Gouchon S, Gregori D, Picotto A, Patrucco G, Nangeroni M, Di Giulio P. Skin-to-skin contact after cesarean delivery: an experimental study. *Nurs Res*. 2010;59(2):78-84. Epub 2010/02/25.

772.

Gould KA. A randomized controlled trial of a discharge nursing intervention to promote self-regulation of care for early discharge interventional cardiology patients. *Dimens Crit Care Nurs*. 2011;30(2):117-25. Epub 2011/02/11.

773.

Gozalo P, Prakash S, Qato DM, Sloane PD, Mor V. Effect of the bathing without a battle training intervention on bathing-associated physical and verbal outcomes in nursing home residents with dementia: a randomized crossover diffusion study. *J Am Geriatr Soc*. 2014;62(5):797-804. Epub 2014/04/05.

774.

Gozen D, Caglar S, Bayraktar S, Atici F. Diaper dermatitis care of newborns human breast milk or barrier cream. *J Clin Nurs*. 2013. Epub 2013/03/20.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

775.

Graessel E, Stemmer R, Eichenseer B, Pickel S, Donath C, Kornhuber J, et al. Non-pharmacological, multicomponent group therapy in patients with degenerative dementia: a 12-month randomized, controlled trial. *BMC medicine*. 2011;9:129. Epub 2011/12/03.

776.

Grant JS. Social problem-solving partnerships with family caregivers. *Rehabil Nurs*. 1999;24(6):254-60.

777.

Grap MJ, Munro CL, Hamilton VA, Elswick RK, Jr., Sessler CN, Ward KR. Early, single chlorhexidine application reduces ventilator-associated pneumonia in trauma patients. *Heart Lung*. 2011;40(5):e115-22. Epub 2011/03/18.

778.

Gray JE, Safran C, Davis RB, Pompilio-Weitzner G, Stewart JE, Zaccagnini L, et al. Baby CareLink: using the internet and telemedicine to improve care for high-risk infants. *Pediatrics*. 2000;106(6):1318-24. Epub 2000/01/11.

779.

Gray R, Wykes T, Edmonds M, Leese M, Gournay K. Effect of a medication management training package for nurses on clinical outcomes for patients with schizophrenia: cluster randomised controlled trial. *Br J Psychiatry*. 2004;185(AUG.):157-62. Epub 2004/08/03.

780.

Graziano JA, Gross CR. A randomized controlled trial of an automated telephone intervention to improve glycemic control in type 2 diabetes. *ANS Adv Nurs Sci*. 2009;32(3):E42-57. Epub 2009/08/27.

781.

Green BB, Wang CY, Horner K, Catz S, Meenan RT, Vernon SW, et al. Systems of support to increase colorectal cancer screening and follow-up rates (SOS): design, challenges, and baseline characteristics of trial participants. *Contemp Clin Trials*. 2010;31(6):589-603. Epub 2010/08/03.

782.

Green DA, Linares MY, Garcia Pena BM, Greenberg B, Baker RL. Randomized comparison of pain perception during radial head subluxation reduction using supination-flexion or forced pronation. *Pediatr Emerg Care*. 2006;22(4):235-8. Epub 2006/05/03.

783.

Green RP, Landt M. Home sodium monitoring in patients with diabetes insipidus. *J Pediatr*. 2002;141(5):618-24. Epub 2002/11/01.

784.

Green T, Haley E, Eliasziw M, Hoyte K. Education in stroke prevention: efficacy of an educational counselling intervention to increase knowledge in stroke survivors. *Can J Neurosci Nurs*. 2007;29(2):13-20. Epub 2008/02/05.

785.

Greene J, Sacks R, Piniewski B, Kil D, Hahn JS. The impact of an online social network with wireless monitoring devices on physical activity and weight loss. *J Prim Care Community Health*. 2013;4(3):189-94. Epub 2013/06/27.

786.

Grey M, Jaser SS, Whittemore R, Jeon S, Lindemann E. Coping skills training for parents of children with type 1 diabetes: 12-month outcomes. *Nurs Res*. 2011;60(3):173-81. Epub 2011/04/28.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

787.

Grey M, Whittemore R, Jaser S, Ambrosino J, Lindemann E, Liberti L, et al. Effects of coping skills training in school-age children with type 1 diabetes. *Res Nurs Health*. 2009;32(4):405-18. Epub 2009/06/03.

788.

Griffiths C, Foster G, Barnes N, Eldridge S, Tate H, Begum S, et al. Specialist nurse intervention to reduce unscheduled asthma care in a deprived multiethnic area: the east London randomised controlled trial for high risk asthma (ELECTRA). *Bmj*. 2004;328(7432):144. Epub 2004/01/14.

789.

Griffiths P, Wilson-Barnett J, Richardson G, Spilsbury K, Miller F, Harris R. The effectiveness of intermediate care in a nursing-led in-patient unit. *Int J Nurs Stud*. 2000;37(2):153-61. Epub 2000/02/24.

790.

Griffiths RD, Fernandez RS, Ussia CA. Is tap water a safe alternative to normal saline for wound irrigation in the community setting? *Journal of wound care*. 2001;10(10):407-11.

791.

Gross JC, Hardin-Fanning F, Kain M, Faulkner EA, Goodrich S. Effect of time of day for urinary catheter removal on voiding behaviors in stroke patients. *Urol Nurs*. 2007;27(3):231-5. Epub 2007/08/07.

792.

Grossman S, Bautista C, Sullivan L. Using evidence-based practice to develop a protocol for postoperative surgical intensive care unit patients. *Dimensions of critical care nursing : DCCN*. 2002;21(5):206-14.

793.

Gruber E, Oberhammer R, Balkenhol K, Strapazon G, Procter E, Brugger H, et al. Basic life support trained nurses ventilate more efficiently with laryngeal mask supreme than with facemask or laryngeal tube suction-disposable--a prospective, randomized clinical trial. *Resuscitation*. 2014;85(4):499-502. Epub 2014/01/21.

794.

Gruber-Baldini AL, Resnick B, Hebel JR, Galik E, Zimmerman S. Adverse events associated with the Res-Care Intervention. *J Am Med Dir Assoc*. 2011;12(8):584-9. Epub 2011/04/01.

795.

Gu C, Wu X, Ding Y, Zhu X, Zhang Z. The effectiveness of a Chinese midwives' antenatal clinic service on childbirth outcomes for primipare: A randomised controlled trial. *Int J Nurs Stud*. 2013;50(12):1689-97.

796.

Gudex C, Horsted C, Jensen AM, Kjer M, Sorensen J. Consequences from use of reminiscence--a randomised intervention study in ten Danish nursing homes. *BMC geriatr*. 2010;10:33.

797.

Guidetti S, Andersson K, Andersson M, Tham K, Von Koch L. Client-centred self-care intervention after stroke: a feasibility study. *Scand J Occup Ther*. 2010;17(4):276-85. Epub 2010/03/02.

798.

Guihan M, Bombardier CH, Ehde DM, Rapacki LM, Rogers TJ, Bates-Jensen B, et al. Comparing multicomponent interventions to improve skin care behaviors and prevent recurrence in veterans hospitalized for severe pressure ulcers. *Arch Phys Med Rehabil*. 2014;95(7):1246-53 e3. Epub 2014/02/04.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

799.

Guillen-Sola M, Soler Mieras A, Tomas-Vidal AM. A multi-center, randomized, clinical trial comparing adhesive polyurethane foam dressing and adhesive hydrocolloid dressing in patients with grade II pressure ulcers in primary care and nursing homes. *BMC Fam Pract.* 2013;14:196. Epub 2013/12/24.

800.

Gunusen NP, Ustun B. An RCT of coping and support groups to reduce burnout among nurses. *Int Nurs Rev.* 2010;57(4):485-92. doi: 10.1111/j.466-7657.2010.00808.x. Epub 2010 Sep 7.

801.

Guo P, East L, Arthur A. A preoperative education intervention to reduce anxiety and improve recovery among Chinese cardiac patients: A randomized controlled trial. *Int J Nurs Stud.* 2012;49(2):129-37.

802.

Guo YP, Wong PM, Li Y, Or PP. Is double-gloving really protective? A comparison between the glove perforation rate among perioperative nurses with single and double gloves during surgery. *Am J Surg.* 2012;204(2):210-5. Epub 2012/02/22.

803.

Gutgsell KJ, Schluchter M, Margevicius S, DeGolia PA, McLaughlin B, Harris M, et al. Music therapy reduces pain in palliative care patients: a randomized controlled trial. *J Pain Symptom Manage.* 2013;45(5):822-31. Epub 2012/09/29.

804.

Ha YO, Kim HS. The effects of audiovisual distraction on children's pain during laceration repair. *Int J Nurs Pract.* 2013;19 Suppl 3:20-7. Epub 2013/10/23.

805.

Hacihanoglu R, Gozum S. The effect of patient education and home monitoring on medication compliance, hypertension management, healthy lifestyle behaviours and BMI in a primary health care setting. *J Clin Nurs.* 2011;20(5-6):692-705. Epub 2011/02/16.

806.

Hack TF, Pickles T, Bultz BD, Ruether JD, Degner LF. Impact of providing audiotapes of primary treatment consultations to men with prostate cancer: a multi-site, randomized, controlled trial. *Psychooncology.* 2007;16(6):543-52.

807.

Hack TF, Pickles T, Bultz BD, Ruether JD, Weir LM, Degner LF, et al. Impact of providing audiotapes of primary adjuvant treatment consultations to women with breast cancer: a multisite, randomized, controlled trial. *J Clin Oncol.* 2003;21(22):4138-44. Epub 2003/11/15.

808.

Hacker ED, Larson J, Kujath A, Peace D, Rondelli D, Gaston L. Strength training following hematopoietic stem cell transplantation. *Cancer Nurs.* 2011;34(3):238-49. Epub 2010/12/01.

809.

Haddad FS, Kerry RM, McEwen JA, Appleton L, Garbuz DS, Masri BA, et al. Unanticipated variations between expected and delivered pneumatic compression therapy after elective hip surgery: a possible source of variation in reported patient outcomes. *J Arthroplasty.* 2001;16(1):37-46. Epub 2001/02/15.

810.

Hadidi N, Buckwalter K, Lindquist R, Rangen C. Lessons learned in recruitment and retention of stroke survivors. *J Neurosci Nurs.* 2012;44(2):105-10. Epub 2012/03/01.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

811.

Hagen S, Stark D, Glazener C, Dickson S, Barry S, Elders A, et al. Individualised pelvic floor muscle training in women with pelvic organ prolapse (POPPY): a multicentre randomised controlled trial. *Lancet*. 2014;383(9919):796-806. Epub 2013/12/03.

812.

Haggmark C, Bohman L, Ilmoni-Brandt K, Naslund I, Sjoden PO, Nilsson B. Effects of information supply on satisfaction with information and quality of life in cancer patients receiving curative radiation therapy. *Patient Educ Couns*. 2001;45(3):173-9.

813.

Hake-Brooks SJ, Anderson GC. Kangaroo care and breastfeeding of mother-preterm infant dyads 0-18 months: a randomized, controlled trial. *Neonatal Netw*. 2008;27(3):151-9.

814.

Hale EM, Smith E, St James J, Wojner-Alexandrov AW. Pilot study of the feasibility and effectiveness of a natural laxative mixture. *Geriatr Nurs*. 2007;28(2):104-11. Epub 2007/04/14.

815.

Halfer D, Rosenheck M. Virtual education: is it effective for preparing nurses for a hospital move? *J Nurs Adm*. 2014;44(10):535-40. Epub 2014/10/04.

816.

Hall S, Reid E, Ukoumunne OC, Weinman J, Marteau TM. Brief smoking cessation advice from practice nurses during routine cervical smear tests appointments: a cluster randomised controlled trial assessing feasibility, acceptability and potential effectiveness. *British Journal of Cancer*. 2007;96(7):1057-61.

817.

Hall WA, Shearer K, Mogan J, Berkowitz J. Weighing preterm infants before & after breastfeeding: does it increase maternal confidence and competence? *MCN The American journal of maternal child nursing*. 2002;27(6):318-26; quiz 27.

818.

Hamid S, Dunsiger S, Seiden A, Nu'usolia O, Tuitele J, DePue JD, et al. Impact of a diabetes control and management intervention on health care utilization in American Samoa. *Chronic Illn*. 2014;10(2):122-34. Epub 2013/10/03.

819.

Hamidzadeh A, Shahpourian F, Orak RJ, Montazeri AS, Khosravi A. Effects of LI4 acupressure on labor pain in the first stage of labor. *J Midwifery Womens Health*. 2012;57(2):133-8. Epub 2012/03/22.

820.

Hamilton GA. Measuring adherence in a hypertension clinical trial. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2003;2(3):219-28. Epub 2003/11/19.

821.

Han L, Li JP, Sit JW, Chung L, Jiao ZY, Ma WG. Effects of music intervention on physiological stress response and anxiety level of mechanically ventilated patients in China: a randomised controlled trial. *J Clin Nurs*. 2010;19(7-8):978-87. Epub 2010/05/25.

822.

Han SH, Hur MH, Buckle J, Choi J, Lee MS. Effect of aromatherapy on symptoms of dysmenorrhea in college students: A randomized placebo-controlled clinical trial. *J Altern Complement Med*. 2006;12(6):535-41. Epub 2006/08/04.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

823.

Handley MA, Shumway M, Schillinger D. Cost-effectiveness of automated telephone self-management support with nurse care management among patients with diabetes. *Ann Fam Med*. 2008;6(6):512-8.

824.

Hannan J. APN telephone follow up to low-income first time mothers. *J Clin Nurs*. 2013;22(1-2):262-70.

825.

Hannan JL. Low-income first time mothers: Effects on advanced practice nurse (APN) follow up telephone calls on maternal and infant health and health care charges. 2010;Ph.D.:148 p.

826.

Hanson LC, Ersek M, Lin FC, Carey TS. Outcomes of feeding problems in advanced dementia in a nursing home population. *J Am Geriatr Soc*. 2013;61(10):1692-7. Epub 2013/10/03.

827.

Hanssen TA, Nordrehaug JE, Eide GE, Hanestad BR. Does a telephone follow-up intervention for patients discharged with acute myocardial infarction have long-term effects on health-related quality of life? A randomised controlled trial. *J Clin Nurs*. 2009;18(9):1334-45. Epub 2009/02/18.

828.

Harber CR, Sosnowski KJ, Hegde RM. Highly conservative phlebotomy in adult intensive care--a prospective randomized controlled trial. *Anaesth Intensive Care*. 2006;34(4):434-7. Epub 2006/08/18.

829.

Hardin SB, Weinrich S, Weinrich M, Garrison C, Addy C, Hardin TL. Effects of a long-term psychosocial nursing intervention on adolescents exposed to catastrophic stress. *Issues Ment Health Nurs*. 2002;23(6):537-51. Epub 2002/09/10.

830.

Hardwick ME, Pulido PA, Adelson WS. Nursing intervention using healing touch in bilateral total knee arthroplasty. *Orthop Nurs*. 2012;31(1):5-11.

831.

Hardwick ME, Pulido PA, Colwell CW, Jr. A mobile compression device compared with low-molecular-weight heparin for prevention of venous thromboembolism in total hip arthroplasty. *Orthop Nurs*. 2011;30(5):312-6. Epub 2011/09/22.

832.

Harkness K, Morrow L, Smith K, Kiczula M, Arthur HM. The effect of early education on patient anxiety while waiting for elective cardiac catheterization. *European Journal of Cardiovascular Nursing*. 2003;2(2):113-21.

833.

Harrington SS, Walker BL. A comparison of computer-based and instructor-led training for long-term care staff. *Journal of continuing education in nursing*. 2002;33(1):39-45. Epub 2005/05/13.

834.

Harrington SS, Walker BL. Is computer-based instruction an effective way to present fire safety training to long-term care staff? *Journal for nurses in staff development : JNSD : official journal of the National Nursing Staff Development Organization*. 2003;19(3):147-54.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

835.

Harrington SS, Walker BL. Teaching ergonomics to nursing facility managers using computer-based instruction. *Journal for Nurses in Staff Development*. 2006;22(5):260-8.

836.

Harrington SS, Walker BL. The effects of computer-based fire safety training on the knowledge, attitudes, and practices of caregivers. *Journal of continuing education in nursing*. 2009;40(2):79-86. Epub 2009/03/07.

837.

Harris M, Richards KC, Grando VT. The effects of slow-stroke back massage on minutes of nighttime sleep in persons with dementia and sleep disturbances in the nursing home: a pilot study. *J Holist Nurs*. 2012;30(4):255-63. Epub 2012/09/26.

838.

Harris N, Lovell K, Day J, Roberts C. An evaluation of a medication management training programme for community mental health professionals; service user level outcomes: a cluster randomised controlled trial. *Int J Nurs Stud*. 2009;46(5):645-52. Epub 2008/12/17.

839.

Harris R, Richardson G, Griffiths P, Hallett N, Wilson-Barnett J. Economic evaluation of a nursing-led inpatient unit: the impact of findings on management decisions of service utility and sustainability. *J Nurs Manag*. 2005;13(5):428-38. Epub 2005/08/20.

840.

Harrison L, Berbaum ML, Stem JT, Peters K. Use of individualized versus standard criteria to identify abnormal levels of heart rate or oxygen saturation in preterm infants. *J Nurs Meas*. 2001;9(2):181-200.

841.

Harrison MB, Graham ID, Lorimer K, Vandenberg E, Buchanan M, Wells PS, et al. Nurse clinic versus home delivery of evidence-based community leg ulcer care: a randomized health services trial. *BMC Health Serv Res*. 2008;8:243. Epub 2008/11/28.

842.

Harrison MB, Vandenberg EG, Hopman WM, Graham ID, Carley ME, Nelson EA, et al. The Canadian Bandaging Trial: Evidence-informed leg ulcer care and the effectiveness of two compression technologies. *BMC Nurs*. 2011;10:20. Epub 2011/10/15.

843.

Hartigan I, Murphy S, Hickey M. Older adults' knowledge of pressure ulcer prevention: a prospective quasi-experimental study. *Int J Older People Nurs*. 2012;7(3):208-18. Epub 2011/06/03.

844.

Hartling L, Newton AS, Liang Y, Jou H, Hewson K, Klassen TP, et al. Music to reduce pain and distress in the pediatric emergency department: a randomized clinical trial. *JAMA Pediatr*. 2013;167(9):826-35. Epub 2013/07/17.

845.

Hartman JH, Bena J, McIntyre S, Albert NM. Does a Photo Diary Decrease Stress and Anxiety in Children Undergoing Magnetic Resonance Imaging? A Randomized, Controlled Study. *Journal of Radiology Nursing*. 2009;28(4):122-8.

846.

Harvey S, Rach D, Stainton MC, Jarrell J, Brant R. Evaluation of satisfaction with midwifery care. *Midwifery*. 2002;18(4):260-7. Epub 2002/12/11.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

847.

Hasankhani H, Mohammadi E, Moazzami F, Mokhtari M, Naghgizadh MM. The effects of intravenous fluids temperature on perioperative hemodynamic situation, post-operative shivering, and recovery in orthopaedic surgery. *Can Oper Room Nurs J*. 2007;25(1):20-4, 6-7. Epub 2007/05/03.

848.

Hasson H, Arnetz JE. The impact of an educational intervention for elderly care nurses on care recipients' and family relatives' ratings of quality of care: a prospective, controlled intervention study. *Int J Nurs Stud*. 2008;45(2):166-79. Epub 2006/10/31.

849.

Hatfield LA. Sucrose decreases infant biobehavioral pain response to immunizations: a randomized controlled trial. *J Nurs Scholarsh*. 2008;40(3):219-25. Epub 2008/10/09.

850.

Hatler C, Dalton B, Day S, Sharfner A, Hauffe R. Evaluating Venous Pool Technique for Blood Sampling in Neonatal ICU. *MCN: The American Journal of Maternal Child Nursing*. 2013;38(6):345-51.

851.

Hattan J, King L, Griffiths P. The impact of foot massage and guided relaxation following cardiac surgery: a randomized controlled trial. *J Adv Nurs*. 2002;37(2):199-207. Epub 2002/02/20.

852.

Hattula JL, McGovern EK, Neumann TL. Comparison of intravenous cannulation injectable preanesthetics in an adult medical inpatient population. *Appl Nurs Res*. 2002;15(3):189-93. Epub 2002/08/13.

853.

Haut A, Kopke S, Gerlach A, Muhlhauser I, Haastert B, Meyer G. Evaluation of an evidence-based guidance on the reduction of physical restraints in nursing homes: a cluster-randomised controlled trial [ISRCTN34974819]. *BMC geriatr*. 2009;9:42. Epub 2009/09/09.

854.

Hawkins SY. Improving Glycemic Control in Older Adults Using a Videophone Motivational Diabetes Self-Management Intervention. *Research and Theory for Nursing Practice*. 2010;24(4):217-32.

855.

Hawranik P, Johnston P, Deatrich J. Therapeutic touch and agitation in individuals with Alzheimer's disease. *Western journal of nursing research*. 2008;30(4):417-34. Epub 2008/02/15.

856.

Hayes A, Buffum M. Educating patients after conscious sedation for gastrointestinal procedures. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2001;24(2):54-7. Epub 2002/02/19.

857.

Hayes A, Buffum M, Fuller D. Bowel preparation comparison: flavored versus unflavored colyte. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2003;26(3):106-9. Epub 2003/06/18.

858.

Hayes A, Buffum M, Hughes J. Diabetic colon preparation comparison study. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2011;34(5):377-82. Epub 2011/10/08.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

859.

Hayes BA, Muller R. Prenatal depression: a randomized controlled trial in the emotional health of primiparous women. *Res Theory Nurs Pract.* 2004;18(2-3):165-83. Epub 2004/11/24.

860.

Hayney MS, Coe CL, Muller D, Obasi CN, Backonja U, Ewers T, et al. Age and psychological influences on immune responses to trivalent inactivated influenza vaccine in the meditation or exercise for preventing acute respiratory infection (MEPARI) trial. *Hum Vaccin Immunother.* 2014;10(1):83-91. Epub 2013/10/08.

861.

Hayward K, Campbell-Yeo M, Price S, Morrison D, Whyte R, Cake H, et al. Co-bedding twins: how pilot study findings guided improvements in planning a larger multicenter trial. *Nurs Res.* 2007;56(2):137-43.

862.

Headley JA, Ownby KK, John LD. The effect of seated exercise on fatigue and quality of life in women with advanced breast cancer. *Oncol Nurs Forum.* 2004;31(5):977-83. Epub 2004/09/21.

863.

Hebert PL, Sisk JE, Tuzzio L, Casabianca JM, Pogue VA, Wang JJ, et al. Nurse-led disease management for hypertension control in a diverse urban community: a randomized trial. *J Gen Intern Med.* 2012;27(6):630-9.

864.

Heden LE, von Essen L, Ljungman G. Effect of morphine in needle procedures in children with cancer. *Eur J Pain.* 2011;15(10):1056-60.

865.

Hee-Sung K. Impact of Web-based nurse's education on glycosylated haemoglobin in type 2 diabetic patients. *J Clin Nurs.* 2007;16(7):1361-6. Epub 2007/06/23.

866.

Heggie S, Bryant GP, Tripcony L, Keller J, Rose P, Glendenning M, et al. A Phase III study on the efficacy of topical aloe vera gel on irradiated breast tissue. *Cancer Nurs.* 2002;25(6):442-51. Epub 2002/12/05.

867.

Heh SS, Fu YY. Effectiveness of informational support in reducing the severity of postnatal depression in Taiwan. *J Adv Nurs.* 2003;42(1):30-6. Epub 2003/03/19.

868.

Heidrich SM, Brown RL, Egan JJ, Perez OA, Phelan CH, Yeom H, et al. An individualized representational intervention to improve symptom management (IRIS) in older breast cancer survivors: three pilot studies. *Oncol Nurs Forum.* 2009;36(3):E133-43. Epub 2009/05/01.

869.

Heikkinen K, Leino-Kilpi H, Vahlberg T, Salanterä S. Ambulatory orthopaedic surgery patients' symptoms with two different patient education methods. *International Journal of Orthopaedic and Trauma Nursing.* 2012;16(1):13-20.

870.

Heinen M, Borm G, van der Vleuten C, Evers A, Oostendorp R, van Achterberg T. The Lively Legs self-management programme increased physical activity and reduced wound days in leg ulcer patients: Results from a randomized controlled trial. *Int J Nurs Stud.* 2012;49(2):151-61. Epub 2011/10/01.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

871.

Heisler M, Vijan S, Makki F, Piette JD. Diabetes control with reciprocal peer support versus nurse care management: a randomized trial. *Ann Intern Med.* 2010;153(8):507-15. Epub 2010/10/20.

872.

Helde G, Bovim G, Brathen G, Brodtkorb E. A structured, nurse-led intervention program improves quality of life in patients with epilepsy: a randomized, controlled trial. *Epilepsy Behav.* 2005;7(3):451-7. Epub 2005/08/10.

873.

Helder OK, Mulder PG, van Goudoever JB. Computer-generated versus nurse-determined strategy for incubator humidity and time to regain birthweight. *J Obstet Gynecol Neonatal Nurs.* 2008;37(3):255-61. Epub 2008/05/30.

874.

Hench KD, Shults J, Benyi T, Clow C, Delaune J, Gilluly K, et al. Effect of educational preparation on the accuracy of linear growth measurement in pediatric primary care practices: results of a multicenter nursing study. *Journal of Pediatric Nursing.* 2005;20(2):64-74. Epub 2005/04/09.

875.

Hendriks JM, de Wit R, Vrijhoef HJ, Tieleman RG, Crijns HJ. An integrated chronic care program for patients with atrial fibrillation: study protocol and methodology for an ongoing prospective randomised controlled trial. *Int J Nurs Stud.* 2010;47(10):1310-6.

876.

Hendriks JM, Vrijhoef HJ, Crijns HJ, Brunner-La Rocca HP. The effect of a nurse-led integrated chronic care approach on quality of life in patients with atrial fibrillation. *Europace.* 2014;16(4):491-9. Epub 2013/09/24.

877.

Hendriks MR, Bleijlevens MH, van Haastregt JC, Crebolder HF, Diederiks JP, Evers SM, et al. Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. *J Am Geriatr Soc.* 2008;56(8):1390-7. Epub 2008/07/30.

878.

Hendrix CC, Landerman R, Abernethy AP. Effects of an individualized caregiver training intervention on self-efficacy of cancer caregivers. *Western journal of nursing research.* 2013;35(5):590-610.

879.

Henoch I, Danielson E, Strang S, Browall M, Melin-Johansson C. Training intervention for health care staff in the provision of existential support to patients with cancer: a randomized, controlled study. *J Pain Symptom Manage.* 2013;46(6):785-94.

880.

Henricson M, Berglund AL, Maatta S, Ekman R, Segesten K. The outcome of tactile touch on oxytocin in intensive care patients: a randomised controlled trial. *J Clin Nurs.* 2008;17(19):2624-33. Epub 2008/09/24.

881.

Henry EA, Schlegel RJ, Talley AE, Molix LA, Bettencourt BA. The feasibility and effectiveness of expressive writing for rural and urban breast cancer survivors. *Oncol Nurs Forum.* 2010;37(6):749-57. Epub 2010/11/10.

882.

Hepburn K, Lewis M, Tornatore J, Sherman CW, Bremer KL. The Savvy Caregiver program: the demonstrated effectiveness of a transportable dementia caregiver psychoeducation program. *J Gerontol Nurs.* 2007;33(3):30-6. Epub 2007/03/24.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

883.

Hernandez Morante JJ, Sanchez-Villazala A, Cutillas RC, Fuentes MC. Effectiveness of a nutrition education program for the prevention and treatment of malnutrition in end-stage renal disease. *J Ren Nutr.* 2014;24(1):42-9. Epub 2013/11/13.

884.

Herrin J, Cangialose CB, Nicewander D, Ballard DJ. Cost and effects of performance feedback and nurse case management for medicare beneficiaries with diabetes: a randomized controlled trial. *Dis Manag.* 2007;10(6):328-36. Epub 2008/01/01.

885.

Herth K. Enhancing hope in people with a first recurrence of cancer. *J Adv Nurs.* 2000;32(6):1431-41. Epub 2001/01/03.

886.

Hesselink AE, Bilo HJ, Jonkers R, Martens M, de Weerd I, Rutten GE. A cluster-randomized controlled trial to study the effectiveness of a protocol-based lifestyle program to prevent type 2 diabetes in people with impaired fasting glucose. *BMC Fam Pract.* 2013;14:184. Epub 2013/12/04.

887.

Hessig RE, Arcand LL, Frost MH. The effects of an educational intervention on oncology nurses' attitude, perceived knowledge, and self-reported application of complementary therapies. *Oncol Nurs Forum.* 2004;31(1):71-8. Epub 2004/01/15.

888.

Heyland DK, Murch L, Cahill N, McCall M, Muscedere J, Stelfox HT, et al. Enhanced Protein-Energy Provision via the Enteral Route Feeding Protocol in Critically Ill Patients: Results of a Cluster Randomized Trial*. *Crit Care Med.* 2013;41(12):2743-53.

889.

Heyneman A, Vanderwee K, Grypdonck M, Defloor T. Effectiveness of two cushions in the prevention of heel pressure ulcers. *Worldviews Evid Based Nurs.* 2009;6(2):114-20.

890.

Hicks C, Spurgeon P, Barwell F. Changing Childbirth: a pilot project. *J Adv Nurs.* 2003;42(6):617-28. Epub 2003/06/06.

891.

Higgins L, Wasiak J, Spinks A, Cleland H. Split-thickness skin graft donor site management: a randomized controlled trial comparing polyurethane with calcium alginate dressings. *International wound journal.* 2012;9(2):126-31. Epub 2011/11/05.

892.

Hill AS, Kurkowski TB, Garcia J. Oral support measures used in feeding the preterm infant. *Nurs Res.* 2000;49(1):2-10.

893.

Hill J, Lewis M, Bird H. Do OA patients gain additional benefit from care from a clinical nurse specialist?--a randomized clinical trial. *Rheumatology (Oxford).* 2009;48(6):658-64. Epub 2009/03/27.

894.

Hill W, Weinert C, Cudney S. Influence of a computer intervention on the psychological status of chronically ill rural women: preliminary results. *Nurs Res.* 2006;55(1):34-42. Epub 2006/01/28.

895.

Hirayasu Y, Kawanishi C, Yonemoto N, Ishizuka N, Okubo Y, Sakai A, et al. A randomized controlled multicenter trial of post-suicide attempt case management for the prevention of further attempts in Japan (ACTION-J). *BMC Public Health.* 2009;9:364. Epub 2009/09/29.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

896.

Hiscock H, Bayer JK, Lycett K, Ukoumunne OC, Shaw D, Gold L, et al. Preventing mental health problems in children: the Families in Mind population-based cluster randomised controlled trial. *BMC Public Health*. 2012;12:420. Epub 2012/06/12.

897.

Hiss RG, Armbruster BA, Gillard ML, McClure LA. Nurse care manager collaboration with community-based physicians providing diabetes care: a randomized controlled trial. *Diabetes Educ*. 2007;33(3):493-502. Epub 2007/06/16.

898.

Ho CH, Bensitel T, Wang X, Bogie KM. Pulsatile lavage for the enhancement of pressure ulcer healing: a randomized controlled trial. *Phys Ther*. 2012;92(1):38-48. Epub 2011/09/29.

899.

Ho CH, Rainer TH, Graham CA. Nurse initiated reinsertion of nasogastric tubes in the emergency department: a randomised controlled trial. *Australas Emerg Nurs J*. 2013;16(4):136-43. Epub 2013/11/10.

900.

Hodnett ED, Lowe NK, Hannah ME, Willan AR, Stevens B, Weston JA, et al. Effectiveness of nurses as providers of birth labor support in North American hospitals: a randomized controlled trial. *Jama*. 2002;288(11):1373-81.

901.

Hodnett ED, Stremler R, Willan AR, Weston JA, Lowe NK, Simpson KR, et al. Effect on birth outcomes of a formalised approach to care in hospital labour assessment units: international, randomised controlled trial. *Bmj*. 2008;337:a1021.

902.

Hoeffler B, Talerico KA, Rasin J, Mitchell CM, Stewart BJ, McKenzie D, et al. Assisting cognitively impaired nursing home residents with bathing: effects of two bathing interventions on caregiving. *Gerontologist*. 2006;46(4):524-32.

903.

Hollen PJ, Tyc VL, Donnangelo SF, Shannon SV, O'Laughlen MC, Hinton I, et al. A substance use decision aid for medically at-risk adolescents: results of a randomized controlled trial for cancer-surviving adolescents. *Cancer Nurs*. 2013;36(5):355-67. Epub 2013/01/30.

904.

Holmes D, Teresi JA, Ramirez M, Ellis J, Eimicke J, Jian K, et al. An evaluation of a monitoring system intervention: falls, injuries, and affect in nursing homes. *Clin Nurs Res*. 2007;16(4):317-35. Epub 2007/11/10.

905.

Holsti L, Grunau RE, Whitfield MF, Oberlander TF, Lindh V. Behavioral responses to pain are heightened after clustered care in preterm infants born between 30 and 32 weeks gestational age. *Clin J Pain*. 2006;22(9):757-64.

906.

Holsti L, Weinberg J, Whitfield MF, Grunau RE. Relationships between adrenocorticotrophic hormone and cortisol are altered during clustered nursing care in preterm infants born at extremely low gestational age. *Early Hum Dev*. 2007;83(5):341-8.

907.

Holt CL, Wynn TA, Litaker MS, Southward P, Jeames S, Schulz E. A comparison of a spiritually based and non-spiritually based educational intervention for informed decision making for prostate cancer screening among church-attending African-American men. *Urologic nursing : official journal of the American Urological Association Allied*. 2009;29(4):249-58.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

908.

Holzemer EM, Thanavaro J, Malmstrom TK, Cruz-Flores S. Modifying Risk Factors After TIA and Stroke: The Impact of Intensive Education. *Journal for Nurse Practitioners*. 2011;7(5):372-7.

909.

Holzemer WL, Bakken S, Portillo CJ, Grimes R, Welch J, Wantland D, et al. Testing a nurse-tailored HIV medication adherence intervention. *Nurs Res*. 2006;55(3):189-97. Epub 2006/05/19.

910.

Holzhauser K, Finucane J, De Vries SM. Family presence during resuscitation: A randomised controlled trial of the impact of family presence. *Australasian Emergency Nursing Journal*. 2006;8(4):139-47.

911.

Hongwei W, Senqi H, Thobaben M, Yanwen H, Tao Y. Continuous primary nursing care increases satisfaction with nursing care and reduces postpartum problems for hospitalized pregnant women. *Contemporary Nurse: A Journal for the Australian Nursing Profession*. 2011;37(2):149-59.

912.

Hopkinson JB, Fenlon DR, Foster CL. Outcomes of a nurse-delivered psychosocial intervention for weight- and eating-related distress in family carers of patients with advanced cancer. *International Journal of Palliative Nursing*. 2013;19(3):116-23.

913.

Hopkinson JB, Fenlon DR, Okamoto I, Wright DN, Scott I, Addington-Hall JM, et al. The deliverability, acceptability, and perceived effect of the Macmillan approach to weight loss and eating difficulties: a phase II, cluster-randomized, exploratory trial of a psychosocial intervention for weight- and eating-related distress in people with advanced cancer. *J Pain Symptom Manage*. 2010;40(5):684-95. Epub 2010/08/04.

914.

Hoppu U, Isolauri E, Koskinen P, Laitinen K. Diet and blood lipids in 1-4 year-old children. *Nutr Metab Cardiovasc Dis*. 2013;23(10):980-6. Epub 2012/11/28.

915.

Hordam B, Sabroe S, Pedersen PU, Mejdahl S, Soballe K. Nursing intervention by telephone interviews of patients aged over 65 years after total hip replacement improves health status: a randomised clinical trial. *Scand J Caring Sci*. 2010;24(1):94-100.

916.

Horiuchi S, Yaju Y, Koyo M, Sakyo Y, Nakayama K. Evaluation of a web-based graduate continuing nursing education program in Japan: A randomized controlled trial. *Nurse education today*. 2009;29(2):140-9. Epub 2008/10/03.

917.

Horner K, Ludman EJ, McCorkle R, Canfield E, Flaherty L, Min J, et al. An oncology nurse navigator program designed to eliminate gaps in early cancer care. *Clinical journal of oncology nursing*. 2013;17(1):43-8. Epub 2013/02/02.

918.

Horner SD. Home visiting for intervention delivery to improve rural family asthma management. *J Community Health Nurs*. 2006;23(4):213-23. Epub 2006/10/27.

919.

Horner SD, Brown A. Evaluating the effect of an asthma self-management intervention for rural families. *J Asthma*. 2014;51(2):168-77. Epub 2013/11/06.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

920.

Horns KM. Comparison of two microenvironments and nurse caregiving on thermal stability of ELBW infants. *Adv Neonat Care.* 2002;2(3):149-60.

921.

Hoseini S, Soltani F, Babaei Beygi M, Zarifshanaee N. The effect of educational audiotape programme on anxiety and depression in patients undergoing coronary artery bypass graft. *J Clin Nurs.* 2013;22(11-12):1613-9.

922.

Hosseiniabadi R, Karampourian A, Beiranvand S, Pournia Y. The effect of quality circles on job satisfaction and quality of work-life of staff in emergency medical services. *Int Emerg Nurs.* 2013;21(4):264-70. Epub 2012/12/26.

923.

Houghton K, Peregrina M, Gillies D, Herden J. A small trial of the nursing care of patients immobilised with a Thomas splint. *Journal of Orthopaedic Nursing.* 2003;7(4):201-4.

924.

Houweling ST, Kleefstra N, van Hateren KJ, Groenier KH, Meyboom-de Jong B, Bilo HJ. Can diabetes management be safely transferred to practice nurses in a primary care setting? A randomised controlled trial. *J Clin Nurs.* 2011;20(9-10):1264-72. Epub 2011/03/16.

925.

Houweling ST, Kleefstra N, van Hateren KJ, Kooy A, Groenier KH, Ten Vergert E, et al. Diabetes specialist nurse as main care provider for patients with type 2 diabetes. *The Netherlands journal of medicine.* 2009;67(7):279-84. Epub 2009/08/19.

926.

Howard LV, West D, Ossip-Klein DJ. Chronic constipation management for institutionalized older adults. *Geriatr Nurs.* 2000;21(2):78-82; quiz -3. Epub 2000/04/19.

927.

Howard PK. Evaluation of age-appropriate firearm safety interventions. *Pediatr Emerg Care.* 2005;21(7):473-9. Epub 2005/07/20.

928.

Howe CJ, Jawad AF, Tuttle AK, Moser JT, Preis C, Buzby M, et al. Education and telephone case management for children with type 1 diabetes: a randomized controlled trial. *Journal of Pediatric Nursing.* 2005;20(2):83-95. Epub 2005/04/09.

929.

Hsiao FH, Lai YM, Chen YT, Yang TT, Liao SC, Ho RT, et al. Efficacy of psychotherapy on diurnal cortisol patterns and suicidal ideation in adjustment disorder with depressed mood. *Gen Hosp Psychiatry.* 2014;36(2):214-9. Epub 2013/12/18.

930.

Hsieh CC, Hu MH, Lee SD, Wei SH. Exploration of Factors Related to Wheelchair Postural Improvement in Long-Term Care Residents After an Individualized Wheelchair Intervention. *Assistive Technology.* 2011;23(1):1-12.

931.

Hsieh PL. A school-based health promotion program for stressed nursing students in Taiwan. *J Nurs Res.* 2011;19(3):230-7. Epub 2011/08/23.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

932.

Hsu LF, Wang RH. The effectiveness of an intervention program to promote physical activity among female adolescents in a vocational nursing school. *Hu li za zhi The journal of nursing*. 2004;51(5):27-36.

933.

Hsu MC, Chen HW, Hwu YJ, Chanc CM, Liu CF. Effects of thermal therapy on uremic pruritus and biochemical parameters in patients having haemodialysis. *J Adv Nurs*. 2009;65(11):2397-408.

934.

Hsu YC, Wang JJ. Physical, affective, and behavioral effects of group reminiscence on depressed institutionalized elders in Taiwan. *Nurs Res*. 2009;58(4):294-9. Epub 2009/07/18.

935.

Hsueh HF, Jarrett ME, Cain KC, Burr RL, Deechakawan W, Heitkemper MM. Does a self-management program change dietary intake in adults with irritable bowel syndrome? *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2011;34(2):108-16. Epub 2011/04/02.

936.

Hu HF, Li TC, Liu LC, Wu CT, Wang YJ. [Effects of a walking program on fatigue and exercise capacity in post-surgery breast cancer women]. *Hu Li Za Zhi*. 2013;60(5):53-63. Epub 2013/10/08.

937.

Hua XT, Tang J, Mu DZ. [Effect of oral administration of probiotics on intestinal colonization with drug-resistant bacteria in preterm infants]. *Zhongguo Dang Dai Er Ke Za Zhi*. 2014;16(6):606-9. Epub 2014/06/14.

938.

Huang CH, Su YC, Li TC, Lee SC, Lin JS, Chiu TY, et al. Treatment of constipation in long-term care with Chinese herbal formula: a randomized, double-blind placebo-controlled trial. *J Altern Complement Med*. 2011;17(7):639-46. Epub 2011/06/30.

939.

Huang CL, Tai YK, Yang YH, Wang RH. Efficacy of five-element gymnastics in glucose and lipid control in Taiwanese patients with type 2 diabetes. *Res Nurs Health*. 2012;35(4):419-29. Epub 2012/04/13.

940.

Huang CM, Tung WS, Kuo LL, Ying-Ju C. Comparison of pain responses of premature infants to the heelstick between containment and swaddling. *The journal of nursing research : JNR*. 2004;12(1):31-40.

941.

Huang HC, Liu CY, Huang YT, Kernohan WG. Community-based interventions to reduce falls among older adults in Taiwan - long time follow-up randomised controlled study. *J Clin Nurs*. 2010;19(7-8):959-68.

942.

Huang HL, Shyu YI, Chen MC, Chen ST, Lin LC. A pilot study on a home-based caregiver training program for improving caregiver self-efficacy and decreasing the behavioral problems of elders with dementia in Taiwan. *Int J Geriatr Psychiatry*. 2003;18(4):337-45. Epub 2003/04/04.

943.

Huang HT, Chuang YH, Chiang KF. Nurses' physical restraint knowledge, attitudes, and practices: the effectiveness of an in-service education program. *J Nurs Res*. 2009;17(4):241-8. Epub 2009/12/04.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

944. Huang JP, Chen HH, Yeh ML. A comparison of diabetes learning with and without interactive multimedia to improve knowledge, control, and self-care among people with diabetes in Taiwan. *Public Health Nurs.* 2009;26(4):317-28. Epub 2009/07/04.
945. Huang ST, Good M, Zauszniewski JA. The effectiveness of music in relieving pain in cancer patients: a randomized controlled trial. *Int J Nurs Stud.* 2010;47(11):1354-62. Epub 2010/04/21.
946. Huang TT, Acton GJ. Effectiveness of home visit falls prevention strategy for Taiwanese community-dwelling elders: randomized trial. *Public Health Nurs.* 2004;21(3):247-56. Epub 2004/05/18.
947. Huang TT, Li YT, Wang CH. Individualized programme to promote self-care among older adults with asthma: randomized controlled trial. *J Adv Nurs.* 2009;65(2):348-58. Epub 2008/12/02.
948. Huang TT, Liang SH. A randomized clinical trial of the effectiveness of a discharge planning intervention in hospitalized elders with hip fracture due to falling. *J Clin Nurs.* 2005;14(10):1193-201. Epub 2005/10/22.
949. Huang TT, Yang LH, Liu CY. Reducing the fear of falling among community-dwelling elderly adults through cognitive-behavioural strategies and intense Tai Chi exercise: a randomized controlled trial. *J Adv Nurs.* 2011;67(5):961-71.
950. Huang TT, Yeh CY, Tsai YC. A diet and physical activity intervention for preventing weight retention among Taiwanese childbearing women: a randomised controlled trial. *Midwifery.* 2011;27(2):257-64. Epub 2009/09/25.
951. Huang YC, Chen HH, Yeh ML, Chung YC. Case studies combined with or without concept maps improve critical thinking in hospital-based nurses: a randomized-controlled trial. *Int J Nurs Stud.* 2012;49(6):747-54. Epub 2012/02/14.
952. Hudson P, Trauer T, Kelly B, O'Connor M, Thomas K, Summers M, et al. Reducing the psychological distress of family caregivers of home-based palliative care patients: short-term effects from a randomised controlled trial. *Psychooncology.* 2013;22(9):1987-93.
953. Huey-Ling L, Chun-Che S, Jen-Jen T, Shau-Ting L, Hsing IC. Comparison of the effect of protocol-directed sedation with propofol vs. midazolam by nurses in intensive care: efficacy, haemodynamic stability and patient satisfaction. *J Clin Nurs.* 2008;17(11):1510-7. Epub 2008/05/17.
954. Huguélet P, Mohr S, Betrisey C, Borrás L, Gillieron C, Marie AM, et al. A randomized trial of spiritual assessment of outpatients with schizophrenia: patients' and clinicians' experience. *Psychiatr Serv.* 2011;62(1):79-86. Epub 2011/01/07.
955. Huis A, Hulscher M, Adang E, Groel R, van Achterberg T, Schoonhoven L. Cost-effectiveness of a team and leaders-directed strategy to improve nurses' adherence to hand hygiene guidelines: a cluster randomised trial. *Int J Nurs Stud.* 2013;50(4):518-26.
956. Huis A, Schoonhoven L, Groel R, Donders R, Hulscher M, van Achterberg T. Impact of a team and leaders-directed strategy to improve nurses' adherence to hand hygiene guidelines: a cluster randomised trial. *Int J Nurs Stud.* 2013;50(4):464-74.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

957.

Huizing AR, Hamers JP, Gulpers MJ, Berger MP. Short-term effects of an educational intervention on physical restraint use: a cluster randomized trial. *BMC geriatr.* 2006;6:17. Epub 2006/10/28.

958.

Huizing AR, Hamers JP, Gulpers MJ, Berger MP. Preventing the use of physical restraints on residents newly admitted to psycho-geriatric nursing home wards: a cluster-randomized trial. *Int J Nurs Stud.* 2009;46(4):459-69. Epub 2008/05/20.

959.

Huizing AR, Hamers JP, Gulpers MJ, Berger MP. A cluster-randomized trial of an educational intervention to reduce the use of physical restraints with psychogeriatric nursing home residents. *J Am Geriatr Soc.* 2009;57(7):1139-48. Epub 2009/06/30.

960.

Hulse RS, Stuart-Shor EM, Russo J. Endoscopic procedure with a modified Reiki intervention: a pilot study. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates.* 2010;33(1):20-6.

961.

Hunkeler EM, Meresman JF, Hargreaves WA, Fireman B, Berman WH, Kirsch AJ, et al. Efficacy of nurse telehealth care and peer support in augmenting treatment of depression in primary care. *Arch Fam Med.* 2000;9(8):700-8. Epub 2000/08/06.

962.

Hunt CW, Ellison KJ. Enhancing faculty resources through peer mentoring. *Nurse Educ.* 2010;35(5):192-6.

963.

Hurwitz B, Jarman B, Cook A, Bajekal M. Scientific evaluation of community-based Parkinson's disease nurse specialists on patient outcomes and health care costs. *J Eval Clin Pract.* 2005;11(2):97-110. Epub 2005/04/09.

964.

Husamran C, Titapant V, Kongjeera A. Relief [sic] perineal pain after perineorrhaphy by cold gel pack pad: a randomized controlled trial. *Thai Journal of Nursing Research.* 2007;11(2):87-95.

965.

Husebo BS, Ballard C, Sandvik R, Nilsen OB, Aarsland D. Efficacy of treating pain to reduce behavioural disturbances in residents of nursing homes with dementia: cluster randomised clinical trial. *Bmj.* 2011;343(doi):d4065. Epub 2011/07/19.

966.

Husslein H, Franz M, Gutschi M, Worda C, Polterauer S, Leipold H. Postoperative gum chewing after gynecologic laparoscopic surgery: a randomized controlled trial. *Obstet Gynecol.* 2013;122(1):85-90. Epub 2013/06/08.

967.

Hutton S, Probst E, Kenyon C, Morse D, Friedman B, Arnold K, et al. Accuracy of different temperature devices in the postpartum population. *J Obstet Gynecol Neonatal Nurs.* 2009;38(1):42-9.

968.

Hwang DS, Kim HK, Seo JC, Shin IH, Kim DH, Kim YS. Sympathomodulatory effects of Saam acupuncture on heart rate variability in night-shift-working nurses. *Complementary therapies in medicine.* 2011;19 Suppl 1(Suppl 1):S33-40. Epub 2011/01/05.

969.

Hwang SK, Ju HO, Kim YS, Lee HZ, Kim YH. Effects of body position and time after feeding on gastric residuals in LBW infants. *Taehan Kanho Hakhoe Chi.* 2003;33(4):488-94. Epub 2004/08/18.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

970.

Hyun MS, Nam KA, Kim MA. Randomized controlled trial of a cognitive-behavioral therapy for at-risk Korean male adolescents. *Arch Psychiatr Nurs.* 2010;24(3):202-11. Epub 2010/05/22.

971.

Hyun S, Hodorowski JK, Nirenberg A, Perocchia RS, Staats JA, Velez O, et al. Mobile Health-Based Approaches for Smoking Cessation Resources. *Oncol Nurs Forum.* 2013;40(4):E312-9.

972.

Ickovics JR, Reed E, Magriples U, Westdahl C, Schindler Rising S, Kershaw TS. Effects of group prenatal care on psychosocial risk in pregnancy: results from a randomised controlled trial. *Psychol Health.* 2011;26(2):235-50. Epub 2011/02/15.

973.

Iglesias B, Ramos F, Serrano B, Fabregas M, Sanchez C, Garcia MJ, et al. A randomized controlled trial of nurses vs. doctors in the resolution of acute disease of low complexity in primary care. *J Adv Nurs.* 2013;69(11):2446-57.

974.

Iio M, Takenaka K, Narita M, Futamura M, Hamaguchi M, Fukushima K, et al. [Development and effectiveness of a tailored education program for caregivers of asthmatic children]. *Arerugi.* 2014;63(2):187-203. Epub 2014/04/10.

975.

Ikonomidou E, Rehnstrom A, Naesh O. Effect of music on vital signs and postoperative pain. *Aorn J.* 2004;80(2):269-74, 77-8. Epub 2004/09/24.

976.

Imhof L, Naef R, Wallhagen MI, Schwarz J, Mahrer-Imhof R. Effects of an advanced practice nurse in-home health consultation program for community-dwelling persons aged 80 and older. *J Am Geriatr Soc.* 2012;60(12):2223-31.

977.

Inaba Y, Obuchi S, Arai T, Shiba Y, Oka K, Watanabe S, et al. [Effects of exercise intervention on exercise behavior in community-dwelling elderly subjects: a randomized controlled trial]. *Nihon Ronen Igakkai Zasshi.* 2013;50(6):788-96. Epub 2013/01/01.

978.

Inal S, Kelleci M. Distracting children during blood draw: looking through distraction cards is effective in pain relief of children during blood draw. *Int J Nurs Pract.* 2012;18(2):210-9. Epub 2012/03/23.

979.

Ingersoll GL, Wasilewski A, Haller M, Pandya K, Bennett J, He H, et al. Effect of concord grape juice on chemotherapy-induced nausea and vomiting: results of a pilot study. *Oncol Nurs Forum.* 2010;37(2):213-21.

980.

Inglis S, McLennan S, Dawson A, Birchmore L, Horowitz JD, Wilkinson D, et al. A new solution for an old problem? Effects of a nurse-led, multidisciplinary, home-based intervention on readmission and mortality in patients with chronic atrial fibrillation. *The Journal of cardiovascular nursing.* 2004;19(2):118-27. Epub 2004/04/03.

981.

Inman DM, Maxson PM, Johnson KM, Myers RP, Holland DE. The Impact of Follow-Up Educational Telephone Calls on Patients after Radical Prostatectomy: Finding Value In Low-Margin Activities. *Urologic nursing.* 2011;31(2):83-91.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

982.

Inouye J, Flannelly L, Flannelly KJ. The effectiveness of self-management training for individuals with HIV/AIDS. *The Journal of the Association of Nurses in AIDS Care : JANAC*. 2001;12(5):71-82.

983.

Intaraphet S, Kasatpibal N, Siriaunkgul S, Sogaard M, Patumanond J, Khunamornpong S, et al. Prognostic impact of histology in patients with cervical squamous cell carcinoma, adenocarcinoma and small cell neuroendocrine carcinoma. *Asian Pac J Cancer Prev*. 2013;14(9):5355-60. Epub 2013/11/02.

984.

Ireland S, Carlino K, Gould L, Frazier F, Haycock P, Ilton S, et al. Shampoo after craniotomy: a pilot study. *Can J Neurosci Nurs*. 2007;29(1):14-9. Epub 2008/04/30.

985.

Irvine AB, Billow MB, Bourgeois M, Seeley JR. Mental illness training for long term care staff. *J Am Med Dir Assoc*. 2012;13(1):81 e7-13.

986.

Irvine B, Billow MB, Gates DM, Fitzwater EL, Seeley JR, Bourgeois M. An internet training to reduce assaults in long-term care. *Geriatr Nurs*. 2012;33(1):28-40. Epub 2012/01/03.

987.

Ismail K, Thomas SM, Maissi E, Chalder T, Schmidt U, Bartlett J, et al. Motivational enhancement therapy with and without cognitive behavior therapy to treat type 1 diabetes: a randomized trial.[Summary for patients in *Ann Intern Med*. 2008 Nov 18;149(10):148; PMID: 19017585]. *Ann Intern Med*. 2008;149(10):708-19.

988.

Jablonski RA, Kolanowski A, Therrien B, Mahoney EK, Kassab C, Leslie DL. Reducing care-resistant behaviors during oral hygiene in persons with dementia. *BMC Oral Health*. 2011;11:30. Epub 2011/11/22.

989.

Jablonski RA, Reed D, Maas ML. Care intervention for older adults with Alzheimer's disease and related dementias: effect of family involvement on cognitive and functional outcomes in nursing homes. *J Gerontol Nurs*. 2005;31(6):38-48. Epub 2005/09/06.

990.

Jacobsson LR, Friedrichsen M, Goransson A, Hallert C. Impact of an active patient education program on gastrointestinal symptoms in women with celiac disease following a gluten-free diet: a randomized controlled trial. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2012;35(3):200-6. Epub 2012/06/01.

991.

Jahn P, Kitzmantel M, Renz P, Kukk E, Kuss O, Thoke-Colberg A, et al. Improvement of pain related self management for oncologic patients through a trans institutional modular nursing intervention: protocol of a cluster randomized multicenter trial. *Trials*. 2010;11:29. Epub 2010/03/24.

992.

Jahn P, Renz P, Stukenkemper J, Book K, Kuss O, Jordan K, et al. Reduction of chemotherapy-induced anorexia, nausea, and emesis through a structured nursing intervention: a cluster-randomized multicenter trial. *Support Care Cancer*. 2009;17(12):1543-52.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

993.

Jahromi SA, Valami SM, Yaghoubi S. Determining the effect of intraperitoneal pethidine on postoperative pain. *Middle East J Anesthesiol.* 2011;21(1):39-42. Epub 2011/10/14.

994.

Jain A, Agarwal R, Chawla D, Paul V, Deorari A. Tele-education vs classroom training of neonatal resuscitation: a randomized trial. *J Perinatol.* 2010;30(12):773-9.

995.

Jakob SM, Ruokonen E, Grounds RM, Sarapohja T, Garratt C, Pocock SJ, et al. Dexmedetomidine vs midazolam or propofol for sedation during prolonged mechanical ventilation: two randomized controlled trials. *Jama.* 2012;307(11):1151-60. Epub 2012/03/23.

996.

Jalali-Nia SF, Salsali M, Dehghan-Nayeri N, Ebadi A. Effect of evidence-based education on Iranian nursing students' knowledge and attitude. *Nursing & health sciences.* 2011;13(2):221-7. Epub 2011/05/21.

997.

Jallo N, Cozens R, Smith MW, Simpson RI. Effects of a guided imagery intervention on stress in hospitalized pregnant women: a pilot study. *Holist Nurs Pract.* 2013;27(3):129-39. Epub 2013/04/13.

998.

Jamshidi N, Abbaszadeh A, Kalyani MN, Sharif F. Effectiveness of video information on coronary angiography patients' outcomes. *Collegian.* 2013;20(3):153-9. Epub 2013/10/25.

999.

Jamshidian H, Borhan A, Kooraki S, Borhan A. Evaluation of the efficacy of once-daily use of tadalafil vs. on-demand use. Is there a cumulative effect? *J Pak Med Assoc.* 2012;62(11):1195-8. Epub 2013/07/23.

1000.

Janelli LM, Kanski GW, Wu YW. Individualized music--a different approach to the restraint issue. *Rehabilitation nursing : the official journal of the Association of Rehabilitation Nurses.* 2002;27(6):221-6.

1001.

Janelli LM, Kanski GW, Wu YW. The influence of individualized music on patients in physical restraints: a pilot study. *J N Y State Nurses Assoc.* 2004;35(2):22-7. Epub 2005/05/12.

1002.

Jang SY, Park HG, Jung MK, Cho CM, Park SY, Jeon SW, et al. Bispectral index monitoring as an adjunct to nurse-administered combined sedation during endoscopic retrograde cholangiopancreatography. *World J Gastroenterol.* 2012;18(43):6284-9. Epub 2012/11/28.

1003.

Jansen AP, van Hout HP, Nijpels G, Rijmen F, Droes RM, Pot AM, et al. Effectiveness of case management among older adults with early symptoms of dementia and their primary informal caregivers: a randomized clinical trial. *Int J Nurs Stud.* 2011;48(8):933-43. Epub 2011/03/02.

1004.

Janssen PA, Desmarais SL. Women's experience with early labour management at home vs. in hospital: a randomised controlled trial. *Midwifery.* 2013;29(3):190-4. Epub 2012/08/21.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1005.

Janssen PA, Iker CE, Carty EA. Early labour assessment and support at home: a randomized controlled trial. *Journal of obstetrics and gynaecology Canada : JOGC = Journal d'obstétrique et gynécologie du Canada : JOGC.* 2003;25(9):734-41.

1006.

Jansson MM, Ala-Kokko TI, Ohtonen PP, Meriläinen MH, Syrjälä HP, Kyngäs HA. Human patient simulation education in the nursing management of patients requiring mechanical ventilation: A randomized, controlled trial. *American Journal of Infection Control.* 2014;42(3):271-6.

1007.

Jardeleza A, Fleig D, Davis N, Spreen-Parker R. The effectiveness and cost of passive warming in adult ambulatory surgery patients. *Aorn J.* 2011;94(4):363-9. Epub 2011/10/05.

1008.

Jarman B, Hurwitz B, Cook A, Bajekal M, Lee A. Effects of community based nurses specialising in Parkinson's disease on health outcome and costs: randomised controlled trial. *Bmj.* 2002;324(7345):1072-5. Epub 2002/05/07.

1009.

Jaromi M, Nemeth A, Kranicz J, Laczko T, Betlehem J. Treatment and ergonomics training of work-related lower back pain and body posture problems for nurses. *J Clin Nurs.* 2012;21(11-12):1776-84. Epub 2012/05/19.

1010.

Jarrell K, Ozymy J, Gallagher J, Hagler D, Corral C, Hagler A. Constructing the foundations for compassionate care: how service-learning affects nursing students' attitudes towards the poor. *Nurse Educ Pract.* 2014;14(3):299-303. Epub 2013/12/21.

1011.

Jarvis K, Grant E, Rowe F, Evans J, Cristino-Amenos M, Gall C, et al. Impact of visual impairment assessment on functional recovery in stroke patients: a pilot randomized controlled trial... including commentary by Gall C and George S. *International Journal of Therapy & Rehabilitation.* 2012;19(1):11-22.

1012.

Jaudi S, Granger B, Herpin CN, Fries N, Du Montcel ST, Dommergues M. Online audit and feedback improve fetal second-trimester four-chamber view images: a randomised controlled trial. *Prenat Diagn.* 2013;33(10):959-64. Epub 2013/06/07.

1013.

Jefford M, Baravelli C, Dudgeon P, Dabscheck A, Evans M, Moloney M, et al. Tailored chemotherapy information faxed to general practitioners improves confidence in managing adverse effects and satisfaction with shared care: results from a randomized controlled trial. *J Clin Oncol.* 2008;26(14):2272-7.

1014.

Jeffries PR, Woolf S, Linde B. Technology-based vs. traditional instruction. A comparison of two methods for teaching the skill of performing a 12-lead ECG. *Nurs Educ Perspect.* 2003;24(2):70-4. Epub 2003/05/15.

1015.

Jellesma FC, Cornelis J. Mind magic: a pilot study of preventive mind-body-based stress reduction in behaviorally inhibited and activated children. *J Holist Nurs.* 2012;30(1):55-62. Epub 2011/10/29.

1016.

Jemmott JB, 3rd, Jemmott LS, O'Leary A, Ngwane Z, Icard LD, Heeren GA, et al. Cluster-randomized controlled trial of an HIV/sexually transmitted infection risk-reduction intervention for South African men. *Am J Public Health.* 2014;104(3):467-73. Epub 2014/01/18.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1017.

Jenabi E. The effect of ginger for relieving of primary dysmenorrhoea. *J Pak Med Assoc.* 2013;63(1):8-10. Epub 2013/07/20.

1018.

Jenkins RL, McSweeney M. Assessing elderly patients with congestive heart failure via in-home interactive telecommunication. *J Gerontol Nurs.* 2001;27(1):21-7.

1019.

Jennings CS, Kornelia KD, Jones J, Mead A, Wood D, Hoes AP, et al. Category: data-based research. Nurse LED smoking cessation as part of a preventive cardiology programme: the Euroaction Plus (EA+) RCT. *Journal of Cardiovascular Nursing.* 2012;27(4):290-.

1020.

Jennings-Sanders A, Kuo Y-F, Anderson ET, Freeman JL. How do nurse case managers care for older women with breast cancer? *Oncol Nurs Forum.* 2005;32(3):625-32.

1021.

Jensen BT, Kristensen SA, Christensen SV, Borre M. Efficacy of tele-nursing consultations in rehabilitation after radical prostatectomy: a randomised controlled trial study. *International Journal of Urological Nursing.* 2011;5(3):123-30.

1022.

Jeon S, Walkup JT, Woods DW, Peterson A, Piacentini J, Wilhelm S, et al. Detecting a clinically meaningful change in tic severity in Tourette syndrome: a comparison of three methods. *Contemp Clin Trials.* 2013;36(2):414-20. Epub 2013/09/05.

1023.

Jeon YH, Luscombe G, Chenoweth L, Stein-Parbury J, Brodaty H, King M, et al. Staff outcomes from the caring for aged dementia care resident study (CADRES): a cluster randomised trial. *Int J Nurs Stud.* 2012;49(5):508-18. Epub 2011/11/15.

1024.

Jeon YH, Simpson JM, Chenoweth L, Cunich M, Kendig H. The effectiveness of an aged care specific leadership and management program on workforce, work environment, and care quality outcomes: design of a cluster randomised controlled trial. *Implementation science : IS.* 2013;8:126. Epub 2013/10/29.

1025.

Jerant AF, Azari R, Martinez C, Nesbitt TS. A randomized trial of telenursing to reduce hospitalization for heart failure: patient-centered outcomes and nursing indicators. *Home Health Care Serv Q.* 2003;22(1):1-20. Epub 2003/05/17.

1026.

Jervaeus A, Lampic C, Johansson E, Malmros J, Wettergren L. Clinical significance in self-rated HRQoL among survivors after childhood cancer - demonstrated by anchor-based thresholds. *Acta Oncol.* 2014;53(4):486-92. Epub 2013/10/29.

1027.

Jesudason C, Stiller K, McInnes M, Sullivan T. A physiotherapy service to an emergency extended care unit does not decrease admission rates to hospital: a randomised trial. *Emerg Med J.* 2012;29(8):664-9. Epub 2011/09/08.

1028.

Jiang X, He G. Effects of an uncertainty management intervention on uncertainty, anxiety, depression, and quality of life of chronic obstructive pulmonary disease outpatients. *Res Nurs Health.* 2012;35(4):409-18. Epub 2012/04/19.

1029.

Jiang X, Sit JW, Wong TK. A nurse-led cardiac rehabilitation programme improves health behaviours and cardiac physiological risk parameters: evidence from Chengdu, China. *J Clin Nurs.* 2007;16(10):1886-97. Epub 2007/09/21.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1030.

Jimenez-Jimenez M, Garcia-Escalona A, Martin-Lopez A, De Vera-Vera R, De Haro J. Intraoperative stress and anxiety reduction with music therapy: a controlled randomized clinical trial of efficacy and safety. *J Vasc Nurs*. 2013;31(3):101-6. Epub 2013/08/21.

1031.

Jin CQ, Jia YX, Dong HX, Zhou JW, Sun GF, Zhang YY, et al. Stir-fried white pepper can treat diarrhea in infants and children efficiently: a randomized controlled trial. *Am J Chin Med*. 2013;41(4):765-72. Epub 2013/07/31.

1032.

Jing W, Yingmin M, Qihong F. Extubation With or Without Spontaneous Breathing Trial. *Critical Care Nurse*. 2013;33(6):50-6.

1033.

Jirovec MM, Templin T. Predicting success using individualized scheduled toileting for memory-impaired elders at home. *Res Nurs Health*. 2001;24(1):1-8.

1034.

Joffe E, Turley JP, Hwang KO, Johnson TR, Johnson CW, Bernstam EV. Evaluation of a problem-specific SBAR tool to improve after-hours nurse-physician phone communication: a randomized trial. *Jt Comm J Qual Patient Saf*. 2013;39(11):495-501. Epub 2013/12/04.

1035.

Johnson EA, Lasater K, Hodson-Carlton K, Siktberg L, Sideras S, Dillard N. Geriatrics in simulation: role modeling and clinical judgment effect. *Nurs Educ Perspect*. 2012;33(3):176-80. Epub 2012/08/07.

1036.

Johnson H, Burke D, Plews C, Newell R, Parapia L. Improving the patient's experience of a bone marrow biopsy - an RCT. *J Clin Nurs*. 2008;17(6):717-25. Epub 2007/12/01.

1037.

Johnson M. A randomized study of a novel Zen dialogue method for producing spiritual and well-being enhancement: implications for end-of-life care. *J Holist Nurs*. 2011;29(3):201-10. Epub 2010/12/24.

1038.

Johnson O, Langford RW. Proof of life: a protocol for pregnant women who experience pre-20-week perinatal loss. *Crit Care Nurs Q*. 2010;33(3):204-11. Epub 2010/06/17.

1039.

Johnson RA, Meadows RL, Haubner JS, Sevedge K. Animal-assisted activity among patients with cancer: Effects on mood, fatigue, self-perceived health, and sense of coherence. *Oncol Nurs Forum*. 2008;35(2):225-32.

1040.

Johnson RL, Smith HM, Duncan CM, Torsher LC, Schroeder DR, Hebl JR. Factors that influence the selection of sterile glove brand: a randomized controlled trial evaluating the performance and cost of gloves. *Can J Anaesth*. 2013;60(7):700-8. Epub 2013/05/03.

1041.

Johnston CC, Filion F, Campbell-Yeo M, Goulet C, Bell L, McNaughton K, et al. Kangaroo mother care diminishes pain from heel lance in very preterm neonates: a crossover trial. *BMC Pediatr*. 2008;8:13.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1042.

Johnston CC, Gagnon A, Rennick J, Rosmus C, Patenaude H, Ellis J, et al. One-on-one coaching to improve pain assessment and management practices of pediatric nurses. *Journal of Pediatric Nursing*. 2007;22(6):467-78. Epub 2007/11/27.

1043.

Johnston CC, Rennick JE, Filion F, Campbell-Yeo M, Goulet C, Bell L, et al. Maternal touch and talk for invasive procedures in infants and toddlers in the pediatric intensive care unit. *Journal of Pediatric Nursing*. 2012;27(2):144-53. Epub 2012/02/22.

1044.

Johnston R, Hepworth J, Goldsmith M, Lacasse C. Use of iPod technology in medical-surgical nursing courses: effect on grades. *Int J Nurs Educ Scholarsh*. 2010;7:Article43. Epub 2010/12/04.

1045.

Jolly H, Simpson K, Bishop B, Hunter H, Newell C, Denney D, et al. Impact of warm compresses on local injection-site reactions with self-administered glatiramer acetate. *J Neurosci Nurs*. 2008;40(4):232-9.

1046.

Jolly K, Taylor RS, Lip GYH, Greenfield SM, Davies MK, Davis RC, et al. Home-based exercise rehabilitation in addition to specialist heart failure nurse care: design, rationale and recruitment to the Birmingham Rehabilitation Uptake Maximisation study for patients with congestive heart failure (BRUM-CHF): a randomised controlled trial. *BMC Cardiovasc Disord*. 2007;7:9.

1047.

Jones AC, Coulson L, Muir K, Tolley K, Lophatananon A, Everitt L, et al. A nurse-delivered advice intervention can reduce chronic non-steroidal anti-inflammatory drug use in general practice: a randomized controlled trial. *Rheumatology (Oxford)*. 2002;41(1):14-21.

1048.

Jones C, Backman C, Griffiths RD. Intensive care diaries and relatives' symptoms of posttraumatic stress disorder after critical illness: a pilot study. *Am J Crit Care*. 2012;21(3):172-6.

1049.

Jones D, Duffy ME, Flanagan J. Randomized clinical trial testing efficacy of a nurse-coached intervention in arthroscopy patients. *Nurs Res*. 2011;60(2):92-9. Epub 2011/03/02.

1050.

Jones ED. Reminiscence therapy for older women with depression. Effects of nursing intervention classification in assisted-living long-term care. *J Gerontol Nurs*. 2003;29(7):26-33; quiz 56-7. Epub 2003/07/24.

1051.

Jones J, Thomson P, Lauder W, Howie K, Leslie SJ. Reflexology has no immediate haemodynamic effect in patients with chronic heart failure: a double blind randomised controlled trial. *Complement Ther Clin Pract*. 2013;19(3):133-8. Epub 2013/07/31.

1052.

Jones JG, MacKinnon B, Good WV, Hardy RJ, Dobson V, Palmer EA, et al. The early treatment for ROP (ETROP) randomized trial: study results and nursing care adaptations. *Insight*. 2005;30(2):7-13. Epub 2005/09/02.

1053.

Jones T, McCutcheon H. A randomised controlled trial comparing the use of manual versus mechanical compression to obtain haemostasis following coronary angiography. *Intensive & Critical Care Nursing*. 2003;19(1):11-20.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1054.

Jonsdottir OH, Fewtrell MS, Gunnlaugsson G, Kleinman RE, Hibberd PL, Jonsdottir JM, et al. Initiation of complementary feeding and duration of total breastfeeding: unlimited access to lactation consultants versus routine care at the well-baby clinics. *Breastfeed Med.* 2014;9(4):196-202. Epub 2014/03/14.

1055.

Jonsdottir OH, Thorsdottir I, Gunnlaugsson G, Fewtrell MS, Hibberd PL, Kleinman RE. Exclusive breastfeeding and developmental and behavioral status in early childhood. *Nutrients.* 2013;5(11):4414-28. Epub 2013/11/29.

1056.

Jorstad HT, von Birgelen C, Alings AM, Liem A, van Dantzig JM, Jaarsma W, et al. Effect of a nurse-coordinated prevention programme on cardiovascular risk after an acute coronary syndrome: main results of the RESPONSE randomised trial. *Heart.* 2013;99(19):1421-30.

1057.

Juarez G, Hurria A, Uman G, Ferrell B. Impact of a bilingual education intervention on the quality of life of Latina breast cancer survivors. *Oncol Nurs Forum.* 2013;40(1):E50-60. Epub 2012/12/28.

1058.

Judge Santacroce S, Asmus K, Kadan-Lottick N, Grey M. Feasibility and preliminary outcomes from a pilot study of coping skills training for adolescent--young adult survivors of childhood cancer and their parents. *J Pediatr Oncol Nurs.* 2010;27(1):10-20.

1059.

Jun EM, Roh YH, Kim MJ. The effect of music-movement therapy on physical and psychological states of stroke patients. *J Clin Nurs.* 2013;22(1-2):22-31. Epub 2012/09/18.

1060.

Jung EY, Park DK, Lee YH, Jo HS, Lim YS, Park RW. Evaluation of practical exercises using an intravenous simulator incorporating virtual reality and haptics device technologies. *Nurse Educ Today.* 2012;32(4):458-63. Epub 2011 Jun 12.

1061.

Junqueira AL, Tavares VR, Martins RM, Frauzino KV, da Costa e Silva AM, Minamisava R, et al. Safety and immunogenicity of hepatitis B vaccine administered into ventrogluteal vs. anterolateral thigh sites in infants: a randomised controlled trial. *Int J Nurs Stud.* 2010;47(9):1074-9. Epub 2010 Feb 26.

1062.

Juul L, Maindal HT, Zoffmann V, Frydenberg M, Sandbaek A. Effectiveness of a training course for general practice nurses in motivation support in type 2 diabetes care: a cluster-randomised trial. *PloS one.* 2014;9(5):e96683. Epub 2014/05/07.

1063.

Juve-Udina ME, Valls-Miro C, Carreno-Granero A, Martinez-Estalella G, Monterde-Prat D, Domingo-Felici CM, et al. To return or to discard? Randomised trial on gastric residual volume management. *Intensive Crit Care Nurs.* 2009;25(5):258-67. Epub 2009/07/21.

1064.

Kaesornsamut P, Sitthimongkol Y, Williams RA, Sangon S, Rohitsuk W, Vorapongsathron T. Effectiveness of the BAND Intervention Program on Thai Adolescents' Sense of Belonging, Negative Thinking and Depressive Symptoms. *Pacific Rim International Journal of Nursing Research.* 2012;16(1):29-47.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1065.

Kahre C, Fortune V, Hurley J, Winsett RP. Randomized controlled trial to compare effects of pain relief during IV insertion using bacteriostatic normal saline and 1% buffered lidocaine. *J Perianesth Nurs*. 2011;26(5):310-4.

1066.

Kakeda T. Potential of sucrose-induced analgesia to relieve pain in male adults: a preliminary study. *Japan journal of nursing science : JJNS*. 2010;7(2):169-73. Epub 2010/12/22.

1067.

Kalowes P, Peters C, Catipon K, Hawkins D, Long P, Tin E, et al. Effect of telephone intervention on heart failure self care: randomized clinical trial. *Communicating Nursing Research*. 2012;45:522-.

1068.

Kalra L, Evans A, Perez I, Melbourn A, Patel A, Knapp M, et al. Training carers of stroke patients: randomised controlled trial. *Bmj*. 2004;328(7448):1099. Epub 2004/05/08.

1069.

Kaltoft B, Gogenur I, Rosenberg J. Reduced length of stay and convalescence in laparoscopic vs open sigmoid resection with traditional care: a double blinded randomized clinical trial. *Colorectal Dis*. 2011;13(6):e123-30.

1070.

Kalyn A, Blatz S, Pinelli J. A comparison of continuous infusion and intermittent flushing methods in peripheral intravenous catheters in neonates. *J Intraven Nurs*. 2000;23(3):146-53.

1071.

Kamioka H, Okuizumi H, Okada S, Takahashi R, Handa S, Kitayuguchi J, et al. Effectiveness of intervention for low back pain in female caregivers in nursing homes: a pilot trial based on multicenter randomization. *Environmental health and preventive medicine*. 2011;16(2):97-105. Epub 2011/03/25.

1072.

Kamps AW, Brand PL, Kimpen JL, Maille AR, Overgoor-van de Groes AW, van Helsdingen-Peek LC, et al. Outpatient management of childhood asthma by paediatrician or asthma nurse: randomised controlled study with one year follow up. *Thorax*. 2003;58(11):968-73. Epub 2003/10/31.

1073.

Kaner E, Lock C, Heather N, McNamee P, Bond S. Promoting brief alcohol intervention by nurses in primary care: a cluster randomised controlled trial. *Patient Educ Couns*. 2003;51(3):277-84. Epub 2003/11/25.

1074.

Kang CM, Chang SC, Chen PL, Liu PF, Liu WC, Chang CC, et al. Comparison of family partnership intervention care vs. conventional care in adult patients with poorly controlled type 2 diabetes in a community hospital: a randomized controlled trial. *Int J Nurs Stud*. 2010;47(11):1363-73. Epub 2010/04/08.

1075.

Kang DH, McArdle T, Park NJ, Weaver MT, Smith B, Carpenter J. Dose effects of relaxation practice on immune responses in women newly diagnosed with breast cancer: an exploratory study. *Oncol Nurs Forum*. 2011;38(3):E240-52. Epub 2011/05/03.

1076.

Kang DH, Weaver MT, Park NJ, Smith B, McArdle T, Carpenter J. Significant impairment in immune recovery after cancer treatment. *Nurs Res*. 2009;58(2):105-14. Epub 2009/03/18.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1077.

Kang HS, Sok SR, Kang JS. Effects of Meridian acupuncture for stroke patients in Korea. *J Clin Nurs*. 2009;18(15):2145-52. Epub 2009/07/09.

1078.

Kang YS, Choi SY, Ryu E. The effectiveness of a stress coping program based on mindfulness meditation on the stress, anxiety, and depression experienced by nursing students in Korea. *Nurse education today*. 2009;29(5):538-43. Epub 2009/01/15.

1079.

Kanji N, White A, Ernst E. Autogenic training to reduce anxiety in nursing students: randomized controlled trial. *J Adv Nurs*. 2006;53(6):729-35. Epub 2006/03/24.

1080.

Kao S-H, Hsu L-L, Hsieh S-I, Huang T-H. The effects of two educational interventions on knowledge and competence of nurses with regard to conveying gastroscopy-related information to patients. *J Adv Nurs*. 2013;69(4):793-804.

1081.

Kapasi ZF, Ouslander JG, Schnelle JF, Kutner M, Fahey JL. Effects of an exercise intervention on immunologic parameters in frail elderly nursing home residents. *J Gerontol A Biol Sci Med Sci*. 2003;58(7):636-43. Epub 2003/07/17.

1082.

Kapp S, Miller C, Donohue L. The clinical effectiveness of two compression stocking treatments on venous leg ulcer recurrence: a randomized controlled trial. *Int J Low Extrem Wounds*. 2013;12(3):189-98. Epub 2013/09/18.

1083.

Kara M. Using the Roper, Logan and Tierney model in care of people with COPD. *J Clin Nurs*. 2007;16(7B):223-33. Epub 2007/06/23.

1084.

Kara M, Asti T. Effect of education on self-efficacy of Turkish patients with chronic obstructive pulmonary disease. *Patient Educ Couns*. 2004;55(1):114-20.

1085.

Kardong-Edgren S, Oermann MH, Odom-Maryon T. Findings from a nursing student CPR study: implications for staff development educators. *Journal for nurses in staff development : JNSD : official journal of the National Nursing Staff Development Organization*. 2012;28(1):9-15. Epub 2012/01/21.

1086.

Kargar M, Sarvestani RS, Khojasteh HN, Heidari MT. Efficacy of penguin cap as scalp cooling system for prevention of alopecia in patients undergoing chemotherapy. *J Adv Nurs*. 2011;67(11):2473-7. Epub 2011/06/04.

1087.

Karimi L, Miller CN, Donohue LA, Nunn RJ, McGuinness W, Czech THE, et al. Resolving chronic wound pain using low intensity laser therapy (LILT): a proof of concept study. *Wound Practice & Research*. 2012;20(3):159-68.

1088.

Karimyar Jahromi M, Mosallanejad L. The impact of reality therapy on metacognition, stress and hope in addicts. *Glob J Health Sci*. 2014;6(6):281-7. Epub 2014/11/05.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1089.

Kartin PT, Tasri S, Soyuer S, Elmali F. 13 The Effect of Oral Mucositis Preventing Protocol on Quality of Life in Patients With Head-Neck Cancer Treated with Radiotherapy. *Eur J Oncol Nurs*. 2012;16:S5.

1090.

Kashaninia Z, Sajedi F, Rahgozar M, Noghabi FA. The effect of Kangaroo Care on behavioral responses to pain of an intramuscular injection in neonates. *J Spec Pediatr Nurs*. 2008;13(4):275-80. Epub 2009/02/25.

1091.

Kassab M, Sheehy A, King M, Fowler C, Foureur M. A double-blind randomised controlled trial of 25% oral glucose for pain relief in 2-month old infants undergoing immunisation. *Int J Nurs Stud*. 2012;49(3):249-56. Epub 2011/10/18.

1092.

Katraci N, Ovayolu N, Ovayolu O, Sevinc A. Evaluation of the effect of cryotherapy in preventing oral mucositis associated with chemotherapy - A randomized controlled trial. *Eur J Oncol Nurs*. 2011;16(4):339-44. Epub 2011/09/14.

1093.

Kauhanen L, Jarvela L, Lahteenmaki PM, Arola M, Heinonen OJ, Axelin A, et al. Active video games to promote physical activity in children with cancer: a randomized clinical trial with follow-up. *BMC Pediatr*. 2014;14:94. Epub 2014/04/09.

1094.

Kauric-Klein Z. Improving blood pressure control in end stage renal disease through a supportive educative nursing intervention. *Nephrol Nurs J*. 2012;39(3):217-28.

1095.

Kauric-Klein Z. Blood pressure knowledge in hypertensive hemodialysis patients. *CANNT J*. 2012;22(4):18-25.

1096.

Kaveevivitchai C, Chuengkriankrai B, Luecha Y, Thanooruk R, Panijpan B, Ruenwongsa P. Enhancing nursing students' skills in vital signs assessment by using multimedia computer-assisted learning with integrated content of anatomy and physiology. *Nurse education today*. 2009;29(1):65-72. Epub 2008/08/16.

1097.

Kavros SJ, Miller JL, Hanna SW. Treatment of ischemic wounds with noncontact, low-frequency ultrasound: the Mayo clinic experience, 2004-2006. *Adv Skin Wound Care*. 2007;20(4):221-6. Epub 2007/04/07.

1098.

Kawashima R. Mental exercises for cognitive function: clinical evidence. *J Prev Med Public Health*. 2013;46 Suppl 1:S22-7. Epub 2013/02/21.

1099.

Kaya AZ, Turani N, Akyuz M. The effectiveness of a hydrogel dressing compared with standard management of pressure ulcers. *J Wound Care*. 2005;14(1):42-4. Epub 2005/01/20.

1100.

Kearney MH, Simonelli MC. Intervention fidelity: lessons learned from an unsuccessful pilot study. *Appl Nurs Res*. 2006;19(3):163-6. Epub 2006/08/01.

1101.

Keefe MR, Barbosa GA, Froese-Fretz A, Kotzer AM, Lobo M. An intervention program for families with irritable infants. *MCN The American journal of maternal child nursing*. 2005;30(4):230-6. Epub 2005/07/08.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1102.

Keefe MR, Lobo ML, Froese-Fretz A, Kotzer AM, Barbosa GA, Dudley WN. Effectiveness of an intervention for colic. *Clin Pediatr (Phila)*. 2006;45(2):123-33. Epub 2006/03/11.

1103.

Keefer L, Kiebles JL, Kwiatek MA, Palsson O, Taft TH, Martinovich Z, et al. The potential role of a self-management intervention for ulcerative colitis: a brief report from the ulcerative colitis hypnotherapy trial. *Biol Res Nurs*. 2012;14(1):71-7. Epub 2011/03/03.

1104.

Keeping-Burke L, Purden M, Frasure-Smith N, Cossette S, McCarthy F, Amsel R. Bridging the transition from hospital to home: effects of the VITAL telehealth program on recovery for CABG surgery patients and their caregivers. *Res Nurs Health*. 2013;36(6):540-53. Epub 2013/11/19.

1105.

Kehusmaa S, Autti-Ramo I, Valaste M, Hinkka K, Rissanen P. Economic evaluation of a geriatric rehabilitation programme: a randomized controlled trial. *J Rehabil Med*. 2010;42(10):949-55. Epub 2010/10/30.

1106.

Keith DR, Weaver BS, Vogel RL. The effect of music-based listening interventions on the volume, fat content, and caloric content of breast milk-produced by mothers of premature and critically ill infants. *Adv Neonat Care*. 2012;12(2):112-9.

1107.

Keithley JK, Swanson B, Mikolaitis SL, DeMeo M, Zeller JM, Fogg L, et al. Safety and efficacy of glucomannan for weight loss in overweight and moderately obese adults. *J Obes*. 2013;2013:610908. Epub 2014/02/04.

1108.

Kelechi TJ, Mueller M, Zapka JG, King DE. The effect of a cryotherapy gel wrap on the microcirculation of skin affected by chronic venous disorders. *J Adv Nurs*. 2011;67(11):2337-49. Epub 2011/05/20.

1109.

Kellam B, Sacks LM, Wailer JL, Kathen C, McLaurin C, Doster C, et al. Tenderfoot Premie vs a manual lancet: a clinical evaluation. *Neonatal Netw*. 2001;20(7):31-6.

1110.

Keller CS, Cantue A. Camina por Salud: walking in Mexican-American women. *Appl Nurs Res*. 2008;21(2):110-3. Epub 2008/05/07.

1111.

Kelly M, Johnson E, Lee V, Massey L, Purser D, Ring K, et al. Delayed VERSUS immediate pushing in second stage of labor. *MCN The American journal of maternal child nursing*. 2010;35(2):81-8. Epub 2010/03/11.

1112.

Kelly PJ, Ramaswamy M, Li X, Litwin AH, Berg KM, Arnsten JH. Social networks of substance users with HIV infection: application of the Norbeck Social Support Scale. *Western journal of nursing research*. 2012;34(5):621-34. Epub 2011/09/06.

1113.

Kemp L, Harris E, McMahon C, Matthey S, Vimpani G, Anderson T, et al. Child and family outcomes of a long-term nurse home visitation programme: a randomised controlled trial. *Arch Dis Child*. 2011;96(6):533-40. Epub 2011/03/25.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1114.

Kendrick T, Simons L, Mynors-Wallis L, Gray A, Lathlean J, Pickering R, et al. A trial of problem-solving by community mental health nurses for anxiety, depression and life difficulties among general practice patients. The CPN-GP study. *Health technology assessment*. 2005;9(37):1-+.

1115.

Kendrick T, Simons L, Mynors-Wallis L, Gray A, Lathlean J, Pickering R, et al. Cost-effectiveness of referral for generic care or problem-solving treatment from community mental health nurses, compared with usual general practitioner care for common mental disorders: Randomised controlled trial. *Br J Psychiatry*. 2006;189:50-9. Epub 2006/07/04.

1116.

Kennedy C, Chen JL. Changes in childhood risk taking and safety behavior after a peer group media intervention. *Nurs Res*. 2009;58(4):264-73. Epub 2009/07/18.

1117.

Kennel S, Taylor AG, Lyon D, Bourguignon C. Pilot feasibility study of binaural auditory beats for reducing symptoms of inattention in children and adolescents with attention-deficit/hyperactivity disorder. *J Pediatr Nurs*. 2010;25(1):3-11. Epub 2010/02/02.

1118.

Kenny H, Lawson E. The efficacy of cotton cover gowns in reducing infection in nursing neutropenic patients: an evidence-based study. *Int J Nurs Pract*. 2000;6(3):135-9. Epub 2001/03/16.

1119.

Kent DJ. Effects of a just-in-time educational intervention placed on wound dressing packages: a multicenter randomized controlled trial. *J Wound Ostomy Continence Nurs*. 2010;37(6):609-14. Epub 2010/08/06.

1120.

Kernick D, Cox A, Powell R, Reinhold D, Sawkins J, Warin A. A cost consequence study of the impact of a dermatology-trained practice nurse on the quality of life of primary care patients with eczema and psoriasis. *Br J Gen Pract*. 2000;50(456):555-8. Epub 2000/08/24.

1121.

Kerr MJ, Savik K, Monsen KA, Lusk SL. Effectiveness of computer-based tailoring versus targeting to promote use of hearing protection. *Can J Nurs Res*. 2007;39(1):80-97

1122.

Kerr S, Whyte R, Watson H, Tolson D, McFadyen AK. A mixed-methods evaluation of the effectiveness of tailored smoking cessation training for healthcare practitioners who work with older people. *Worldviews Evid Based Nurs*. 2011;8(3):177-86.

1123.

Kerry SM, Markus HS, Khong TK, Cloud GC, Tulloch J, Coster D, et al. Home blood pressure monitoring with nurse-led telephone support among patients with hypertension and a history of stroke: a community-based randomized controlled trial. *CMAJ*. 2013;185(1):23-31.

1124.

Kerse N, Butler M, Robinson E, Todd M. Fall prevention in residential care: a cluster, randomized, controlled trial. *Journal of the American Geriatrics Society*. 2004;52(4):524-31.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1125.

Kessler TA. Increasing mammography and cervical cancer knowledge and screening behaviors with an educational program. *Oncol Nurs Forum*. 2012;39(1):61-8. Epub 2011/12/29.

1126.

Khani S, Ahmad-Shirvani M, Mohseni-Bandpei MA, Mohammadpour-Tahmtan RA. Comparison of abdominal palpation, Johnson's technique and ultrasound in the estimation of fetal weight in Northern Iran. *Midwifery*. 2011;27(1):99-103. Epub 2010/01/23.

1127.

Khresheh R, Suhaimat A, Jalamdeh F, Barclay L. The effect of a postnatal education and support program on breastfeeding among primiparous women: a randomized controlled trial. *Int J Nurs Stud*. 2011;48(9):1058-65. Epub 2011/03/01.

1128.

Kidane G, Morrow RH. Teaching mothers to provide home treatment of malaria in Tigray, Ethiopia: a randomised trial. *Lancet*. 2000;356(9229):550-5. Epub 2000/08/19.

1129.

Kieckhefer GM, Trahms CM, Churchill SS, Kratz L, Uding N, Villareale N. A randomized clinical trial of the building on family strengths program: an education program for parents of children with chronic health conditions. *Matern Child Health J*. 2014;18(3):563-74. Epub 2013/04/16.

1130.

Kikkawa N, Inamori M, Inoue S, Mori Y, Iida H, Nonaka T, et al. Comparative study of the QUEST questionnaire and GerdQ questionnaire for Japanese students. *Hepatogastroenterology*. 2014;61(134):1605-10. Epub 2014/12/02.

1131.

Kikutani T, Enomoto R, Tamura F, Oyaizu K, Suzuki A, Inaba S. Effects of oral functional training for nutritional improvement in Japanese older people requiring long-term care. *Gerodontology*. 2006;23(2):93-8. Epub 2006/05/09.

1132.

Kilicarslan Toruner E, Savaser S. A controlled evaluation of a school-based obesity prevention in Turkish school children. *Journal of School Nursing*. 2010;26(6):473-82

1133.

Kim CJ, Kim DJ, Park HR. Effects of a cardiovascular risk reduction intervention with psychobehavioral strategies for Korean adults with type 2 diabetes and metabolic syndrome. *The Journal of cardiovascular nursing*. 2011;26(2):117-28. Epub 2010/11/16.

1134.

Kim E, Cain KC, Webster-Stratton C. The preliminary effect of a parenting program for Korean American mothers: a randomized controlled experimental study. *Int J Nurs Stud*. 2008;45(9):1261-73. Epub 2007/11/13.

1135.

Kim HS. A randomized controlled trial of a nurse short-message service by cellular phone for people with diabetes. *Int J Nurs Stud*. 2007;44(5):687-92. Epub 2006/04/19.

1136.

Kim HS, Jeong HS. A nurse short message service by cellular phone in type-2 diabetic patients for six months. *J Clin Nurs*. 2007;16(6):1082-7. Epub 2007/05/24.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1137.

Kim HS, Song MS. Technological intervention for obese patients with type 2 diabetes. *Appl Nurs Res.* 2008;21(2):84-9. Epub 2008/05/07.

1138.

Kim HS, Yoo YS, Shim HS. Effects of an Internet-based intervention on plasma glucose levels in patients with type 2 diabetes. *J Nurs Care Qual.* 2005;20(4):335-40. Epub 2005/09/24.

1139.

Kim IS, Chung SH, Park YJ, Kang HY. The effectiveness of an aquarobic exercise program for patients with osteoarthritis. *Appl Nurs Res.* 2012;25(3):181-9. Epub 2011/01/05.

1140.

Kim JE, Dodd M, West C, Paul S, Facione N, Schumacher K, et al. The PRO-SELF pain control program improves patients' knowledge of cancer pain management. *Oncol Nurs Forum.* 2004;31(6):1137-43. Epub 2004/11/18.

1141.

Kim M, Yoon H. Comparison of post-dural puncture headache and low back pain between 23 and 25 gauge Quincke spinal needles in patients over 60 years: randomized, double-blind controlled trial. *Int J Nurs Stud.* 2011;48(11):1315-22. Epub 2011/05/13.

1142.

Kim MJ, Hwang HJ, Song HH. A randomized trial on the effects of body positions on lung function with acute respiratory failure patients. *Int J Nurs Stud.* 2002;39(5):549-55. Epub 2002/05/09.

1143.

Kim MT, Han HR, Hedlin H, Kim J, Song HJ, Kim KB, et al. Teletransmitted monitoring of blood pressure and bilingual nurse counseling-sustained improvements in blood pressure control during 12 months in hypertensive Korean Americans. *Journal of clinical hypertension.* 2011;13(8):605-12. Epub 2011/08/03.

1144.

Kim S, Kim HJ, Yeo JS, Hong SJ, Lee JM, Jeon Y. The effect of lavender oil on stress, bispectral index values, and needle insertion pain in volunteers. *J Altern Complement Med.* 2011;17(9):823-6. Epub 2011/08/23.

1145.

Kim SC, Oliveri D, Riingen M, Taylor B, Rankin L. Randomized controlled trial of graduate-to-undergraduate student mentoring program. *J Prof Nurs.* 2013;29(6):e43-9. Epub 2013/11/26.

1146.

Kim SD, Kim HS. A series of bed exercises to improve lymphocyte count in allogeneic bone marrow transplantation patients. *European Journal of Cancer Care.* 2006;15(5):453-7. Epub 2006/12/21.

1147.

Kim SH, Shin MS, Lee HS, Lee ES, Ro JS, Kang HS, et al. Randomized pilot test of a simultaneous stage-matched exercise and diet intervention for breast cancer survivors. *Oncol Nurs Forum.* 2011;38(2):E97-106. Epub 2011/03/02.

1148.

Kimani-Murage EW, Kyobutungi C, Ezeh AC, Wekesah F, Wanjohi M, Muriuki P, et al. Effectiveness of personalised, home-based nutritional counselling on infant feeding practices, morbidity and nutritional outcomes among infants in Nairobi slums: study protocol for a cluster randomised controlled trial. *Trials.* 2013;14:445. Epub 2013/12/29.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1149.

Kimball S, Buck G, Goldstein D, Largaespada E, Logan L, Stebbins D, et al. Testing a teaching appointment and geragogy-based approach to medication knowledge at discharge. *Rehabil Nurs.* 2010;35(1):31-40.

1150.

Kimman ML, Bloebaum MM, Dirksen CD, Houben RM, Lambin P, Boersma LJ. Patient satisfaction with nurse-led telephone follow-up after curative treatment for breast cancer. *BMC Cancer.* 2010;10:174.

1151.

Kimman ML, Dirksen CD, Voogd AC, Falger P, Gijzen BC, Thuring M, et al. Nurse-led telephone follow-up and an educational group programme after breast cancer treatment: results of a 2 x 2 randomised controlled trial. *Eur J Cancer.* 2011;47(7):1027-36. Epub 2011/01/18.

1152.

King AI, Parsons M, Robinson E, Jorgensen D. Assessing the impact of a restorative home care service in New Zealand: a cluster randomised controlled trial. *Health Soc Care Community.* 2012;20(4):365-74. Epub 2011/11/24.

1153.

King JM, Reising DL. Teaching advanced cardiac life support protocols: the effectiveness of static versus high-fidelity simulation. *Nurse Educ.* 2011;36(2):62-5. Epub 2011/02/19.

1154.

King MT, Hall J, Caleo S, Gurney HP, Harnett PR. Home or hospital? An evaluation of the costs, preferences, and outcomes of domiciliary chemotherapy. *Int J Health Serv.* 2000;30(3):557-79. Epub 2000/12/08.

1155.

King RB, Hartke RJ, Houle T, Lee J, Herring G, Alexander-Peterson BS, et al. A problem-solving early intervention for stroke caregivers: one year follow-up. *Rehabil Nurs.* 2012;37(5):231-43. Epub 2012/09/06.

1156.

Kinirons MT, Martin F. Randomised controlled trial of a nurse-led falls prevention programme. *Age Ageing.* 2003;32(3):361-2; author reply 2-3. Epub 2003/05/02.

1157.

Kinley H, Czoski-Murray C, George S, McCabe C, Primrose J, Reilly C, et al. Effectiveness of appropriately trained nurses in preoperative assessment: randomised controlled equivalence/non-inferiority trial. *Bmj.* 2002;325(7376):1323. Epub 2002/12/07.

1158.

Kinley H, Czoski-Murray C, George S, McCabe C, Primrose J, Reilly C, et al. Extended scope of nursing practice: a multicentre randomised controlled trial of appropriately trained nurses and pre-registration house officers in pre-operative assessment in elective general surgery. *Health Technol Assess.* 2001;5(20):1-87.

1159.

Kintner EK, Sikorskii A. Randomized Clinical Trial of a School-Based Academic and Counseling Program for Older School-Age Students. *Nurs Res.* 2009;58(5):321-31. Epub 2009/09/16.

1160.

Kip KE, Rosenzweig L, Hernandez DF, Shuman A, Sullivan KL, Long CJ, et al. Randomized controlled trial of accelerated resolution therapy (ART) for symptoms of combat-related post-traumatic stress disorder (PTSD). *Mil Med.* 2013;178(12):1298-309. Epub 2013/12/07.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1161.

Kipping B, Rodger S, Miller K, Kimble RM. Virtual reality for acute pain reduction in adolescents undergoing burn wound care: a prospective randomized controlled trial. *Burns*. 2012;38(5):650-7.

1162.

Kirby D, Raine T, Thrush G, Yuen C, Sokoloff A, Potter SC. Impact of an intervention to improve contraceptive use through follow-up phone calls to female adolescent clinic patients. *Perspect Sex Reprod Health*. 2010;42(4):251-7.

1163.

Kirchberger I, Meisinger C, Seidl H, Wende R, Kuch B, Holle R. Nurse-based case management for aged patients with myocardial infarction: study protocol of a randomized controlled trial. *BMC geriatr*. 2010;10:29.

1164.

Kirshbaum M. Translation to practice: a randomised, controlled study of an evidence-based booklet for breast-care nurses in the United Kingdom. *Worldviews Evid Based Nurs*. 2008;5(2):60-74.

1165.

Kitzman HJ, Olds DL, Cole RE, Hanks CA, Anson EA, Arcoleo KJ, et al. Enduring effects of prenatal and infancy home visiting by nurses on children: follow-up of a randomized trial among children at age 12 years. *Arch Pediatr Adolesc Med*. 2010;164(5):412-8.

1166.

Kleib M. Integration of Health Informatics in Baccalaureate Nursing Education: Effectiveness of Face-to-Face vs. Online Teaching Methods: University of Alberta (Canada); 2012.

1167.

Kleinman L, Frank L, Ciesla G, Rupnow M, Brodaty H. Psychometric performance of an assessment scale for strain in nursing care: the M-NCAS. *Health and quality of life outcomes*. 2004;2:62. Epub 2004/11/13.

1168.

Klemetti S, Kinnunen I, Suominen T, Antila H, Vahlberg T, Grenman R, et al. The effect of preoperative fasting on postoperative thirst, hunger and oral intake in paediatric ambulatory tonsillectomy. *J Clin Nurs*. 2010;19(3-4):341-50. Epub 2010/05/27.

1169.

Klemm P. Effects of online support group format (Moderated vs Peer-Led) on depressive symptoms and extent of participation in women with breast cancer. *Computers, informatics, nursing : CIN*. 2012;30(1):9-18. Epub 2012/01/14.

1170.

Kline AM, Sorce L, Sullivan C, Weishaar J, Steinhorn DM. Use of a noninvasive electromagnetic device to place transpyloric feeding tubes in critically ill children. *Am J Crit Care*. 2011;20(6):453-9; quiz 60.

1171.

Klodnicka Kouri K. Development and evaluation of a nursing psycho-educational program focused on communication for family caregivers in early Alzheimer's disease. 2008;Ph.D.:312 p.

1172.

Kloeze C, Klompenhouwer EG, Brands PJ, van Sambeek MR, Cuyper PW, Teijink JA. Editor's choice--Use of disposable radiation-absorbing surgical drapes results in significant dose reduction during EVAR procedures. *Eur J Vasc Endovasc Surg*. 2014;47(3):268-72. Epub 2014/01/22.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1173.

Kneipp SM, Kairalla JA, Lutz BJ, Pereira D, Hall AG, Flocks J, et al. Public health nursing case management for women receiving temporary assistance for needy families: a randomized controlled trial using community-based participatory research. *Am J Public Health*. 2011;101(9):1759-68. Epub 2011 Jul 21.

1174.

Knip M, Akerblom HK, Becker D, Dosch HM, Dupre J, Fraser W, et al. Hydrolyzed infant formula and early beta-cell autoimmunity: a randomized clinical trial. *Jama*. 2014;311(22):2279-87. Epub 2014/06/11.

1175.

Ko GT, Li JK, Kan EC, Lo MK. Effects of a structured health education programme by a diabetic education nurse on cardiovascular risk factors in Chinese Type 2 diabetic patients: a 1-year prospective randomized study. *Diabet Med*. 2004;21(12):1274-9.

1176.

Kocacal Guler E, Eser I, Egrilmez S. Effectiveness of polyethylene covers versus carbomer drops (Viscotears) to prevent dry eye syndrome in the critically ill. *J Clin Nurs*. 2011;20(13-14):1916-22.

1177.

Koczy P, Becker C, Rapp K, Klie T, Beische D, Buchele G, et al. Effectiveness of a multifactorial intervention to reduce physical restraints in nursing home residents. *J Am Geriatr Soc*. 2011;59(2):333-9.

1178.

Koelewijn-van Loon MS, van der Weijden T, Ronda G, van Steenkiste B, Winkens B, Elwyn G, et al. Improving lifestyle and risk perception through patient involvement in nurse-led cardiovascular risk management: A cluster-randomized controlled trial in primary care. *Preventive Medicine*. 2010;50(1-2):35-44.

1179.

Koelewijn-van Loon MS, van der Weijden T, van Steenkiste B, Ronda G, Winkens B, Severens JL, et al. Involving patients in cardiovascular risk management with nurse-led clinics: a cluster randomized controlled trial. *CMAJ*. 2009;181(12):E267-74.

1180.

Koinberg IL, Fridlund B, Engholm GB, Holmberg L. Nurse-led follow-up on demand or by a physician after breast cancer surgery: a randomised study. *Eur J Oncol Nurs*. 2004;8(2):109-17; discussion 18-20.

1181.

Koivunen M, Valimaki M, Patel A, Knapp M, Hatonen H, Kuosmanen L, et al. Effects of the implementation of the web-based patient support system on staff's attitudes towards computers and IT use: a randomised controlled trial. *Scand J Caring Sci*. 2010;24(3):592-9.

1182.

Kol E, Alpar SE, Erdogan A. Preoperative education and use of analgesic before onset of pain routinely for post-thoracotomy pain control can reduce pain effect and total amount of analgesics administered postoperatively. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2014;15(1):331-9. Epub 2013/03/15.

1183.

Kolanowski A, Litaker M, Buettner L, Moeller J, Costa PT, Jr. A randomized clinical trial of theory-based activities for the behavioral symptoms of dementia in nursing home residents. *J Am Geriatr Soc*. 2011;59(6):1032-41.

1184.

Kolanowski AM, Fick DM, Clare L, Steis M, Boustani M, Litaker M. Pilot study of a nonpharmacological intervention for delirium superimposed on dementia. *Res Gerontol Nurs*. 2011;4(3):161-7. Epub 2010/11/09.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1185.

Kolanowski AM, Litaker M, Buettner L. Efficacy of theory-based activities for behavioral symptoms of dementia. *Nurs Res.* 2005;54(4):219-28.

1186.

Kolcaba K, Schirm V, Steiner R. Effects of hand massage on comfort of nursing home residents. *Geriatr Nurs.* 2006;27(2):85-91.

1187.

Koller A, Miaskowski C, De Geest S, Opitz O, Spichiger E. Supporting self-management of pain in cancer patients: methods and lessons learned from a randomized controlled pilot study. *Eur J Oncol Nurs.* 2013;17(1):1-8.

1188.

Koller A, Miaskowski C, De Geest S, Opitz O, Spichiger E. Results of a randomized controlled pilot study of a self-management intervention for cancer pain. *Eur J Oncol Nurs.* 2013;17(3):284-91. Epub 2012/09/11.

1189.

Kommuri NVA, Johnson ML, Koelling TM. Relationship between improvements in heart failure patient disease specific knowledge and clinical events as part of a randomized controlled trial. *Patient Education and Counseling.* 2012;86(2):233-8.

1190.

Kong S. Day treatment programme for patients with eating disorders: randomized controlled trial. *J Adv Nurs.* 2005;51(1):5-14.

1191.

Kong Y, Medhurst A, Cheong JLY, Kotsanas D, Jolley D. The effect of incubator humidity on the body temperature of infants born at 28 weeks' gestation or less: a randomized controlled trial. *Neonatal, Paediatric & Child Health Nursing.* 2011;14(2):14-22.

1192.

Koniak-Griffin D, Anderson NLR, Brecht ML, Verzemnieks I, Lesser J, Kim S. Public health nursing care for adolescent mothers: impact on infant health and selected maternal outcomes at 1 year postbirth. *J Adolesc Health.* 2002;30(1):44-54.

1193.

Koniak-Griffin D, Verzemnieks IL, Anderson NL, Brecht ML, Lesser J, Kim S, et al. Nurse visitation for adolescent mothers: two-year infant health and maternal outcomes. *Nurs Res.* 2003;52(2):127-36.

1194.

Konig MW, Varughese AM, Brennen KA, Barclay S, Shackelford TM, Samuels PJ, et al. Quality of recovery from two types of general anesthesia for ambulatory dental surgery in children: a double-blind, randomized trial. *Paediatr Anaesth.* 2009;19(8):748-55.

1195.

Kono A, Fujita T, Tsumura C, Kondo T, Kushiyama K, Rubenstein LZ. Preventive home visit model targeted to specific care needs of ambulatory frail elders: preliminary report of a randomized trial design. *Aging Clin Exp Res.* 2009;21(2):167-73.

1196.

Kono A, Kanaya Y, Tsumura C, Rubenstein LZ. Effects of preventive home visits on health care costs for ambulatory frail elders: a randomized controlled trial. *Aging Clin Exp Res.* 2013;25(5):575-81. Epub 2013/08/21.

1197.

Konstantinou EA, Karampinis DF, Mitsos AP, Konstantinou MI, Mariolis-Sapsakos T, Kapritsou M, et al. Central vascular catheters versus peripherally inserted central catheters in nurse anesthesia. A perspective within the Greek health system. *J Vasc Access.* 2013;14(4):373-8. Epub 2013/07/03.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1198.

Kontio R, Lahti M, Pitkanen A, Joffe G, Putkonen H, Hatonen H, et al. Impact of eLearning course on nurses' professional competence in seclusion and restraint practices: a randomized controlled study (ISRCTN32869544). *J Psychiatr Ment Health Nurs*. 2011;18(9):813-21.

1199.

Kontio R, Pitkanen A, Joffe G, Katajisto J, Valimaki M. eLearning course may shorten the duration of mechanical restraint among psychiatric inpatients: a cluster-randomized trial. *Nord J Psychiatry*. 2014;68(7):443-9. Epub 2013/11/28.

1200.

Kopke S, Muhlhauser I, Gerlach A, Haut A, Haastert B, Mohler R, et al. Effect of a guideline-based multicomponent intervention on use of physical restraints in nursing homes: a randomized controlled trial. *JAMA*. 2012;307(20):2177-84.

1201.

Kordestani S, Shahrezaee M, Tahmasebi MN, Hajimahmodi H, Haji Ghasemali D, Abyaneh MS. A randomised controlled trial on the effectiveness of an advanced wound dressing used in Iran. *Journal of wound care*. 2008;17(7):323-7.

1202.

Korhan EA, Khorshid L, Uyar M. The effect of music therapy on physiological signs of anxiety in patients receiving mechanical ventilatory support. *J Clin Nurs*. 2011;20(7-8):1026-34.

1203.

Kornblith AB, Dowell JM, Herndon JE, 2nd, Engelman BJ, Bauer-Wu S, Small EJ, et al. Telephone monitoring of distress in patients aged 65 years or older with advanced stage cancer: a cancer and leukemia group B study. *Cancer*. 2006;107(11):2706-14.

1204.

Korstjens I, Mesters I, May AM, van Weert E, van den Hout JH, Ros W, et al. Effects of cancer rehabilitation on problem-solving, anxiety and depression: a RCT comparing physical and cognitive-behavioural training versus physical training. *Psychol Health*. 2011;26 Suppl 1:63-82.

1205.

Kostandy RR, Ludington-Hoe SM, Cong X, Abouelfettoh A, Bronson C, Stankus A, et al. Kangaroo Care (skin contact) reduces crying response to pain in preterm neonates: pilot results. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2008;9(2):55-65. Epub 2008/06/03.

1206.

Kovach CR, Kelber ST, Simpson M, Wells T. Behaviors of nursing home residents with dementia: examining nurse responses. *J Gerontol Nurs*. 2006;32(6):13-21. Epub 2006/06/16.

1207.

Kozachik SL, Given CW, Given BA, Pierce SJ, Azzouz F, Rawl SM, et al. Improving depressive symptoms among caregivers of patients with cancer: results of a randomized clinical trial. *Oncol Nurs Forum*. 2001;28(7):1149-57.

1208.

Kramer AM, Kowalsky JC, Lin M, Grigsby J, Hughes R, Steiner JF. Outcome and utilization differences for older persons with stroke in HMO and fee-for-service systems. *J Am Geriatr Soc*. 2000;48(7):726-34.

1209.

Krampe J. Exploring the effects of dance-based therapy on balance and mobility in older adults. *Western journal of nursing research*. 2013;35(1):39-56. Epub 2011/11/03.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1210.

Kretzer K, Evelo AJ, Durham RL. Lessons learned from a study of a complementary therapy for self-managing hypertension and stress in women. *Holist Nurs Pract*. 2013;27(6):336-43. Epub 2013/10/15.

1211.

Krichbaum K. GPN postacute care coordination improves hip fracture outcomes. *Western journal of nursing research*. 2007;29(5):523-44.

1212.

Krishnamurthy MN, Telles S. Assessing depression following two ancient Indian interventions: effects of yoga and ayurveda on older adults in a residential home. *J Gerontol Nurs*. 2007;33(2):17-23.

1213.

Krishnasamy M, Corner J, Bredin M, Plant H, Bailey C. Cancer nursing practice development: understanding breathlessness. *J Clin Nurs*. 2001;10(1):103-8. Epub 2002/02/01.

1214.

Kristensen VG, Nielsen AL, Gaihede M, Boll B, Delmar C. Mobilisation of epistaxis patients--a prospective, randomised study documenting a safe patient care regime. *J Clin Nurs*. 2011;20(11-12):1598-605.

1215.

Kristensson J, Ekwall AK, Jakobsson U, Midlov P, Hallberg IR. Case managers for frail older people: a randomised controlled pilot study. *Scand J Caring Sci*. 2010;24(4):755-63.

1216.

Kristiniak S, Harpel J, Breckenridge DM, Buckle J. Black pepper essential oil to enhance intravenous catheter insertion in patients with poor vein visibility: a controlled study. *J Altern Complement Med*. 2012;18(11):1003-7. Epub 2012/11/17.

1217.

Kristjansdottir O, Kristjansdottir G. Randomized clinical trial of musical distraction with and without headphones for adolescents' immunization pain. *Scand J Caring Sci*. 2011;25(1):19-26.

1218.

Kronborg H, Maimburg RD, Vaeth M. Antenatal training to improve breast feeding: a randomised trial. *Midwifery*. 2012;28(6):784-90.

1219.

Kroth PJ, Dexter PR, Overhage JM, Knipe C, Hui SL, Belsito A, et al. A computerized decision support system improves the accuracy of temperature capture from nursing personnel at the bedside. *AMIA Annu Symp Proc*. 2006:444-8. Epub 2007/01/24.

1220.

Kruse BG, Melhado LW, Convertine L, Stecher J. Evaluating strategies for changing acute care nurses' perceptions on end-of-life care. *Am J Hosp Palliat Care*. 2008;25(5):389-97.

1221.

Kruse RL, Lemaster JW, Madsen RW. Fall and balance outcomes after an intervention to promote leg strength, balance, and walking in people with diabetic peripheral neuropathy: "feet first" randomized controlled trial. *Phys Ther*. 2010;90(11):1568-79.

1222.

Ksiazek J, Gaworska-Krzeminska A, Walenska G, Skokowski J. The problem of pain evaluation in the process of nursing care in thoracoscopic patients and in general surgery. *Rocz Akad Med Bialymst*. 2005;50 Suppl 1:199-202. Epub 2005/08/27.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1223.

Kucia AM, Taylor KT, Horowitz JD. Can a nurse trained in coronary care expedite emergency department management of patients with acute coronary syndromes? *Heart Lung*. 2001;30(3):186-90. Epub 2001/05/09.

1224.

Kueth M, Vaessen-Verberne A, Mulder P, Bindels P, van Aalderen W. Paediatric asthma outpatient care by asthma nurse, paediatrician or general practitioner: randomised controlled trial with two-year follow-up. *Primary care respiratory journal : journal of the General Practice Airways Group*. 2011;20(1):84-91.

1225.

Kuhl EA, Sears SF, Vazquez LD, Conti JB. Patient-assisted computerized education for recipients of implantable cardioverter defibrillators: a randomized controlled trial of the PACER program. *The Journal of cardiovascular nursing*. 2009;24(3):225-31.

1226.

Kulinski SJ. *Academic Service-Learning in a Baccalaureate Nursing Program*: Gardner-Webb University; 2012.

1227.

Kulp M, Mitchell GL, Borsting E, Scheiman M, Cotter S, Rouse M, et al. Effectiveness of placebo therapy for maintaining masking in a clinical trial of vergence/accommodative therapy. *Invest Ophthalmol Vis Sci*. 2009;50(6):2560-6. Epub 2009/01/20.

1228.

Kumwenda C, Dewey KG, Hemsworth J, Ashorn P, Maleta K, Haskell MJ. Lipid-based nutrient supplements do not decrease breast milk intake of Malawian infants. *Am J Clin Nutr*. 2014;99(3):617-23. Epub 2013/12/26.

1229.

Kuo CC, Lin CC, Lee WJ, Huang WT. Comparing the antismelling and analgesic effects of three different ice pack therapy durations: a randomized controlled trial on cases with soft tissue injuries. *J Nurs Res*. 2013;21(3):186-94.

1230.

Kuo L-M, Huang H-L, Huang H-L, Liang J, Chiu Y-C, Chen S-T, et al. A home-based training program improves Taiwanese family caregivers' quality of life and decreases their risk for depression: a randomized controlled trial. *International Journal of Geriatric Psychiatry*. 2013;28(5):504-13.

1231.

Kuo SC, Lin KC, Hsu CH, Yang CC, Chang MY, Tsao CM, et al. Evaluation of the effects of a birth plan on Taiwanese women's childbirth experiences, control and expectations fulfilment: a randomised controlled trial. *Int J Nurs Stud*. 2010;47(7):806-14.

1232.

Kupratakul J, Taneepanichskul S, Voramongkol N, Phupong V. A randomized controlled trial of knowledge sharing practice with empowerment strategies in pregnant women to improve exclusive breastfeeding during the first six months postpartum. *Journal of the Medical Association of Thailand = Chotmaihet thangkaet*. 2010;93(9):1009-18. Epub 2010/09/29.

1233.

Kurosawa H, Ikeyama T, Achuff P, Perkel M, Watson C, Monachino A, et al. A randomized, controlled trial of in situ pediatric advanced life support recertification ("pediatric advanced life support reconstructed") compared with standard pediatric advanced life support recertification for ICU frontline providers*. *Crit Care Med*. 2014;42(3):610-8. Epub 2013/11/16.

1234.

Kurth AE, Spielberg F, Cleland CM, Lambdin B, Bangsberg DR, Frick PA, et al. Computerized counseling reduces HIV-1 viral load and sexual transmission risk: findings from a randomized controlled trial. *J Acquir Immune Defic Syndr*. 2014;65(5):611-20. Epub 2014/01/05.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1235.

Kusahara DM, Friedlander LT, Peterlini MA, Pedreira ML. Oral care and oropharyngeal and tracheal colonization by Gram-negative pathogens in children. *Nurs Crit Care*. 2012;17(3):115-22.

1236.

Kusahara DM, Peterlini MA, Pedreira ML. Oral care with 0.12% chlorhexidine for the prevention of ventilator-associated pneumonia in critically ill children: randomised, controlled and double blind trial. *Int J Nurs Stud*. 2012;49(11):1354-63.

1237.

Kushnir J, Friedman A, Ehrenfeld M, Kushnir T. Coping with preoperative anxiety in cesarean section: physiological, cognitive, and emotional effects of listening to favorite music. *Birth*. 2012;39(2):121-7.

1238.

Kutlurkan S, Gorgulu U, Fesci H, Karavelioglu A. The effects of providing pre-gastrointestinal endoscopy written educational material on patients' anxiety: a randomised controlled trial. *Int J Nurs Stud*. 2010;47(9):1066-73. Epub 2010/02/26.

1239.

Kutner J, Smith M, Mellis K, Felton S, Yamashita T, Corbin L. Methodological challenges in conducting a multi-site randomized clinical trial of massage therapy in hospice. *Journal of palliative medicine*. 2010;13(6):739-44. Epub 2010/07/06.

1240. Kvarme LG, Helseth S, Sørnum R, Luth-Hansen V, Haugland S, Natvig GK. The effect of a solution-focused approach to improve self-efficacy in socially withdrawn school children: A non-randomized controlled trial. *Int J Nurs Stud*. 2010;47(11):1389-96. Epub 2010/06/12.

1241.

Kvist LJ, Hall-Lord ML, Rydhstroem H, Larsson BW. A randomised-controlled trial in Sweden of acupuncture and care interventions for the relief of inflammatory symptoms of the breast during lactation. *Midwifery*. 2007;23(2):184-95.

1242.

Kwekkeboom KL. Music versus distraction for procedural pain and anxiety in patients with cancer. *Oncol Nurs Forum*. 2003;30(3):433-40. Epub 2003/04/30.

1243.

Kwekkeboom KL, Abbott-Anderson K, Wanta B. Feasibility of a patient-controlled cognitive-behavioral intervention for pain, fatigue, and sleep disturbance in Cancer. *Oncol Nurs Forum*. 2010;37(3):E151-E9. Epub 2010/05/05.

1244.

Kwok T, Lee J, Woo J, Lee DT, Griffith S. A randomized controlled trial of a community nurse-supported hospital discharge programme in older patients with chronic heart failure. *J Clin Nurs*. 2008;17(1):109-17.

1245.

Kwok T, Mok F, Chien WT, Tam E. Does access to bed-chair pressure sensors reduce physical restraint use in the rehabilitative care setting? *J Clin Nurs*. 2006;15(5):581-7.

1246.

Kyle G. Evaluating the effectiveness of aromatherapy in reducing levels of anxiety in palliative care patients: results of a pilot study. *Complement Ther Clin Pract*. 2006;12(2):148-55.

1247.

Kyle RG, Culbard B, Evans J, Gray NM, Ayansina D, Hubbard G. Vocational rehabilitation services for patients with cancer: design of a feasibility study incorporating a pilot randomised controlled trial among women with breast cancer following surgery. *Trials*. 2011;12:89.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1248.

Labarere J, Bosson JL, Sevestre MA, Sellier E, Richaud C, Legagneux A. Intervention targeted at nurses to improve venous thromboprophylaxis. *Int J Qual Health Care*. 2007;19(5):301-8.

1249.

Labraca NS, Castro-Sanchez AM, Mataran-Penarrocha GA, Arroyo-Morales M, Sanchez-Joya Mdel M, Moreno-Lorenzo C. Benefits of starting rehabilitation within 24 hours of primary total knee arthroplasty: randomized clinical trial. *Clin Rehabil*. 2011;25(6):557-66. Epub 2011 Mar 7.

1250.

Lackner TE, Wyman JF, McCarthy TC, Monigold M, Davey C. Efficacy of oral extended-release oxybutynin in cognitively impaired older nursing home residents with urge urinary incontinence: a randomized placebo-controlled trial. *J Am Med Dir Assoc*. 2011;12(9):639-47.

1251.

Lagan C, Wehbe-Janek H, Waldo K, Fox A, Jo C, Rahm M. Evaluation of an interprofessional clinician-patient communication workshop utilizing standardized patient methodology. *Journal of Surgical Education*. 2013;70(1):95-103.

1252.

Lai CC, Fang HC, Tseng CJ, Liu CP, Mar GY. Percutaneous angioplasty using a paclitaxel-coated balloon improves target lesion restenosis on inflow lesions of autogenous radiocephalic fistulas: a pilot study. *J Vasc Interv Radiol*. 2014;25(4):535-41. Epub 2014/02/18.

1253.

Lai FC, Tu ST, Huang CH, Jeng C. A home-based exercise program improves heart rate variability and functional capacity among postmenopausal women with coronary artery disease. *J Cardiovasc Nurs*. 2011;26(2):137-44.

1254.

Lai HL, Good M. Music improves sleep quality in older adults. *J Adv Nurs*. 2005;49(3):234-44.

1255.

Lai HL, Hwang MJ, Chen CJ, Chang KF, Peng TC, Chang FM. Randomised controlled trial of music on state anxiety and physiological indices in patients undergoing root canal treatment. *J Clin Nurs*. 2008;17(19):2654-60.

1256.

Lai HL, Li YM. The effect of music on biochemical markers and self-perceived stress among first-line nurses: a randomized controlled crossover trial. *J Adv Nurs*. 2011;67(11):2414-24.

1257.

Lai HL, Li YM, Lee LH. Effects of music intervention with nursing presence and recorded music on psycho-physiological indices of cancer patient caregivers. *J Clin Nurs*. 2012;21(5-6):745-56.

1258.

Laibhen-Parkes N. Web-Based evidence based practice educational intervention to improve EBP competence among BSN-prepared pediatric bedside nurses: A mixed methods pilot study: Mercer University; 2014.

1259.

Lam K, Lau KK, So KK, Tam CK, Wu YM, Cheung G, et al. Can botulinum toxin decrease carer burden in long term care residents with upper limb spasticity? A randomized controlled study. *J Am Med Dir Assoc*. 2012;13(5):477-84.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1260.

Lamas K. Using massage to ease constipation. *Nurs Times*. 2011;107(4):26-7.

1261.

Lamas K, Lindholm L, Engstrom B, Jacobsson C. Abdominal massage for people with constipation: a cost utility analysis. *J Adv Nurs*. 2010;66(8):1719-29. Epub 2010/06/19.

1262.

Lamers F, Jonkers CC, Bosma H, Knottnerus JA, van Eijk JT. Treating depression in diabetes patients: does a nurse-administered minimal psychological intervention affect diabetes-specific quality of life and glycaemic control? A randomized controlled trial. *J Adv Nurs*. 2011;67(4):788-99.

1263.

LaMontagne L, Hepworth JT, Salisbury MH, Cohen F. Effects of coping instruction in reducing young adolescents' pain after major spinal surgery. *Orthop Nurs*. 2003;22(6):398-403.

1264.

Landi F, Aloe L, Russo A, Cesari M, Onder G, Bonini S, et al. Topical treatment of pressure ulcers with nerve growth factor: a randomized clinical trial. *Ann Intern Med*. 2003;139(8):635-41.

1265.

Langley V, Thoburn A, Shaw S, Barton A. Second degree tears: to suture or not? A randomized controlled trial. *British Journal of Midwifery*. 2006;14(9):550-4.

1266.

Lapointe F, Lepage S, Larrivee L, Maheux P. Surveillance and treatment of dyslipidemia in the post-infarct patient: Can a nurse-led management approach make a difference? *Canadian Journal of Cardiology*. 2006;22(9):761-7.

1267.

Laprise R, Thivierge R, Gosselin G, Bujas-Bobanovic M, Vandal S, Paquette D, et al. Improved cardiovascular prevention using best CME practices: a randomized trial. *J Contin Educ Health Prof*. 2009;29(1):16-31.

1268.

Lareau R, Benson L, Watcharotone K, Manguba G. Examining the feasibility of implementing specific nursing interventions to promote sleep in hospitalized elderly patients. *Geriatr Nurs*. 2008;29(3):197-206.

1269.

Larson E, Silberger M, Jakob K, Whittier S, Lai L, Della Latta P, et al. Assessment of alternative hand hygiene regimens to improve skin health among neonatal intensive care unit nurses. *Heart Lung*. 2000;29(2):136-42.

1270.

Larson EL, Aiello AE, Heilman JM, Lyle CT, Cronquist A, Stahl JB, et al. Comparison of different regimens for surgical hand preparation. *Aorn J*. 2001;73(2):412-4, 7-8, 20 passim.

1271.

Larson J, Franzen-Dahlin A, Billing E, Arbin M, Murray V, Wredling R. The impact of a nurse-led support and education programme for spouses of stroke patients: a randomized controlled trial. *J Clin Nurs*. 2005;14(8):995-1003.

1272.

Larsson I, Fridlund B, Arvidsson B, Teleman A, Bergman S. Randomized controlled trial of a nurse-led rheumatology clinic for monitoring biological therapy. *J Adv Nurs*. 2014;70(1):164-75.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1273.

Lasch KE, Wilkes G, Lee J, Blanchard R. Is hands-on experience more effective than didactic workshops in postgraduate cancer pain education? *J Cancer Educ.* 2000;15(4):218-22. Epub 2001/02/24.

1274.

Lau C. Is there an advantage for preterm infants to feed orally in an upright or sidelying position? *Journal of Neonatal Nursing.* 2013;19(1):28-32.

1275.

Lauque S, Arnaud-Battandier F, Mansourian R, Guigoz Y, Paintin M, Nourhashemi F, et al. Protein-energy oral supplementation in malnourished nursing-home residents. A controlled trial. *Age Ageing.* 2000;29(1):51-6.

1276.

Laurion S, Fetzer SJ. The effect of two nursing interventions on the postoperative outcomes of gynecologic laparoscopic patients. *J Perianesth Nurs.* 2003;18(4):254-61.

1277.

Lavender T, Baker L, Smyth R, Collins S, Spofforth A, Dey P. Breastfeeding expectations versus reality: a cluster randomised controlled trial. *BJOG : an international journal of obstetrics and gynaecology.* 2005;112(8):1047-53.

1278.

Law M, Withers H, Morris J, Anderson F. Vitamin D supplementation and the prevention of fractures and falls: results of a randomised trial in elderly people in residential accommodation. *Age Ageing.* 2006;35(5):482-6.

1279.

Lawrence P, Fulbrook P. Effect of feedback on ventilator care bundle compliance: before and after study. *Nurs Crit Care.* 2012;17(6):293-301. Epub 2012/10/16.

1280.

Lawton BA, Rose SB, Elley CR, Bromhead C, MacDonald EJ, Baker MG. Increasing the uptake of opportunistic chlamydia screening: a pilot study in general practice. *J Prim Health Care.* 2010;2(3):199-207. Epub 2010/11/12.

1281.

Leahy M, Krishnasamy M, Herschtal A, Bressel M, Dryden T, Tai KH, et al. Satisfaction with nurse-led telephone follow up for low to intermediate risk prostate cancer patients treated with radical radiotherapy. A comparative study. *Eur J Oncol Nurs.* 2013;17(2):162-9.

1282.

Lee CK, Park DI, Lee SH, Hwangbo Y, Eun CS, Han DS, et al. Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study. *Gastrointest Endosc.* 2011;74(5):1094-102.

1283.

Lee CY, Cho YH. Evaluation of a community health practitioner self-care program for rural Korean patients with osteoarthritis. *J Korean Acad Nurs.* 2012;42(7):965-73. Epub 2013/02/05.

1284.

Lee E, Menon U, Nandy K, Szalacha L, Kviz F, Cho Y, et al. The Effect of a Couples Intervention to Increase Breast Cancer Screening Among Korean Americans. *Oncol Nurs Forum.* 2014;41(3):E185-93.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1285.

Lee ES, Kim SH, Kim JS. [Effects of a closed endotracheal suction system on oxygen saturation, ventilator-associated pneumonia, and nursing efficacy]. *Taehan Kanho Hakhoe Chi*. 2004;34(7):1315-25. Epub 2005/02/03.

1286.

Lee H, Chae D, Wilbur J, Miller A, Lee K, Jin H. Effects of a 12 week self-managed stretching program among Korean-Chinese female migrant workers in Korea: a randomized trial. *Japan journal of nursing science : JJNS*. 2014;11(2):121-34. Epub 2014/04/05.

1287.

Lee JT, Yen HW. Randomized controlled evaluation of a theory-based postpartum sexual health education programme. *J Adv Nurs*. 2007;60(4):389-401.

1288.

Lee KA, Gay CL. Can modifications to the bedroom environment improve the sleep of new parents? Two randomized controlled trials. *Res Nurs Health*. 2011;34(1):7-19.

1289.

Lee KC, Chao YH, Yiin JJ, Chiang PY, Chao YF. Effectiveness of different music-playing devices for reducing preoperative anxiety: a clinical control study. *Int J Nurs Stud*. 2011;48(10):1180-7.

1290.

Lee KC, Chao YH, Yiin JJ, Hsieh HY, Dai WJ, Chao YF. Evidence that music listening reduces preoperative patients' anxiety. *Biol Res Nurs*. 2012;14(1):78-84. doi: 10.1177/1099800410396704. Epub 2011 Jan 28.

1291.

Lee LC, Tsai AC, Wang JY, Hurng BS, Hsu HC, Tsai HJ. Need-based intervention is an effective strategy for improving the nutritional status of older people living in a nursing home: A randomized controlled trial. *Int J Nurs Stud*. 2013;50(12):1580-8.

1292.

Lee LL, Arthur A, Avis M. Evaluating a community-based walking intervention for hypertensive older people in Taiwan: a randomized controlled trial. *Prev Med*. 2007;44(2):160-6.

1293.

Lee LL, Kuo YC, Fanaw D, Perng SJ, Juang IF. The effect of an intervention combining self-efficacy theory and pedometers on promoting physical activity among adolescents. *J Clin Nurs*. 2012;21(7-8):914-22. doi: 10.1111/j.365-2702.011.03881.x. Epub 2011 Nov 15.

1294.

Lee LY, Lee DT, Woo J. Effect of Tai Chi on state self-esteem and health-related quality of life in older Chinese residential care home residents. *J Clin Nurs*. 2007;16(8):1580-2.

1295.

Lee NJ, Chen ES, Currie LM, Donovan M, Hall EK, Jia H, et al. The effect of a mobile clinical decision support system on the diagnosis of obesity and overweight in acute and primary care encounters. *ANS Adv Nurs Sci*. 2009;32(3):211-21.

1296.

Lee OK, Chung YF, Chan MF, Chan WM. Music and its effect on the physiological responses and anxiety levels of patients receiving mechanical ventilation: a pilot study. *J Clin Nurs*. 2005;14(5):609-20.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1297.

Lee SK, Posthauer ME, Dorner B, Redovian V, Maloney MJ. Pressure ulcer healing with a concentrated, fortified, collagen protein hydrolysate supplement: a randomized controlled trial. *Adv Skin Wound Care*. 2006;19(2):92-6.

1298.

Lee SL, Liu CY, Lu YY, Gau ML. Efficacy of warm showers on labor pain and birth experiences during the first labor stage. *J Obstet Gynecol Neonatal Nurs*. 2013;42(1):19-28.

1299.

Lee SM, Landry J, Jones PM, Buhrmann O, Morley-Forster P. The effectiveness of a perioperative smoking cessation program: a randomized clinical trial. *Anesth Analg*. 2013;117(3):605-13. Epub 2013/07/23.

1300.

Lee SY, Lopez V. Physiological effects of two temperature settings in preterm infants on nasal continuous airway pressure ventilation. *J Clin Nurs*. 2002;11(6):845-7. Epub 2002/11/13.

1301.

Lee TJ, Baraff LJ, Guzy J, Johnson D, Woo H. Does telephone triage delay significant medical treatment?: Advice nurse service vs on-call pediatricians. *Arch Pediatr Adolesc Med*. 2003;157(7):635-41.

1302.

Lee TJ, Baraff LJ, Wall SP, Guzy J, Johnson D, Woo H. Parental compliance with after hours telephone triage advice: nurse advice service versus on-call pediatricians. *Clin Pediatr (Phila)*. 2003;42(7):613-9.

1303.

Lee TJ, Guzy J, Johnson D, Woo H, Baraff LJ. Caller satisfaction with after-hours telephone advice: nurse advice service versus on-call pediatricians. *Pediatrics*. 2002;110(5):865-72.

1304.

Lee T-Y, Wang M-M, Lin K-C, Kao C-H. The effectiveness of early intervention on paternal stress for fathers of premature infants admitted to a neonatal intensive care unit. *J Adv Nurs*. 2013;69(5):1085-95.

1305.

Lee YH, Wang HL, Li CY, Shiao AS, Tu TY. [Exploring the effectiveness of a health education program on the stimuli frame and on uncertainty in patients with sudden hearing loss]. *Hu Li Za Zhi*. 2014;61(3):36-44. Epub 2014/06/06.

1306.

Lee YY, Chan MF, Mok E. Effectiveness of music intervention on the quality of life of older people. *J Adv Nurs*. 2010;66(12):2677-87. Epub 2010/09/14.

1307.

LeFevre AE, Shillcutt SD, Waters HR, Haider S, El Arifeen S, Mannan I, et al. Economic evaluation of neonatal care packages in a cluster-randomized controlled trial in Sylhet, Bangladesh. *Bull World Health Organ*. 2013;91(10):736-45. Epub 2013/10/12.

1308.

LeFlore JL, Anderson M, Zielke MA, Nelson KA, Thomas PE, Hardee G, et al. Can a virtual patient trainer teach student nurses how to save lives--teaching nursing students about pediatric respiratory diseases. *Simul Healthc*. 2012;7(1):10-7.

1309.

Leggett JM, Wasson K, Sinacore JM, Gamelli RL. A pilot study examining moral distress in nurses working in one United States burn center. *Journal of Burn Care & Research*. 2013;34(5):521-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1310.

Lehavi A, Abecasis P, Weissman A, Winterstern A, Katz YS. Subarachnoid block with hyperbaric bupivacaine and morphine may shorten PACU stay after cesarean delivery. *J Perianesth Nurs*. 2010;25(6):371-9.

1311.

Lemanek KL, Ranalli M, Lukens C. A randomized controlled trial of massage therapy in children with sickle cell disease. *J Pediatr Psychol*. 2009;34(10):1091-6. Epub 2009/03/14.

1312.

Lemaster JW, Mueller MJ, Reiber GE, Mehr DR, Madsen RW, Conn VS. Effect of weight-bearing activity on foot ulcer incidence in people with diabetic peripheral neuropathy: feet first randomized controlled trial. *Phys Ther*. 2008;88(11):1385-98.

1313.

LeMay S, Johnston C, Choiniere M, Fortin C, Hubert I, Frechette G, et al. Pain management interventions with parents in the emergency department: a randomized trial. *J Adv Nurs*. 2010;66(11):2442-9.

1314.

Leng HY, Zheng XL, Yan L, Zhang XH, He HY, Xiang M. [Effects of different types and concentration of oral sweet solution on reducing neonatal pain during heel lance procedures]. *Zhonghua Er Ke Za Zhi*. 2013;51(9):654-8. Epub 2013/12/18.

1315.

Lengacher CA, Kip KE, Post-White J, Fitzgerald S, Newton C, Barta M, et al. Lymphocyte recovery after breast cancer treatment and mindfulness-based stress reduction (MBSR) therapy. *Biol Res Nurs*. 2013;15(1):37-47.

1316.

Lengacher CA, Shelton MM, Reich RR, Barta MK, Johnson-Mallard V, Moscoso MS, et al. Mindfulness based stress reduction (MBSR(BC)) in breast cancer: evaluating fear of recurrence (FOR) as a mediator of psychological and physical symptoms in a randomized control trial (RCT). *J Behav Med*. 2014;37(2):185-95. Epub 2012/11/28.

1317.

Lenior ME, Dingemans PM, Linszen DH, de Haan L, Schene AH. Social functioning and the course of early-onset schizophrenia: five-year follow-up of a psychosocial intervention. *Br J Psychiatry*. 2001;179:53-8. Epub 2001/07/04.

1318.

Lennie TA, Moser DK, Biddle MJ, Welsh D, Bruckner GG, Thomas DT, et al. Nutrition intervention to decrease symptoms in patients with advanced heart failure. *Res Nurs Health*. 2013;36(2):120-45.

1319.

Leong LC, Yik YI, Catto-Smith AG, Robertson VJ, Hutson JM, Southwell BR. Long-term effects of transabdominal electrical stimulation in treating children with slow-transit constipation. *Journal of pediatric surgery*. 2011;46(12):2309-12. Epub 2011/12/14.

1320.

Lepage M, Renaud L, Champagne F, Rivard M. [Strategies to increase the brief interventions in smoking cessation among nurses in hospital settings: experimental study]. *Rech Soins Infirm*. 2014(116):57-69. Epub 2014/05/17. Evaluation comparative de strategies visant a augmenter les interventions de courte duree pour le sevrage tabagique aupres du personnel infirmier de milieux hospitaliers: resultats d'une etude experimentale.

1321.

Leroi I, Woolham J, Gathercole R, Howard R, Dunk B, Fox C, et al. Does telecare prolong community living in dementia? A study protocol for a pragmatic, randomised controlled trial. *Trials*. 2013;14:349. Epub 2013/10/25.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1322.

Leslie WS, Woodward M, Lean MEJ, Theobald H, Watson L, Hankey CR. Improving the dietary intake of under nourished older people in residential care homes using an energy-enriching food approach: a cluster randomised controlled study. *J Hum Nutr Diet.* 2013;26(4):387-94.

1323.

Lethbridge K, Yankou D, Andrusyszyn MA, American Holistic Nurses' Association Education Provider C. The effects of a restorative intervention on undergraduate nursing students' capacity to direct attention. *J Holist Nurs.* 2005;23(3):323-47. Epub 2005/07/29.

1324.

Letourneau N, Stewart M, Dennis CL, Hegadoren K, Duffett-Leger L, Watson B. Effect of home-based peer support on maternal-infant interactions among women with postpartum depression: a randomized, controlled trial. *Int J Ment Health Nurs.* 2011;20(5):345-57. Epub 2011/03/10.

1325.

Leung AY, Chan SS, Kwan CW, Cheung MK, Leung SS, Fong DY. Service learning in medical and nursing training: a randomized controlled trial. *Adv Health Sci Educ Theory Pract.* 2012;17(4):529-45.

1326.

Leung SS, Lam TH. Group antenatal intervention to reduce perinatal stress and depressive symptoms related to intergenerational conflicts: a randomized controlled trial. *Int J Nurs Stud.* 2012;49(11):1391-402.

1327.

Lev EL, Daley KM, Conner NE, Reith M, Fernandez C, Owen SV. An intervention to increase quality of life and self-care self-efficacy and decrease symptoms in breast cancer patients. *Sch Inq Nurs Pract.* 2001;15(3):277-94.

1328.

Leventhal LC, de Oliveira SM, Nobre MR, da Silva FM. Perineal analgesia with an ice pack after spontaneous vaginal birth: a randomized controlled trial. *J Midwifery Womens Health.* 2011;56(2):141-6.

1329.

Levin RF, Fineout-Overholt E, Melnyk BM, Barnes M, Vetter MJ. Fostering evidence-based practice to improve nurse and cost outcomes in a community health setting: A pilot test of the advancing research and clinical practice through close collaboration model. *Nursing Administration Quarterly.* 2011;35(1):21-33.

1330.

Levine RS, Husaini BA, Emerson JS, Hull PC, Briggs NC, Moriarty CJ, et al. Using a nursing protocol to assure equitable delivery of cancer-related prevention services. *Cellular and Molecular Biology.* 2003;49(8):1229-32.

1331.

Levy M, Heffner B, Stewart T, Beeman G. The efficacy of asthma case management in an urban school district in reducing school absences and hospitalizations for asthma. *J Sch Health.* 2006;76(6):320-4.

1332.

Levy-Storms L, Schnelle JF, Simmons SF. What do family members notice following an intervention to improve mobility and incontinence care for nursing home residents? An analysis of open-ended comments. *Gerontologist.* 2007;47(1):14-20.

1333.

Lewandowski WA. Patterning of pain and power with guided imagery. *Nurs Sci Q.* 2004;17(3):233-41.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1334.

Lewin G, Vandermeulen S. A non-randomised controlled trial of the Home Independence Program (HIP): an Australian restorative programme for older home-care clients. *Health Soc Care Community*. 2010;18(1):91-9.

1335.

Lewin S, Dick J, Zwarenstein M, Lombard CJ. Staff training and ambulatory tuberculosis treatment outcomes: a cluster randomized controlled trial in South Africa. *Bull World Health Organ*. 2005;83(4):250-9.

1336.

Lewis L, Carson S, Bydder S, Athifa M, Williams AM, Bremner A. Evaluating the effects of aluminum-containing and non-aluminum containing deodorants on axillary skin toxicity during radiation therapy for breast cancer: a 3-armed randomized controlled trial. *Int J Radiat Oncol Biol Phys*. 2014;90(4):765-71. Epub 2014/09/10.

1337.

Lewis-Byers K, Thayer D. An evaluation of two incontinence skin care protocols in a long-term care setting. *Ostomy/wound management*. 2002;48(12):44-51.

1338.

Li CY, Chen SC, Li CY, Gau ML, Huang CM. Randomised controlled trial of the effectiveness of using foot reflexology to improve quality of sleep amongst Taiwanese postpartum women. *Midwifery*. 2011;27(2):181-6.

1339.

Li HC, Chan SS, Mak YW, Lam TH. Effectiveness of a parental training programme in enhancing the parent-child relationship and reducing harsh parenting practices and parental stress in preparing children for their transition to primary school: a randomised controlled trial. *BMC Public Health*. 2013;13:1079. Epub 2013/11/19.

1340.

Li HC, Lopez V. Effectiveness and appropriateness of therapeutic play intervention in preparing children for surgery: a randomized controlled trial study. *Journal for Specialists in Pediatric Nursing*. 2008;13(2):63-73.

1341.

Li HC, Lopez V, Lee TL. Psychoeducational preparation of children for surgery: the importance of parental involvement. *Patient Educ Couns*. 2007;65(1):34-41. Epub 2006/07/29.

1342.

Li HCW. Evaluating the effectiveness of preoperative interventions: the appropriateness of using the children's emotional manifestation scale. *Journal of Clinical Nursing*. 2007;16(10):1919-26.

1343.

Li HCW, Chung OKJ, Ho KY, Chiu SY, Lopez V. Effectiveness of an integrated adventure-based training and health education program in promoting regular physical activity among childhood cancer survivors. *Psychooncology*. 2013;22(11):2601-10.

1344.

Li HCW, Lopez V, Lee TLI. Effects of preoperative therapeutic play on outcomes of school-age children undergoing day surgery. *Research in Nursing and Health*. 2007;30(3):320-2.

1345.

Li J, Fan Y-Y, Xin M-Z, Yan J, Hu W, Huang W-h, et al. A randomised, controlled trial comparing the long-term effects of peripherally inserted central catheter placement in chemotherapy patients using B-mode ultrasound with modified Seldinger technique versus blind puncture. *Eur J Oncol Nurs*. 2014;18(1):94-103.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1346.

Li J, Wang H, Xie H, Mei G, Cai W, Ye J, et al. Effects of post-discharge nurse-led telephone supportive care for patients with chronic kidney disease undergoing peritoneal dialysis in China: a randomized controlled trial. *Perit Dial Int.* 2014;34(3):278-88. Epub 2014/01/05.

1347.

Li L, Wang C, Wang Y, He LP, Yang YZ, Chen LH, et al. [Impact of topical application of autologous platelet-rich gel on medical expenditure and length of stay in hospitals in diabetic patients with refractory cutaneous ulcers]. *Sichuan Da Xue Xue Bao Yi Xue Ban.* 2012;43(5):762-5. Epub 2012/12/13.

1348.

Li LP, Zhuang AW, Bao YH, Chu JM, Dou XQ. [Clinical research on acupoint catgut implantation in the prevention and treatment of postpartum pain of uterine contraction with qi and blood deficiency]. *Zhongguo Zhen Jiu.* 2014;34(1):34-6. Epub 2014/03/29.

1349.

Li XM, Yan H, Zhou KN, Dang SN, Wang DL, Zhang YP. Effects of music therapy on pain among female breast cancer patients after radical mastectomy: results from a randomized controlled trial. *Breast Cancer Res Treat.* 2011;128(2):411-9. Epub 2011/05/04.

1350.

Liang R, Dai X, Zuojie L, Zhou A, Meijuan C. Two-year foot care program for minority patients with type 2 diabetes mellitus of Zhuang Tribe in Guangxi, China. *Canadian Journal of Diabetes.* 2012;36(1):15-8.

1351.

Liao WC, Chiu MJ, Landis CA. A warm footbath before bedtime and sleep in older Taiwanese with sleep disturbance. *Res Nurs Health.* 2008;31(5):514-28. Epub 2008/05/07.

1352.

Liaw JJ, Yang L, Katherine Wang KW, Chen CM, Chang YC, Yin T. Non-nutritive sucking and facilitated tucking relieve preterm infant pain during heel-stick procedures: a prospective, randomised controlled crossover trial. *Int J Nurs Stud.* 2012;49(3):300-9.

1353.

Liaw JJ, Yang L, Lee CM, Fan HC, Chang YC, Cheng LP. Effects of combined use of non-nutritive sucking, oral sucrose, and facilitated tucking on infant behavioural states across heel-stick procedures: a prospective, randomised controlled trial. *Int J Nurs Stud.* 2013;50(7):883-94.

1354.

Li-Chin L, Alan C T, Jiun-Yi W, Baai-Shyun H, Hui-Chuan H, Hsin-Jen T. Need-based intervention is an effective strategy for improving the nutritional status of older people living in a nursing home: A randomized controlled trial. *Int J Nurs Stud.* 2013;50(12):1580-8.

1355.

Liehr P, Meininger JC, Vogler R, Chan W, Frazier L, Smalling S, et al. Adding story-centered care to standard lifestyle intervention for people with Stage 1 hypertension. *Appl Nurs Res.* 2006;19(1):16-21.

1356.

Lightbody E, Watkins C, Leathley M, Sharma A, Lye M. Evaluation of a nurse-led falls prevention programme versus usual care: a randomized controlled trial. *Age Ageing.* 2002;31(3):203-10.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1357.

Lii YC, Tsay SL, Wang TJ. Group intervention to improve quality of life in haemodialysis patients. *J Clin Nurs.* 2007;16(11C):268-75.

1358.

Lim JT, Wong ET, Aung SK. Is there a role for acupuncture in the symptom management of patients receiving palliative care for cancer? A pilot study of 20 patients comparing acupuncture with nurse-led supportive care. *Acupunct Med.* 2011;29(3):173-9.

1359.

Lim JY, Kim MA, Kim SY, Kim EJ, Lee JE, Ko YK. The effects of a cognitive-behavioral therapy on career attitude maturity, decision making style, and self-esteem of nursing students in Korea. *Nurse education today.* 2010;30(8):731-6. Epub 2010/04/13.

1360.

Lima FE, De Araujo TL, Serafim EC, Custodio IL. Nursing consultation protocol for patients after myocardial revascularization: influence on anxiety and depression. *Revista latino-americana de enfermagem.* 2010;18(3):331-8. Epub 2010/08/20.

1361.

Lima LH, Lopes MV, Falcao RT, Freitas RM, Oliveira TF, da Costa Mda C. Intervention for ineffective airway clearance in asthmatic children: a controlled and randomized clinical trial. *Int J Nurs Pract.* 2013;19(1):88-94.

1362.

Limoges MF, Rickabaugh B. Evaluation of TENS during screening flexible sigmoidoscopy. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates.* 2004;27(2):61-8.

1363.

Limoges-Gonzalez M, Mann NS, Al-Juburi A, Tseng D, Inadomi J, Rossaro L. Comparisons of screening colonoscopy performed by a nurse practitioner and gastroenterologists: a single-center randomized controlled trial. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates.* 2011;34(3):210-6.

1364.

Lin CF, Lu MS, Chung CC, Yang CM. A comparison of problem-based learning and conventional teaching in nursing ethics education. *Nursing ethics.* 2010;17(3):373-82. Epub 2010/05/07.

1365.

Lin EC, Chan CH, Shao WC, Lin MF, Shiao S, Mueser KT, et al. A randomized controlled trial of an adapted Illness Management and Recovery program for people with schizophrenia awaiting discharge from a psychiatric hospital. *Psychiatr Rehabil J.* 2013;36(4):243-9. Epub 2013/12/11.

1366.

Lin EC-L, Chen S-L, Chao S-Y, Chen Y-C. Using standardized patient with immediate feedback and group discussion to teach interpersonal and communication skills to advanced practice nursing students. *Nurse education today.* 2013;33(6):677-83.

1367.

Lin LC, Huang YJ, Watson R, Wu SC, Lee YC. Using a Montessori method to increase eating ability for institutionalised residents with dementia: a crossover design. *J Clin Nurs.* 2011;20(21-22):3092-101. doi: 10.1111/j.365-2702.011.03858.x.

1368.

Lin LM, Lin CC, Chen CL, Lin CC. Effects of an education program on intensive care unit nurses' attitudes and behavioral intentions to advocate deceased donor organ donation. *Transplant Proc.* 2014;46(4):1036-40. Epub 2014/05/13.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1369.

Lin LY, Wang RH. Abdominal surgery, pain and anxiety: preoperative nursing intervention. *J Adv Nurs*. 2005;51(3):252-60.

1370.

Lin MF, Hsieh YJ, Hsu YY, Fetzter S, Hsu MC. A randomised controlled trial of the effect of music therapy and verbal relaxation on chemotherapy-induced anxiety. *J Clin Nurs*. 2011;20(7-8):988-99.

1371.

Lin PC, Lin ML, Huang LC, Hsu HC, Lin CC. Music therapy for patients receiving spine surgery. *Journal of Clinical Nursing*. 2011;20(7-8):960-8. Epub 2011/02/16.

1372.

Lin P-C, Wang C-H, Chen C-S, Liao L-P, Kao S-F, Wu H-F. To evaluate the effectiveness of a discharge-planning programme for hip fracture patients. *Journal of Clinical Nursing*. 2009;18(11):1632-9.

1373.

Lin Y, Chu H, Yang CY, Chen CH, Chen SG, Chang HJ, et al. Effectiveness of group music intervention against agitated behavior in elderly persons with dementia. *Int J Geriatr Psychiatry*. 2011;26(7):670-8.

1374.

Lin YH, Yu TJ, Lin VC, Wang HP, Lu K. Effects of early pelvic-floor muscle exercise for sexual dysfunction in radical prostatectomy recipients. *Cancer Nurs*. 2012;35(2):106-14. Epub 2011/09/15.

1375.

Lin ZC. Comparison of technology-based cooperative learning with technology-based individual learning in enhancing fundamental nursing proficiency. *Nurse education today*. 2013;33(5):546-51.

1376.

Lin ZC, Effken JA. Effects of a tailored web-based educational intervention on women's perceptions of and intentions to obtain mammography. *J Clin Nurs*. 2010;19(9-10):1261-9. Epub 2010/03/30.

1377.

Lin ZC, Wang SF. A tailored web-based intervention to promote women's perceptions of and intentions for mammography. *J Nurs Res*. 2009;17(4):249-60. Epub 2009/12/04.

1378.

Lincoln AE, Feuerstein M, Shaw WS, Miller VI. Impact of case manager training on worksite accommodations in workers' compensation claimants with upper extremity disorders. *J Occup Environ Med*. 2002;44(3):237-45. Epub 2002/03/26.

1379.

Linden MA, Whyatt C, Craig C, Kerr C. Efficacy of a powered wheelchair simulator for school aged children: a randomized controlled trial. *Rehabil Psychol*. 2013;58(4):405-11. Epub 2013/12/04.

1380.

Lindgren L, Lehtipalo S, Winsö O, Karlsson M, Wiklund U, Brulin C. Touch massage: a pilot study of a complex intervention. *Nurs Crit Care*. 2013;18(6):269-77.

1381.

Lindley-Jones M, Finlayson BJ. Triage nurse requested x rays - Are they worthwhile? *Journal of Accident and Emergency Medicine*. 2000;17(2):103-7.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1382.

Lindsey PL, Jenkins S. Nursing students' clinical judgment regarding rapid response: the influence of a clinical simulation education intervention. *Nursing forum*. 2013;48(1):61-70.

1383.

Lindskov S, Westergren A, Hagell P. A controlled trial of an educational programme for people with Parkinson's disease. *J Clin Nurs*. 2007;16(11C):368-76.

1384.

Lioffi C, White P, Hatira P. Randomized clinical trial of local anesthetic versus a combination of local anesthetic with self-hypnosis in the management of pediatric procedure-related pain. *Health Psychol*. 2006;25(3):307-15. Epub 2006/05/25.

1385.

Liou SR, Cheng CY, Tsai HM, Chang CH. Innovative strategies for teaching nursing research in Taiwan. *Nurs Res*. 2013;62(5):335-43. Epub 2013/09/03.

1386.

Litmanovitz I, Bar-Yoseph F, Lifshitz Y, Davidson K, Eliakim A, Regev RH, et al. Reduced crying in term infants fed high beta-palmitate formula: a double-blind randomized clinical trial. *BMC Pediatr*. 2014;14:152. Epub 2014/06/20.

1387.

Little M, Saul G, Testa K, Gaziano C. The influence of telephonic nursing care coordination on patient satisfaction in a predominantly low-income, high-risk pregnancy population. *Lippincott's case management : managing the process of patient care*. 2002;7(1):15-23. Epub 2002/02/13.

1388.

Little M, Saul GD, Testa K, Gaziano C. Improving pregnancy outcome and reducing avoidable clinical resource utilization through telephonic perinatal care coordination. *Lippincott's Case Manag*. 2002;7(3):103-12.

1389.

Littrell KH, Hilligoss NM, Kirshner CD, Petty RG, Johnson CG. The effects of an educational intervention on antipsychotic-induced weight gain. *J Nurs Scholarsh*. 2003;35(3):237-41.

1390.

Liu CJ, Hsiung PC, Chang KJ, Liu YF, Wang KC, Hsiao FH, et al. A study on the efficacy of body-mind-spirit group therapy for patients with breast cancer. *J Clin Nurs*. 2008;17(19):2539-49.

1391.

Liu CY, Xia HO, Isaman DM, Deng W, Oakley D. Nursing clinical trial of breast self-examination education in China. *International nursing review*. 2010;57(1):128-34. Epub 2010/05/22.

1392.

Liu HY, Tseng MY, Li HJ, Wu CC, Cheng HS, Yang CT, et al. Comprehensive care improves physical recovery of hip-fractured elderly Taiwanese patients with poor nutritional status. *J Am Med Dir Assoc*. 2014;15(6):416-22. Epub 2014/03/13.

1393.

Liu JE, Mok E, Wong T, Xue L, Xu B. Evaluation of an integrated communication skills training program for nurses in cancer care in Beijing, China. *Nurs Res*. 2007;56(3):202-9.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1394.

Liu JE, Zhang Y, Zhang J, Dong PL, Chen M, Duan ZP. Probiotic yogurt effects on intestinal flora of patients with chronic liver disease. *Nurs Res*. 2010;59(6):426-32. Epub 2010/11/05.

1395.

Liu MF, Lin KC, Chou YH, Lee TY. Using non-nutritive sucking and oral glucose solution with neonates to relieve pain: a randomised controlled trial. *J Clin Nurs*. 2010;19(11-12):1604-11.

1396.

Liu WI, Edwards H, Courtney M. Case management educational intervention with public health nurses: cluster randomized controlled trial. *J Adv Nurs*. 2010;66(10):2234-44.

1397.

Liu X, Meng Q, Yu D, Zhao X, Zhao T. Novel medical bathing with traditional Chinese herb formula alleviates paraplegia spasticity. *Int J Nurs Pract*. 2014;20(3):227-32.

1398.

Liu X, Niu X, Feng Q, Liu Y. Effects of five-element music therapy on elderly people with seasonal affective disorder in a Chinese nursing home. *J Tradit Chin Med*. 2014;34(2):159-61. Epub 2014/05/03.

1399.

Liu XH, Fu PL, Wang SY, Yang YJ, Lu GD. The effect of drainage tube on bleeding and prognosis after total knee arthroplasty: a prospective cohort study. *J Orthop Surg Res*. 2014;9:27. Epub 2014/04/24.

1400.

Liu YH, Chang MY, Chen CH. Effects of music therapy on labour pain and anxiety in Taiwanese first-time mothers. *J Clin Nurs*. 2010;19(7-8):1065-72.

1401.

Liu YW, Tsui CM. A randomized trial comparing Tai Chi with and without cognitive-behavioral intervention (CBI) to reduce fear of falling in community-dwelling elderly people. *Arch Gerontol Geriatr*. 2014;59(2):317-25. Epub 2014/06/24.

1402.

Livingston PM, White VM, Hayman J, Maunsell E, Dunn SM, Hill D. The psychological impact of a specialist referral and telephone intervention on male cancer patients: a randomised controlled trial. *Psychooncology*. 2010;19(6):617-25.

1403.

Lo S, Wang Y, Wu L, Hsu M, Chang S, Hayter M. Multimedia education programme for patients with a stoma: effectiveness evaluation. *J Adv Nurs*. 2011;67(1):68-76. Epub 2010/12/17.

1404.

Lo SF, Hayter M, Hsu M, Lin SE, Lin SI. The effectiveness of multimedia learning education programs on knowledge, anxiety and pressure garment compliance in patients undergoing burns rehabilitation in Taiwan: an experimental study. *J Clin Nurs*. 2010;19(1-2):129-37.

1405.

Lo S-F, Wang Y-T, Wu L-Y, Hsu M-Y, Chang S-C, Hayter M. A cost-effectiveness analysis of a multimedia learning education program for stoma patients. *Journal of Clinical Nursing*. 2010;19(13-14):1844-54.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1406.

Loan HT, Parry J, Nga NT, Yen LM, Binh NT, Thuy TT, et al. Semi-recumbent body position fails to prevent healthcare-associated pneumonia in Vietnamese patients with severe tetanus. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 2012;106(2):90-7. Epub 2011/12/27.

1407.

Lobchuk MM, McClement SE, Daeninck PJ, Shay C, Elands H. Asking the right question of informal caregivers about patient symptom experiences: multiple proxy perspectives and reducing interrater gap. *J Pain Symptom Manage*. 2007;33(2):130-45. Epub 2007/02/07.

1408.

Lock CA, Kaner E, Heather N, Doughty J, Crawshaw A, McNamee P, et al. Effectiveness of nurse-led brief alcohol intervention: a cluster randomized controlled trial. *J Adv Nurs*. 2006;54(4):426-39.

1409.

Lockhart JS, Goodfellow LM. The effect of a 5-week head & neck surgical oncology practicum on nursing students' perceptions of facial disfigurement: part I. *ORL-head and neck nursing : official journal of the Society of Otorhinolaryngology and Head-Neck Nurses*. 2009;27(3):7-12. Epub 2009/09/01.

1410.

Lofvenmark C, Saboonchi F, Edner M, Billing E, Mattiasson AC. Evaluation of an educational programme for family members of patients living with heart failure: a randomised controlled trial. *J Clin Nurs*. 2013;22(1-2):115-26. Epub 2012/09/06.

1411.

Loke AY, Chan HC, Chan TM. Comparing the effectiveness of two types of cooling blankets for febrile patients. *Nurs Crit Care*. 2005;10(5):247-54.

1412.

Lorig KR, Ritter PL, Gonzalez VM. Hispanic chronic disease self-management: a randomized community-based outcome trial. *Nurs Res*. 2003;52(6):361-9.

1413.

Loring C, Gregory K, Gargan B, LeBlanc V, Lundgren D, Reilly J, et al. Tub bathing improves thermoregulation of the late preterm infant. *J Obstet Gynecol Neonatal Nurs*. 2012;41(2):171-9.

1414.

Los Angeles d, Arredondo-Holgu n E, Herrera-Cort s R. Effectiveness of an educational program in nursing in the self-care of patients with heart failure: randomized controlled trial. *Revista Latino-Americana de Enfermagem (RLAE)*. 2012;20(2):296-306.

1415.

Losada Baltar A, Izal Fernandez de Troconiz M, Montorio Cerrato I, Marquez Gonzalez M, Perez Rojo G. [Differential efficacy of two psychoeducational interventions for dementia family caregivers]. *Rev Neurol*. 2004;38(8):701-8. Epub 2004/05/04. Eficacia diferencial de dos intervenciones psicoeducativas para cuidadores de familiares con demencia.

1416.

Lourenco LB, Rodrigues RC, Ciol MA, Sao-Joao TM, Cornelio ME, Dantas RA, et al. A randomized controlled trial of the effectiveness of planning strategies in the adherence to medication for coronary artery disease. *J Adv Nurs*. 2014;70(7):1616-28. Epub 2013/12/10.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1417.

Lovell K, Wearden A, Bradshaw T, Tomenson B, Pedley R, Davies LM, et al. An exploratory randomized controlled study of a healthy living intervention in early intervention services for psychosis: the INTERvention to encourage ACTivity, improve diet, and reduce weight gain (INTERACT) study. *J Clin Psychiatry*. 2014;75(5):498-505. Epub 2014/02/07.

1418.

Low L-F, Goodenough B, Fletcher J, Xu K, Casey A-N, Chenoweth L, et al. The Effects of Humor Therapy on Nursing Home Residents Measured Using Observational Methods: The SMILE Cluster Randomized Trial. *J Am Med Dir Assoc*. 2014;15(8):564-9.

1419. Lowe G, Stike R, Pollack M, Bosley J, O'Brien P, Hake A, et al. Nursing blood specimen collection techniques and hemolysis rates in an emergency department: analysis of venipuncture versus intravenous catheter collection techniques. *J Emerg Nurs*. 2008;34(1):26-32.

1420.

Lu DF, Hart LK, Lutgendorf SK, Oh H, Schilling M. Slowing progression of early stages of AD with alternative therapies: a feasibility study. *Geriatr Nurs*. 2013;34(6):457-64. Epub 2013/08/27.

1421.

Lu JQ, Feng RZ, Pan H, Li N. [A randomized controlled clinical trial for acupuncture stimulation of Neiguan (PC 6) to prevent postoperative nausea and vomiting]. *Zhen Ci Yan Jiu*. 2013;38(3):245-8. Epub 2013/09/07.

1422.

Lu MC, Yu S, Chen JJ, Wang KW, Wu HF, Tang FI. Nurses' knowledge of high-alert medications: a randomized controlled trial. *Nurse education today*. 2013;33(1):24-30.

1423.

Lu SF, Lo CH, Sung HC, Hsieh TC, Yu SC, Chang SC. Effects of group music intervention on psychiatric symptoms and depression in patient with schizophrenia. *Complementary therapies in medicine*. 2013;21(6):682-8. Epub 2013/11/28.

1424.

Lucisano KE. Use of human patient simulation to teach difficult airway management and improve patient safety in the nurse anesthesia student: University of North Carolina at Charlotte; 2012.

1425.

Ludington-Hoe SM, Anderson GC, Swinth JY, Thompson C, Hadeed AJ. Randomized controlled trial of kangaroo care: cardiorespiratory and thermal effects on healthy preterm infants. *Neonatal Netw*. 2004;23(3):39-48.

1426.

Ludington-Hoe SM, Hosseini R, Torowicz DL. Skin-to-skin contact (Kangaroo Care) analgesia for preterm infant heel stick. *AACN Clin Issues*. 2005;16(3):373-87.

1427.

Ludington-Hoe SM, Nguyen N, Swinth JY, Satyshur RD. Kangaroo care compared to incubators in maintaining body warmth in preterm infants. *Biol Res Nurs*. 2000;2(1):60-73.

1428.

Ludington-Hoe SM, Swinth JY. Kangaroo mother care during phototherapy: effect on bilirubin profile. *Neonatal Netw*. 2001;20(5):41-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1429.

Lukas A, Kilian R, Hay B, Muche R, von Arnim CA, Otto M, et al. [Maintenance of health and relief for caregivers of elderly with dementia by using "initial case management": experiences from the Lighthouse Project on Dementia, Ulm, ULTDEM-study]. *Z Gerontol Geriatr.* 2012;45(4):298-309. Epub 2012/04/28. Gesunderhaltung und Entlastung pflegender Angehöriger von Demenzkranken durch ein "initiales Case Management": Erfahrungen aus dem Ulmer Leuchtturmprojekt Demenz (ULTDEM-Studie).

1430.

Lumley J, Small R, Brown S, Watson L, Gunn J, Mitchell C, et al. PRISM (Program of Resources, Information and Support for Mothers) Protocol for a community-randomised trial [ISRCTN03464021]. *BMC Public Health.* 2003;3:36. Epub 2003/11/25.

1431.

Lund J, Kaasa S, Wibe A, Widmark A, Fransson P. Late radiation effects to the rectum and anus after treatment for prostate cancer; validity of the LENT/SOMA score. *Acta Oncologica.* 2013;52(4):727-35.

1432. Lund-Nielsen B. 8 Impact and Management of Malignant Wounds. *Eur J Oncol Nurs.* 2012;16:S3-4.

1433.

Lund-Nielsen B, Adamsen L, Gottrup F, Rorth M, Tolver A, Kolmos HJ. Qualitative bacteriology in malignant wounds--a prospective, randomized, clinical study to compare the effect of honey and silver dressings. *Ostomy/wound management.* 2011;57(7):28-36. Epub 2011/09/10.

1434.

Luque-Suarez A, Gijon-Nogueron G, Baron-Lopez FJ, Labajos-Manzanares MT, Hush J, Hancock MJ. Effects of kinesiotaping on foot posture in participants with pronated foot: a quasi-randomised, double-blind study. *Physiotherapy.* 2014;100(1):36-40. Epub 2013/08/28.

1435.

Lutenbacher M, Gabbe PT, Karp SM, Dietrich MS, Narrigan D, Carpenter L, et al. Does additional prenatal care in the home improve birth outcomes for women with a prior preterm delivery? A randomized clinical trial. *Matern Child Health J.* 2014;18(5):1142-54. Epub 2013/08/08.

1436.

Luttenberger K, Donath C, Uter W, Graessel E. Effects of multimodal nondrug therapy on dementia symptoms and need for care in nursing home residents with degenerative dementia: a randomized-controlled study with 6-month follow-up. *J Am Geriatr Soc.* 2012;60(5):830-40.

1437.

Luukinen H, Lehtola S, Jokelainen J, Vaananen-Sainio R, Lotvonen S, Koistinen P. Prevention of disability by exercise among the elderly: a population-based, randomized, controlled trial. *Scandinavian journal of primary health care.* 2006;24(4):199-205. Epub 2006/11/23.

1438.

Lyon ME, Jacobs S, Briggs L, Cheng YI, Wang J. A Longitudinal, Randomized, Controlled Trial of Advance Care Planning for Teens With Cancer: Anxiety, Depression, Quality of Life, Advance Directives, Spirituality. *J Adolesc Health.* 2014;54(6):710-7.

1439.

Lytle J, Mwatha C, Davis KK. Effect of lavender aromatherapy on vital signs and perceived quality of sleep in the intermediate care unit: A pilot study. *Am J Crit Care.* 2014;23(1):24-9.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1440.

Ma HN, Li HL, Che W. [Effect of exchange of tracheal tube for laryngeal mask airway(LMA) on intratracheal extubation stress response under deep anesthesia level after surgery in elderly patients with hypertension]. *Zhonghua Wai Ke Za Zhi*. 2010;48(23):1811-4. Epub 2011/01/08.

1441.

Ma KK, Chan MF, Pang SMC. The effectiveness of using a lipido-colloid dressing for patients with traumatic digital wounds. *Clin Nurs Res*. 2006;15(2):119-34.

1442.

MacArthur C, Winter HR, Bick DE, Lilford RJ, Lancashire RJ, Knowles H, et al. Redesigning postnatal care: a randomised controlled trial of protocol-based midwifery-led care focused on individual women's physical and psychological health needs. *Health Technol Assess*. 2003;7(37):1-98.

1443.

MacDonald K, Latimer M, Drisdelle N. Determining the impact of a surgical liaison nurse role in the paediatric operating room. *Can Oper Room Nurs J*. 2006;24(1):7-8, 10-1, 3-4 passim.

1444.

Machado AF, Pedreira ML, Chaud MN. [Prospective, randomized and controlled trial on the dwell time of peripheral intravenous catheters in children, according to three dressing regimens]. *Revista latino-americana de enfermagem*. 2005;13(3):291-8. Epub 2005/08/02. Estudo prospectivo, randomizado e controlado sobre o tempo de permanencia de cateteres venosos perifericos em crianas, segundo tres tipos de curativos.

1445.

Machira G, Kariuki H, Martindale L. Impact of an educational pain management programme on nurses' pain knowledge and attitudes in Kenya. *International Journal of Palliative Nursing*. 2013;19(7):341-6.

1446.

Macintyre CR, Wang Q, Seale H, Yang P, Shi W, Gao Z, et al. A randomized clinical trial of three options for n95 respirators and medical masks in health workers. *American Journal of Respiratory & Critical Care Medicine*. 2013;187(9):960-6.

1447.

Macke JK. Analgesia for circumcision: effects on newborn behavior and mother/infant interaction. *J Obstet Gynecol Neonatal Nurs*. 2001;30(5):507-14.

1448.

Mackenzie CS, Poulin PA, Seidman-Carlson R. A brief mindfulness-based stress reduction intervention for nurses and nurse aides. *Appl Nurs Res*. 2006;19(2):105-9.

1449.

MacKenzie G, Ireland S, Moore S, Heinz I, Johnson R, Oczkowski W, et al. Tailored interventions to improve hypertension management after stroke or TIA--Phase II (TIMS II). *Canadian Journal of Neuroscience Nursing*. 2013;35(1):27-34.

1450.

MacMahon Tone J, Agha A, Sherlock M, Finucane F, Tormey W, Thompson CJ. An intensive nurse-led, multi-interventional clinic is more successful in achieving vascular risk reduction targets than standard diabetes care. *Irish Journal of Medical Science*. 2009;178(2):179-86.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1451.

Madigan SM, Fleming P, Wright ME, Stevenson M, Macauley D. A cluster randomised controlled trial of a nutrition education intervention in the community. *J Hum Nutr Diet.* 2014;27 Suppl 2:12-20. Epub 2013/05/10.

1452.

Mador JE, Giles L, Whitehead C, Crotty M. A randomized controlled trial of a behavior advisory service for hospitalized older patients with confusion. *Int J Geriatr Psychiatry.* 2004;19(9):858-63. Epub 2004/09/08.

1453.

Mafwiri MM, Kisenge R, Gilbert CE. A pilot study to evaluate incorporating eye care for children into reproductive and child health services in Dar-es-Salaam, Tanzania: a historical comparison study. *BMC Nursing.* 2014;13(1):2-20.

1454.

Magnusson M, Lagerberg D, Sundelin C. Organizational differences in early child health care -- mothers' and nurses' experiences of the services. *Scand J Caring Sci.* 2012;26(1):161-8. Epub 2011/09/03.

1455.

Mahler C, Schmidt A, Verveur D. [The application of hydrocolloids in genital skin care of pre-term infants]. *Pflege.* 2004;17(6):395-401. Einsatz der Hydrokolloidplatte bei Wundsein im Genitalbereich bei Frühgeborenen.

1456.

Mahler HI, Kulik JA. Effects of a videotape information intervention for spouses on spouse distress and patient recovery from surgery. *Health Psychol.* 2002;21(5):427-37. Epub 2002/09/05.

1457.

Mahoney DF, Tarlow BJ, Jones RN. Effects of an automated telephone support system on caregiver burden and anxiety: findings from the REACH for TLC intervention study. *Gerontologist.* 2003;43(4):556-67.

1458.

Mahoney DM. Developing technology applications for intervention research: a case study. *Comput Nurs.* 2000;18(6):260-4. Epub 2000/12/06.

1459.

Mainous RO, Looney S. A pilot study of changes in cerebral blood flow velocity, resistance, and vital signs following a painful stimulus in the premature infant. *Adv Neonatal Care.* 2007;7(2):88-104. Epub 2007/07/04.

1460.

Mair F, Boland A, Angus R, Haycox A, Hibbert D, Bonner S, et al. A randomized controlled trial of home telecare. *J Telemed Telecare.* 2002;8 Suppl 2:58-60. Epub 2002/09/10.

1461.

Maisels MJ, Kring EA. A simple approach to improving patient satisfaction. *Clin Pediatr (Phila).* 2005;44(9):797-800. Epub 2005/12/06.

1462.

Malbrain M, Hendriks B, Wijnands P, Denie D, Jans A, Vanpellicom J, et al. A pilot randomised controlled trial comparing reactive air and active alternating pressure mattresses in the prevention and treatment of pressure ulcers among medical ICU patients. *J Tissue Viability.* 2010;19(1):7-15.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1463.

Maleta K, Kuittinen J, Duggan MB, Briend A, Manary M, Wales J, et al. Supplementary feeding of underweight, stunted Malawian children with a ready-to-use food. *J Pediatr Gastroenterol Nutr.* 2004;38(2):152-8. Epub 2004/01/22.

1464.

Malik N, Kingdon D, Pelton J, Mehta R, Turkington D. Effectiveness of brief cognitive-behavioral therapy for schizophrenia delivered by mental health nurses: relapse and recovery at 24 months. *J Clin Psychiatry.* 2009;70(2):201-7.

1465.

Maljanian R, Grey N, Staff I, Conroy L. Intensive telephone follow-up to a hospital-based disease management model for patients with diabetes mellitus. *Dis Manag.* 2005;8(1):15-25. Epub 2005/02/22.

1466.

Malm D, Karlsson JE, Fridlund B. Effects of a self-care program on the health-related quality of life of pacemaker patients: a nursing intervention study. *Can J Cardiovasc Nurs.* 2007;17(1):15-26.

1467.

Maloney S, Haas R, Keating JL, Molloy E, Jolly B, Sims J, et al. Effectiveness of Web-based versus face-to-face delivery of education in prescription of falls-prevention exercise to health professionals: randomized trial. *Journal of medical Internet research.* 2011;13(4):e116. Epub 2011/12/23.

1468.

Maneesakorn S, Robson D, Gournay K, Gray R. An RCT of adherence therapy for people with schizophrenia in Chiang Mai, Thailand. *J Clin Nurs.* 2007;16(7):1302-12.

1469.

Mann EA, Jones JA, Wolf SE, Wade CE. Computer decision support software safely improves glycemic control in the burn intensive care unit: a randomized controlled clinical study. *J Burn Care Res.* 2011;32(2):246-55.

1470.

Mant J, Winner S, Roche J, Wade DT. Family support for stroke: one year follow up of a randomised controlled trial. *J Neurol Neurosurg Psychiatry.* 2005;76(7):1006-8. Epub 2005/06/21.

1471.

Manuel Montes J, Maurino J, Diez T, Saiz-Ruiz J. Factors associated with the effectiveness of a telephone-based nursing strategy for enhancing medication adherence in schizophrenia. *Clin Pract Epidemiol Ment Health.* 2011;7:117-9.

1472.

Marcantonio ER, Bergmann MA, Kiely DK, Orav EJ, Jones RN. Randomized trial of a delirium abatement program for postacute skilled nursing facilities. *J Am Geriatr Soc.* 2010;58(6):1019-26. Epub 2010/05/22.

1473.

Marek KD, Stetzer F, Ryan PA, Bub LD, Adams SJ, Schlidt A, et al. Nurse care coordination and technology effects on health status of frail older adults via enhanced self-management of medication: randomized clinical trial to test efficacy. *Nurs Res.* 2013;62(4):269-78. Epub 2013/07/03.

1474.

Mariani P, Saeed MU, Potti A, Hebert B, Sholes K, Lewis MJ, et al. Ineffectiveness of the measurement of 'routine' vital signs for adult inpatients with community-acquired pneumonia. *Int J Nurs Pract.* 2006;12(2):105-9.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1475.

Marion LN, Finnegan L, Campbell RT, Szalacha LA. The Well Woman Program: a community-based randomized trial to prevent sexually transmitted infections in low-income African American women. *Res Nurs Health*. 2009;32(3):274-85.

1476.

Mark KE, Meinzen-Derr J, Stephenson R, Haworth A, Ahmed Y, Duncan D, et al. Contraception among HIV concordant and discordant couples in Zambia: a randomized controlled trial. *J Womens Health (Larchmt)*. 2007;16(8):1200-10.

1477.

Markle-Reid M, Browne G, Gafni A, Roberts J, Weir R, Thabane L, et al. The Effects and Costs of a Multifactorial and Interdisciplinary Team Approach to Falls Prevention for Older Home Care Clients 'At Risk' for Falling: A Randomized Controlled Trial. *Canadian Journal on Aging-Revue Canadienne Du Vieillessement*. 2010;29(1):139-61.

1478.

Markle-Reid M, Browne G, Roberts J, Gafni A, Byrne C. The 2-year costs and effects of a public health nursing case management intervention on mood-disordered single parents on social assistance. *J Eval Clin Pract*. 2002;8(1):45-59.

1479.

Markle-Reid M, Weir R, Browne G, Roberts J, Gafni A, Henderson S. Health promotion for frail older home care clients. *J Adv Nurs*. 2006;54(3):381-95.

1480.

Marmol MT, Braga FT, Garbin LM, Moreli L, dos Santos CB, de Carvalho EC. Central catheter dressing in a simulator: the effects of tutor's assistance or self-learning tutorial. *Revista latino-americana de enfermagem*. 2012;20(6):1134-41.

1481.

Maron DJ, Forbes BL, Groves JR, Dietrich MS, Sells P, DiGenio AG. Health-risk appraisal with or without disease management for worksite cardiovascular risk reduction. *Journal of Cardiovascular Nursing*. 2008;23(6):513-8.

1482.

Martensson J, Stromberg A, Dahlstrom U, Karlsson JE, Fridlund B. Patients with heart failure in primary health care: effects of a nurse-led intervention on health-related quality of life and depression. *Eur J Heart Fail*. 2005;7(3):393-403.

1483.

Martin SD, Brown LM, Reid WM. Predictors of nurses' intentions to work during the 2009 influenza A (H1N1) pandemic. *Am J Nurs*. 2013;113(12):24-31; quiz 2. Epub 2013/11/20.

1484.

Martindale-Adams J, Nichols LO, Burns R, Graney MJ, Zuber J. A trial of dementia caregiver telephone support. *Can J Nurs Res*. 2013;45(4):30-48. Epub 2014/03/13.

1485.

Martinez-Silvestrini JA, Newcomer KL, Gay RE, Schaefer MP, Kortebein P, Arendt KW. Chronic lateral epicondylitis: comparative effectiveness of a home exercise program including stretching alone versus stretching supplemented with eccentric or concentric strengthening. *J Hand Ther*. 2005;18(4):411-9, quiz 20. Epub 2005/11/08.

1486.

Martin-Madrazo C, Soto-Diaz S, Canada-Dorado A, Salinero-Fort MA, Medina-Fernandez M, Carrillo de Santa Pau E, et al. Cluster randomized trial to evaluate the effect of a multimodal hand hygiene improvement strategy in primary care. *Infect Control Hosp Epidemiol*. 2012;33(7):681-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1487. Massey RL. A randomized trial of rocking-chair motion on the effect of postoperative ileus duration in patients with cancer recovering from abdominal surgery. *Appl Nurs Res.* 2010;23(2):59-64.
1488.
Massey RL. Return of Bowel Sounds Indicating An End of Postoperative Ileus: Is it Time to Cease this Long-Standing Nursing Tradition? *MEDSURG Nursing.* 2012;21(3):146-50.
1489.
Massey Z, Rising SS, Ickovics J. CenteringPregnancy group prenatal care: Promoting relationship-centered care. *J Obstet Gynecol Neonatal Nurs.* 2006;35(2):286-94. Epub 2006/04/20.
1490.
Mathew J, D'Silva F. A Study on Effectiveness of Deep Breathing Exercise on Pulmonary Function Among Patients with Chronic Airflow Limitation. *International Journal of Nursing Education.* 2010;3(2):34-7.
1491.
Mattejat F, Hirt BR, Wilken J, Schmidt MH, Remschmidt H. Efficacy of inpatient and home treatment in psychiatrically disturbed children and adolescents. Follow-up assessment of the results of a controlled treatment study. *Eur Child Adolesc Psychiatry.* 2001;10 Suppl 1:171-9. Epub 2002/01/17.
1492.
Matthews EE, Berger AM, Schmiege SJ, Cook PF, McCarthy MS, Moore CM, et al. Cognitive Behavioral Therapy for Insomnia Outcomes in Women After Primary Breast Cancer Treatment: A Randomized, Controlled Trial. *Oncol Nurs Forum.* 2014;41(3):241-53.
1493.
Matzen LE, Foged L, Pedersen P, Wengle K, Andersen-Ranberg K. [Geriatric home visits can prevent hospitalisation of subacute patients but is time-consuming. A randomised study]. *Ugeskr Laeger.* 2007;169(22):2113-8. Epub 2007/06/08. Geriatrisk teambesog kan forebygge indlaeggelse af subakut henviste patienter, men er et tidskraevende tilbud. En randomiseret undersogelse.
1494.
Matzen LE, Foged L, Pedersen P, Wengler K, Andersen-Ranberg K. [Primary visitation of elective referred geriatric patients--a randomised study of home visits compared to day hospital visits]. *Ugeskr Laeger.* 2007;169(22):2109-13. Epub 2007/06/08. Primaer visitation af elektive geriatriske patienter. En randomiseret undersogelse af hjemmebesog kontra ambulantbesog.
1495.
Matziou V, Chrysostomou A, Vlahioti E, Perdikaris P. Parental presence and distraction during painful childhood procedures. *Br J Nurs.* 2013;22(8):470-5. Epub 2013/08/03.
1496.
Maughan K, Clarke C. The effect of a clinical nurse specialist in gynaecological oncology on quality of life and sexuality. *Journal of Clinical Nursing.* 2001;10(2):221-9.
1497.
Maward L, Azar N. [Comparative study of anxiety in informed and non-informed patients in the preoperative period]. *Rech Soins Infirm.* 2004(78):35-58. Etude comparative de l'anxiete, entre patients informes et non informes en periode preoperatoire.
1498.
Mayerhofer K, Bodner-Adler B, Bodner K, Rabl M, Kaider A, Wagenbichler P, et al. Traditional care of the perineum during birth. A prospective, randomized, multicenter study of 1,076 women. *J Reprod Med.* 2002;47(6):477-82.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1499.

Mayo NE, Scott S. Evaluating a complex intervention with a single outcome may not be a good idea: an example from a randomised trial of stroke case management. *Age Ageing*. 2011;40(6):718-24.

1500.

McBride KL, White CL, Sourial R, Mayo N. Postdischarge nursing interventions for stroke survivors and their families. *J Adv Nurs*. 2004;47(2):192-200. Epub 2004/06/16.

1501.

McCaffrey R, Locsin R. The effect of music listening on acute confusion and delirium in elders undergoing elective hip and knee surgery. *Journal of Clinical Nursing*. 2004;13(6B):91-6.

1502. McCaffrey R, Ruknui P, Hatthakit U, Kasetomboon P. The effects of yoga on hypertensive persons in Thailand. *Holist Nurs Pract*. 2005;19(4):173-80.

1503.

McCain GC, Del Moral T, Duncan RC, Fontaine JL, Pino LD. Transition from gavage to nipple feeding for preterm infants with bronchopulmonary dysplasia. *Nurs Res*. 2012;61(6):380-7.

1504.

McCain NL, Munjas BA, Munro CL, Elswick RK, Jr., Robins JL, Ferreira-Gonzalez A, et al. Effects of stress management on PNI-based outcomes in persons with HIV disease. *Res Nurs Health*. 2003;26(2):102-17.

1505.

McCann L, Maguire R, Miller M, Kearney N. Patients' perceptions and experiences of using a mobile phone-based advanced symptom management system (ASyMS) to monitor and manage chemotherapy related toxicity. *Eur J Cancer Care (Engl)*. 2009;18(2):156-64.

1506.

McCann TV, Lubman DI, Cotton SM, Murphy B, Crisp K, Catania L, et al. A randomized controlled trial of bibliotherapy for carers of young people with first-episode psychosis. *Schizophr Bull*. 2013;39(6):1307-17. Epub 2012/11/23.

1507.

McCausland Kurz J. Impact of organ donation education on US undergraduate nursing students. *Progress in Transplantation*. 2014;24(2):211-7.

1508.

McClurg D, Hagen S, Hawkins S, Lowe-Strong A. Abdominal massage for the alleviation of constipation symptoms in people with multiple sclerosis: a randomized controlled feasibility study. *Multiple sclerosis*. 2011;17(2):223-33. Epub 2010/10/14.

1509.

McClurg D, Hilton P, Dolan L, Monga A, Hagen S, Frawley H, et al. Pelvic floor muscle training as an adjunct to prolapse surgery: a randomised feasibility study. *Int Urogynecol J*. 2014;25(7):883-91. Epub 2014/02/07.

1510.

McConnell MKT, McDilda K, Bridges R, Marsh N, Jenkins G, Dowdy J, et al. Comparison of different methods for achieving hemostasis after arterial sheath removal. *Journal of Cardiovascular Nursing*. 2012;27(4):E1-E5.

1511.

McCooty S, Latthe P. Quality control in urodynamics. *Nurs Stand*. 2013;27(43):35-8. Epub 2013/08/31.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1512.

McCorkle R, Dowd M, Ercolano E, Schulman-Green D, Williams A-I, Siefert ML, et al. Effects of a nursing intervention on quality of life outcomes in post-surgical women with gynecological cancers. *Psychooncology*. 2009;18(1):62-70.

1513.

McCorkle R, Jeon S, Ercolano E, Schwartz P. Healthcare utilization in women after abdominal surgery for ovarian cancer. *Nurs Res*. 2011;60(1):47-57.

1514.

McCorkle R, Strumpf NE, Nuamah IF, Adler DC, Cooley ME, Jepson C, et al. A specialized home care intervention improves survival among older post-surgical cancer patients. *Journal of the American Geriatrics Society*. 2000;48(12):1707-13.

1515.

McCrow J, Sullivan KA, Beattie ER. Delirium knowledge and recognition: A randomized controlled trial of a web-based educational intervention for acute care nurses. *Nurse education today*. 2014;34(6):912-7.

1516.

McCullagh E, Brigstocke G, Donaldson N, Kalra L. Determinants of caregiving burden and quality of life in caregivers of stroke patients. *Stroke*. 2005;36(10):2181-6. Epub 2005/09/10.

1517.

McCurry SM, Pike KC, Vitiello MV, Logsdon RG, Larson EB, Teri L. Increasing walking and bright light exposure to improve sleep in community-dwelling persons with Alzheimer's disease: results of a randomized, controlled trial. *J Am Geriatr Soc*. 2011;59(8):1393-402.

1518.

McDonald DD, Frakes M, Apostolidis B, Armstrong B, Goldblatt S, Bernardo D. Effect of a psychiatric diagnosis on nursing care for nonpsychiatric problems. *Res Nurs Health*. 2003;26(3):225-32.

1519.

McDonald DD, Freeland M, Thomas G, Moore J. Testing a preoperative pain management intervention for elders. *Res Nurs Health*. 2001;24(5):402-9.

1520.

McDonald DD, Gifford T, Walsh S. Effect of a virtual pain coach on older adults' pain communication: a pilot study. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2011;12(1):50-6.

1521.

McDonald DD, Goncalves PH, Almario VE, Krajewski AL, Cervera PL, Kaeser DM, et al. Assisting women to learn myocardial infarction symptoms. *Public Health Nurs*. 2006;23(3):216-23.

1522.

McDonald DD, Martin D, Foley D, Baker L, Hintz D, Faure L, et al. Motivating people to learn cardiopulmonary resuscitation and use of automated external defibrillators. *J Cardiovasc Nurs*. 2010;25(1):69-74.

1523.

McDonald DD, Shea M, Fedo J, Rose L, Bacon K, Noble K, et al. Older adult pain communication and the Brief Pain Inventory Short Form. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2008;9(4):154-9, 9 e1-2.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1524.

McDonald DD, Thomas GJ, Livingston KE, Severson JS. Assisting older adults to communicate their postoperative pain. *Clin Nurs Res.* 2005;14(2):109-26; discussion 27-30. Epub 2005/03/29.

1525.

McDonald DD, Walsh S, Vergara C, Gifford T. Effect of a virtual pain coach on pain management discussions: a pilot study. *Pain management nursing : official journal of the American Society of Pain Management Nurses.* 2013;14(4):200-9. Epub 2013/12/10.

1526.

McDougall GJ, Jr., Becker H, Pituch K, Acee TW, Vaughan PW, Delville CL. The SeniorWISE study: improving everyday memory in older adults. *Arch Psychiatr Nurs.* 2010;24(5):291-306. Epub 2010/09/21.

1527.

McElligott D, Holz MB, Carollo L, Somerville S, Baggett M, Kuzniewski S, et al. A pilot feasibility study of the effects of touch therapy on nurses. *J N Y State Nurses Assoc.* 2003;34(1):16-24.

1528.

McFarlane JM, Groff JY, O'Brien JA, Watson K. Behaviors of children following a randomized controlled treatment program for their abused mothers. *Issues in comprehensive pediatric nursing.* 2005;28(4):195-211.

1529.

McHugh F, Lindsay GM, Hanlon P, Hutton I, Brown MR, Morrison C, et al. Nurse led shared care for patients on the waiting list for coronary artery bypass surgery: a randomised controlled trial. *Heart.* 2001;86(3):317-23.

1530.

McKeever P, Stevens B, Miller KL, MacDonell JW, Gibbins S, Guerriere D, et al. Home versus hospital breastfeeding support for newborns: a randomized controlled trial. *Birth.* 2002;29(4):258-65.

1531.

McKinley S. A nursing-implemented sedation protocol and the duration of mechanical ventilation. *Aust Crit Care.* 2000;13(2):72-4.

1532.

McKinley S, Dracup K, Moser DK, Riegel B, Doering LV, Meischke H, et al. The effect of a short one-on-one nursing intervention on knowledge, attitudes and beliefs related to response to acute coronary syndrome in people with coronary heart disease: a randomized controlled trial. *Int J Nurs Stud.* 2009;46(8):1037-46.

1533.

McLeod D, Pullon S, Benn C, Cookson T, Dowell A, Viccars A, et al. Can support and education for smoking cessation and reduction be provided effectively by midwives within primary maternity care? *Midwifery.* 2004;20(1):37-50.

1534.

McMillan SC, Small BJ. Using the COPE intervention for family caregivers to improve symptoms of hospice homecare patients: a clinical trial. *Oncol Nurs Forum.* 2007;34(2):313-21. Epub 2007/06/19.

1535.

McMillan SC, Small BJ, Haley WE, Zambroski C, Buck HG. The COPE Intervention for Caregivers of Patients with Heart Failure: An Adapted Intervention. *J Hosp Palliat Nurs.* 2013;15(4):196-206.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1536.

McMullan M, Jones R, Lea S. The effect of an interactive e-drug calculations package on nursing students' drug calculation ability and self-efficacy. *Int J Med Inform.* 2011;80(6):421-30. Epub 2011/04/08.

1537.

McPherson S, Packer RR, Cameron JM, Howell DN, Roll JM. Biochemical marker of use is a better predictor of outcomes than self-report metrics in a contingency management smoking cessation analog study. *Am J Addict.* 2014;23(1):15-20. Epub 2013/12/10.

1538.

McQueen KA, Dennis CL, Stremler R, Norman CD. A pilot randomized controlled trial of a breastfeeding self-efficacy intervention with primiparous mothers. *J Obstet Gynecol Neonatal Nurs.* 2011;40(1):35-46.

1539.

McSweeney K, Jeffreys A, Griffith J, Plakiotis C, Kharsas R, O'Connor DW. Specialist mental health consultation for depression in Australian aged care residents with dementia: a cluster randomized trial. *Int J Geriatr Psychiatry.* 2012;27(11):1163-71.

1540.

Meaume S, Ourabah Z, Cartier H, Granel-Brocard F, Combemale P, Bressieux JM, et al. Evaluation of a lipidocolloid wound dressing in the local management of leg ulcers. *J Wound Care.* 2005;14(7):329-34. Epub 2005/07/29.

1541.

Medves JM, O'Brien B. The effect of bather and location of first bath on maintaining thermal stability in newborns. *J Obstet Gynecol Neonatal Nurs.* 2004;33(2):175-82.

1542.

Meechan R, Mason V, Catling J. The impact of an integrated pharmacology and medicines management curriculum for undergraduate adult nursing students on the acquisition of applied drug/pharmacology knowledge. *Nurse education today.* 2011;31(4):383-9.

1543.

Meerlo-Habing ZE, Kusters-Boes EA, Klip H, Brand PL. Early discharge with tube feeding at home for preterm infants is associated with longer duration of breast feeding. *Arch Dis Child Fetal Neonatal Ed.* 2009;94(4):F294-7. Epub 2009/01/10.

1544.

Meghea CI, Li B, Zhu Q, Raffo JE, Lindsay JK, Moore JS, et al. Infant health effects of a nurse-community health worker home visitation programme: a randomized controlled trial. *Child Care Health Dev.* 2013;39(1):27-35.

1545.

Mehralian H, Salehi S, Moghaddasi J, Amiri M, Rafiei H. The comparison of the effects of education provided by nurses on the quality of life in patients with congestive heart failure (CHF) in usual and home-visit cares in Iran. *Glob J Health Sci.* 2014;6(3):256-60. Epub 2014/04/26.

1546.

Mehta S, Khandelwal PD, Jain VK, Sihag M. A comparative study of racecadotril and single dose octreotide as an anti-secretory agent in acute infective diarrhoea. *J Assoc Physicians India.* 2012;60:12-5. Epub 2013/06/19.

1547.

Meier PP, Engstrom JL, Janes JE, Jegier BJ, Loera F. Breast pump suction patterns that mimic the human infant during breastfeeding: greater milk output in less time spent pumping for breast pump-dependent mothers with premature infants. *J Perinatol.* 2012;32(2):103-10. Epub 2011/08/06.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1548.

Meisinger C, Stollenwerk B, Kirchberger I, Seidl H, Wende R, Kuch B, et al. Effects of a nurse-based case management compared to usual care among aged patients with myocardial infarction: results from the randomized controlled KORINNA study. *BMC geriatr.* 2013;13:115. Epub 2013/10/31.

1549.

Melis RJ, van Eijken MI, Borm GF, Wensing M, Adang E, van de Lisdonk EH, et al. The design of the Dutch EASYcare study: a randomised controlled trial on the effectiveness of a problem-based community intervention model for frail elderly people [NCT00105378]. *BMC Health Serv Res.* 2005;5:65. Epub 2005/10/07.

1550.

Melis RJF, van Eijken MIJ, van Achterberg T, Teerenstra S, Vernooij-Dassen MJFJ, van de Lisdonk EH, et al. The effect on caregiver burden of a problem-based home visiting programme for frail older people. *Age Ageing.* 2009;38(5):542-7.

1551.

Melissopoulou T, Stroumpoulis K, Sampanis MA, Vrachnis N, Papadopoulos G, Chalkias A, et al. Comparison of blind intubation through the I-gel and ILMA Fastrach by nurses during cardiopulmonary resuscitation: a manikin study. *Heart Lung.* 2014;43(2):112-6. Epub 2014/03/07.

1552.

Mellien AC. Incubators versus mothers' arms: body temperature conservation in very-low-birth-weight premature infants. *J Obstet Gynecol Neonatal Nurs.* 2001;30(2):157-64. Epub 2001/04/20.

1553.

Melnyk BM, Crean HF, Feinstein NF, Fairbanks E. Maternal anxiety and depression after a premature infant's discharge from the neonatal intensive care unit: explanatory effects of the creating opportunities for parent empowerment program. *Nurs Res.* 2008;57(6):383-94. Epub 2008/11/20.

1554.

Mendelson SG, McNeese-Smith D, Koniak-Griffin D, Nyamathi A, Lu MC. A community-based parish nurse intervention program for Mexican American women with gestational diabetes. *J Obstet Gynecol Neonatal Nurs.* 2008;37(4):415-25.

1555.

Meneses K, McNeese P, Azuero A, Loerzel VW, Su X, Hassey LA. Preliminary evaluation of psychoeducational support interventions on quality of life in rural breast cancer survivors after primary treatment. *Cancer Nurs.* 2009;32(5):385-97. Epub 2009/08/08.

1556.

Meneses KD, McNeese P, Loerzel VW, Su X, Zhang Y, Hassey LA. Transition from treatment to survivorship: effects of a psychoeducational intervention on quality of life in breast cancer survivors. *Oncol Nurs Forum.* 2007;34(5):1007-16.

1557.

Menon U, Belue R, Wahab S, Rugen K, Kinney AY, Maramaldi P, et al. A randomized trial comparing the effect of two phone-based interventions on colorectal cancer screening adherence. *Ann Behav Med.* 2011;42(3):294-303. Epub 2011/08/10.

1558.

Menzel N, Willson LH, Doolen J. Effectiveness of a Poverty Simulation in Second Life®: Changing Nursing Student Attitudes toward Poor People. *Int.* 2014;11(1):1-7.

1559.

Menzel NN, Robinson ME. Back pain in direct patient care providers: early intervention with cognitive behavioral therapy. *Pain management nursing : official journal of the American Society of Pain Management Nurses.* 2006;7(2):53-63.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1560.

Meraviglia M, Stuijbergen A, Parsons D, Morgan S. Health promotion for cancer survivors: adaptation and implementation of an intervention. *Holist Nurs Pract*. 2013;27(3):140-7. Epub 2013/04/13.

1561.

Mercer JS, Vohr BR, Erickson-Owens DA, Padbury JF, Oh W. Seven-month developmental outcomes of very low birth weight infants enrolled in a randomized controlled trial of delayed versus immediate cord clamping. *J Perinatol*. 2010;30(1):11-6. Epub 2009/10/23.

1562.

Meyer G, Kopke S, Haastert B, Muhlhauser I. Comparison of a fall risk assessment tool with nurses' judgement alone: a cluster-randomised controlled trial. *Age Ageing*. 2009;38(4):417-23.

1563.

Meyer G, Wegscheider K, Kersten JF, Icks A, Muhlhauser I. Increased use of hip protectors in nursing homes: economic analysis of a cluster randomized, controlled trial. *J Am Geriatr Soc*. 2005;53(12):2153-8.

1564.

Miaskowski C, Dodd M, West C, Schumacher K, Paul SM, Tripathy D, et al. Randomized clinical trial of the effectiveness of a self-care intervention to improve cancer pain management. *J Clin Oncol*. 2004;22(9):1713-20.

1565.

Middleton S, Donnelly N, Harris J, Ward J. Nursing intervention after carotid endarterectomy: a randomized trial of Co-ordinated Care Post-Discharge (CCPD). *J Adv Nurs*. 2005;52(3):250-61.

1566.

Middleton S, McElduff P, Ward J, Grimshaw JM, Dale S, D'Este C, et al. Implementation of evidence-based treatment protocols to manage fever, hyperglycaemia, and swallowing dysfunction in acute stroke (QASC): a cluster randomised controlled trial. *Lancet*. 2011;378(9804):1699-706.

1567.

Mikosch P, Hadrawa T, Laubreyter K, Brandl J, Pilz J, Stettner H, et al. Effectiveness of respiratory-sinus-arrhythmia biofeedback on state-anxiety in patients undergoing coronary angiography. *J Adv Nurs*. 2010;66(5):1101-10.

1568.

Miles K, Penny N, Mercey D, Power R. Sexual health clinics for women led by specialist nurses or senior house officers in a central London GUM service: a randomised controlled trial. *Sex Transm Infect*. 2002;78(2):93-7.

1569.

Miles MS, Holditch-Davis D, Eron J, Black BP, Pedersen C, Harris DA. An HIV self-care symptom management intervention for African American mothers. *Nurs Res*. 2003;52(6):350-60.

1570.

Miller CK, Headings A, Peyrot M, Nagaraja H. Goal difficulty and goal commitment affect adoption of a lower glycemic index diet in adults with type 2 diabetes. *Patient Educ Couns*. 2012;86(1):84-90.

1571.

Miller CN, Carville K, Newall N, Kapp S, Lewin G, Karimi L, et al. Assessing bacterial burden in wounds: comparing clinical observation and wound swabs. *International wound journal*. 2011;8(1):45-55. Epub 2010/11/17.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1572.

Miller CN, Newall N, Kapp SE, Lewin G, Karimi L, Carville K, et al. A randomized-controlled trial comparing cadexomer iodine and nanocrystalline silver on the healing of leg ulcers. *Wound Repair Regen*. 2010;18(4):359-67.

1573.

Mills M, Loney P, Jamieson E, Gafni A, Browne G, Bell B, et al. A primary care cardiovascular risk reduction clinic in Canada was more effective and no more expensive than usual on-demand primary care--a randomised controlled trial. *Health Soc Care Community*. 2010;18(1):30-40.

1574.

Milne CT, Lassy M. GAPNA SECTION. A Comparison of Collagenase to Hydrogel Dressings in Wound Debridement. Maintenance Debridement and Wound Healing in Nursing Home Residents. *Geriatr Nurs*. 2012;33(1):70-.

1575.

Mistiaen P, Achterberg W, Ament A, Halfens R, Huizinga J, Montgomery K, et al. The effectiveness of the Australian Medical Sheepskin for the prevention of pressure ulcers in somatic nursing home patients: a prospective multicenter randomized-controlled trial (ISRCTN17553857). *Wound Repair Regen*. 2010;18(6):572-9. Epub 2010/10/16.

1576.

Mitchell A, Stevens B, Mungan N, Johnson W, Lobert S, Boss B. Analgesic effects of oral sucrose and pacifier during eye examinations for retinopathy of prematurity. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2004;5(4):160-8.

1577.

Mitchell AJ, Yates C, Williams K, Hall RW. Effects of daily kangaroo care on cardiorespiratory parameters in preterm infants. *J Neonatal Perinatal Med*. 2013;6(3):243-9. Epub 2013/11/20.

1578.

Mitchell AJ, Yates CC, Williams DK, Chang JY, Hall RW. Does daily kangaroo care provide sustained pain and stress relief in preterm infants? *J Neonatal Perinatal Med*. 2013;6(1):45-52. Epub 2013/11/20.

1579.

Mittelman MS, Haley WE, Clay OJ, Roth DL. Improving caregiver well-being delays nursing home placement of patients with Alzheimer disease. *Neurology*. 2006;67(9):1592-9. Epub 2006/11/15.

1580.

Mittelman MS, Roth DL, Coon DW, Haley WE. Sustained benefit of supportive intervention for depressive symptoms in caregivers of patients with Alzheimer's disease. *Am J Psychiatry*. 2004;161(5):850-6. Epub 2004/05/04.

1581.

Miyajima T, Ishida K, Sato M, Yamagata Z. Pilot study to test the safety of an exercise machine on healthy adult females. *Japan journal of nursing science : JJNS*. 2010;7(1):37-46.

1582.

Miyata H, Aita K, Shiraishi H, Kai I. Understanding treatment attitudes toward dementia: differences among community residents and health care professionals. [*Nippon kōshū eisei zasshi*] Japanese journal of public health. 2007;54(4):254-61.

1583.

Moattari M, Hashemi M, Dabbaghmanesh MH. The impact of electronic education on metabolic control indicators in patients with diabetes who need insulin: a randomised clinical control trial. *J Clin Nurs*. 2013;22(1-2):32-8. Epub 2012/08/22.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1584.

Mobeen N, Durocher J, Zuberi N, Jahan N, Blum J, Wasim S, et al. Administration of misoprostol by trained traditional birth attendants to prevent postpartum haemorrhage in homebirths in Pakistan: a randomised placebo-controlled trial. *BJOG : an international journal of obstetrics and gynaecology*. 2011;118(3):353-61. Epub 2010/12/24.

1585.

Mockiene V, Suominen T, Valimaki M, Razbadauskas A, Caplinskas S, Martinkenas A. Nurses' willingness to take care of people living with human immunodeficiency virus/acquired immunodeficiency syndrome (HIV/AIDS)--does a teaching intervention make a difference? *Nurse education today*. 2011;31(6):617-22.

1586.

Mockiene V, Suominen T, Valimaki M, Razbadauskas A, Martinkenas A, Caplinskas S. The impact of an education intervention to change nurses' HIV-related knowledge and attitudes in Lithuania: a randomized controlled trial. *The Journal of the Association of Nurses in AIDS Care : JANAC*. 2011;22(2):140-9.

1587.

Modesto-Alapont M, Nauffal-Manzur D, Ansótegui-Barrera E, Menéndez-Villanueva R, Ballesta A, Touza R, et al. Can home prophylaxis for venous thromboembolism reduce mortality rates in patients with chronic obstructive pulmonary disease? ¿Puede reducir la mortalidad de los pacientes con EPOC la profilaxis domiciliaria de la enfermedad tromboembólica venosa? *2006;42(3):130-4*.

1588.

Modrcin-Talbott MA, Harrison LL, Groer MW, Younger MS. The biobehavioral effects of gentle human touch on preterm infants. *Nurs Sci Q*. 2003;16(1):60-7.

1589.

Moffatt FW, Hodnett E, Esplen MJ, Watt-Watson J. Effects of guided imagery on blood pressure in pregnant women with hypertension: a pilot randomized controlled trial. *Birth*. 2010;37(4):296-306.

1590.

Mogos MF, Angard N, Goldstein L, Beckstead JW. The effects of live therapeutic music on patient's affect and perceptions of care: a randomized field study. *Complement Ther Clin Pract*. 2013;19(4):188-92. Epub 2013/11/10.

1591.

Mohammadi F, Jowkar Z, Reza Khankeh H, Fallah Tafti S. Effect of home-based nursing pulmonary rehabilitation on patients with chronic obstructive pulmonary disease: a randomised clinical trial. *Br J Community Nurs*. 2013;18(8):398, 400-3.

1592.

Mohr M, Nordsborg NB, Lindenskov A, Steinholm H, Nielsen HP, Mortensen J, et al. High-intensity intermittent swimming improves cardiovascular health status for women with mild hypertension. *Biomed Res Int*. 2014;2014:728289. Epub 2014/05/09.

1593.

Mok E, Kwong TK, Chan MF. A randomized controlled trial for maintaining peripheral intravenous lock in children. *Int J Nurs Pract*. 2007;13(1):33-45.

1594.

Mok E, Lau KP, Lai T, Ching S. The meaning of life intervention for patients with advanced-stage cancer: development and pilot study. *Oncol Nurs Forum*. 2012;39(6):E480-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1595.

Mok E, Woo CP. The effects of slow-stroke back massage on anxiety and shoulder pain in elderly stroke patients. *Complement Ther Nurs Midwifery*. 2004;10(4):209-16.

1596.

Molassiotis A, Bardy J, Finnegan-John J, Mackereth P, Ryder WD, Filshie J, et al. A randomized, controlled trial of acupuncture self-needling as maintenance therapy for cancer-related fatigue after therapist-delivered acupuncture. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO*. 2013;24(6):1645-52. Epub 2013/02/26.

1597.

Molassiotis A, Brearley S, Saunders M, Craven O, Wardley A, Farrell C, et al. Effectiveness of a home care nursing program in the symptom management of patients with colorectal and breast cancer receiving oral chemotherapy: a randomized, controlled trial. *J Clin Oncol*. 2009;27(36):6191-8.

1598.

Moline B, Roberts M, Houser J. Validity and interrater reliability of the Moline-Roberts Pharmacologic Sedation Scale. *Clin Nurse Spec*. 2012;26(3):140-8.

1599.

Mollaoglu M, Beyazit E. Influence of diabetic education on patient metabolic control. *Appl Nurs Res*. 2009;22(3):183-90.

1600.

Moniz-Cook E, Elston C, Gardiner E, Agar S, Silver M, Win T, et al. Can training community mental health nurses to support family carers reduce behavioural problems in dementia? An exploratory pragmatic randomised controlled trial. *International Journal of Geriatric Psychiatry*. 2008;23(2):185-91.

1601.

Montgomery C, Kardong-Edgren SE, Oermann MH, Odom-Maryon T. Student satisfaction and self report of CPR competency: HeartCode BLS courses, instructor-led CPR courses, and monthly voice advisory manikin practice for CPR skill maintenance. *Int J Nurs Educ Scholarsh*. 2012;9(pii):/j/ijnes.2012.9.issue-1/1548-923X.2361/1548-923X.2361.xml. doi: 10.1515/48-923X.2361. Epub 2012/06/08.

1602.

Moody K, Kramer D, Santizo RO, Magro L, Wyshogrod D, Ambrosio J, et al. Helping the helpers: mindfulness training for burnout in pediatric oncology--a pilot program. *J Pediatr Oncol Nurs*. 2013;30(5):275-84.

1603.

Mooney M, McKee G, Fealy G, F OB, O'Donnell S, Moser D. A randomized controlled trial to reduce prehospital delay time in patients with acute coronary syndrome (ACS). *J Emerg Med*. 2014;46(4):495-506. Epub 2014/01/15.

1604.

Moore EJ, Williams A, Manias E, Varigos G, Donath S. Eczema workshops reduce severity of childhood atopic eczema. *Australas J Dermatol*. 2009;50(2):100-6.

1605.

Moore ER, Anderson GC. Randomized controlled trial of very early mother-infant skin-to-skin contact and breastfeeding status. *J Midwifery Wom Heal*. 2007;52(2):116-25.

1606.

Moore J. No more tears: a randomized controlled double-blind trial of Amethocaine gel vs. placebo in the management of procedural pain in neonates. *J Adv Nurs*. 2001;34(4):475-82.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1607.

Moore KN, Hunter KF, McGinnis R, Bacsu C, Fader M, Gray M, et al. Do catheter washouts extend patency time in long-term indwelling urethral catheters? A randomized controlled trial of acidic washout solution, normal saline washout, or standard care. *J Wound Ostomy Continence Nurs.* 2009;36(1):82-90.

1608.

Moore KN, Valiquette L, Chetner MP, Byrniak S, Herbison GP. Return to continence after radical retropubic prostatectomy: a randomized trial of verbal and written instructions versus therapist-directed pelvic floor muscle therapy. *Urology.* 2008;72(6):1280-6.

1609.

Moore S, Corner J, Haviland J, Wells M, Salmon E, Normand C, et al. Nurse led follow up and conventional medical follow up in management of patients with lung cancer: randomised trial. *Bmj.* 2002;325(7373):1145. Epub 2002/11/16.

1610. Moore SM, Borawski EA, Cuttler L, Ievers-Landis CE, Love TE. IMPACT: a multi-level family and school intervention targeting obesity in urban youth. *Contemp Clin Trials.* 2013;36(2):574-86. Epub 2013/09/07.

1611.

Moore SM, Dolansky MA. Randomized trial of a home recovery intervention following coronary artery bypass surgery. *Res Nurs Health.* 2001;24(2):93-104.

1612.

Moore Z, Cowman S, Conroy RM. A randomised controlled clinical trial of repositioning, using the 30 degrees tilt, for the prevention of pressure ulcers. *J Clin Nurs.* 2011;20(17-18):2633-44.

1613.

Moradipannah F, Mohammadi E, Mohammadil AZ. Effect of music on anxiety, stress, and depression levels in patients undergoing coronary angiography. *East Mediterr Health J.* 2009;15(3):639-47.

1614.

Moramezi F, Barati M, Mohammadjafari R, Barati S, Hemadi M. Effect of hysteroscopy before intra uterine insemination on fertility in infertile couples. *Pak J Biol Sci.* 2012;15(19):942-6. Epub 2013/10/29.

1615.

Morey DJ. Development and evaluation of web-based animated pedagogical agents for facilitating critical thinking in nursing. *Nurs Educ Perspect.* 2012;33(2):116-20. Epub 2012/05/24.

1616.

Morgan G, Cooley C. Injection systems for two luteinising hormone-releasing hormone agonists: A comparative assessment of administration times and nurses' perceptions. *Eur J Oncol Nurs.* 2005;9(4):334-40. Epub 2005/11/22.

1617.

Morgan L, Hart L. Promoting academic integrity in an online RN-BSN program. *Nurs Educ Perspect.* 2013;34(4):240-3. Epub 2013/11/06.

1618.

Mori A. Supporting stress management for women undergoing the early stages of fertility treatment: a cluster-randomized controlled trial. *Japan journal of nursing science : JJNS.* 2009;6(1):37-49.

1619.

Morioka S, Fujita H, Hiyamizu M, Maeoka H, Matsuo A. Effects of plantar perception training on standing posture balance in the old old and the very old living in nursing facilities: a randomized controlled trial. *Clin Rehabil.* 2011;25(11):1011-20.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1620.

Moriyama M, Nakano M, Kuroe Y, Nin K, Niitani M, Nakaya T. Efficacy of a self-management education program for people with type 2 diabetes: results of a 12 month trial. *Japan journal of nursing science* : JJNS. 2009;6(1):51-63.

1621.

Morrison ML, Sands AJ, McCusker CG, McKeown PP, McMahon M, Gordon J, et al. Exercise training improves activity in adolescents with congenital heart disease. *Heart*. 2013;99(15):1122-8. Epub 2013/06/12.

1622.

Morrison-Beedy D, Carey MP, Seibold-Simpson SM, Xia Y, Tu X. Preliminary efficacy of a comprehensive HIV prevention intervention for abstinent adolescent girls: pilot study findings. *Res Nurs Health*. 2009;32(6):569-81.

1623.

Morrow C, Hiding A, Wilkinson-Faulk D. Reducing neonatal pain during routine heel lance procedures. *MCN Am J Matern Child Nurs*. 2010;35(6):346-54; quiz 54-6. Epub 2010/10/12.

1624.

Morton JL, Schultz AA. Healthy Hands: Use of alcohol gel as an adjunct to handwashing in elementary school children. *The Journal of school nursing : the official publication of the National Association of School Nurses*. 2004;20(3):161-7.

1625.

Moser DK, McKinley S, Riegel B, Doering LV, Meischke H, Pelter M, et al. The impact on anxiety and perceived control of a short one-on-one nursing intervention designed to decrease treatment seeking delay in people with coronary heart disease. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2012;11(2):160-7.

1626.

Mosleh SM, Bond CM, Lee AJ, Kiger A, Campbell NC. Effectiveness of theory-based invitations to improve attendance at cardiac rehabilitation: a randomized controlled trial. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2014;13(3):201-10. Epub 2013/06/05.

1627.

Motta Mussi C, Ruschel K, Emiliane, Alexandra, Maria Trojahn M, Camargo Paraboni C, et al. Home visit improves knowledge, self-care and adherence in heart failure: Randomized Clinical Trial HELEN-I. *Revista Latino-Americana de Enfermagem (RLAE)*. 2013;20-8.

1628.

Moyle W, Cooke M, Beattie E, Jones C, Klein B, Cook G, et al. Exploring the effect of companion robots on emotional expression in older adults with dementia: a pilot randomized controlled trial. *J Gerontol Nurs*. 2013;39(5):46-53.

1629.

Moyle W, Cooke ML, Beattie E, Shum DHK, O'Dwyer ST, Barrett S. Foot massage versus quiet presence on agitation and mood in people with dementia: A randomised controlled trial. *Int J Nurs Stud*. 2014;51(6):856-64.

1630.

Muender MM, Moore ML, Chen GJ, Sevick MA. Cost-benefit of a nursing telephone intervention to reduce preterm and low-birthweight births in an African American clinic population. *Preventive Medicine*. 2000;30(4):271-6.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1631.

Mujika A, Forbes A, Canga N, de Irala J, Serrano I, Gascó P, et al. Motivational interviewing as a smoking cessation strategy with nurses: An exploratory randomised controlled trial. *Int J Nurs Stud*. 2014;51(8):1074-82.

1632.

Mukhopadhyay P, Sinha U, Banerjee J, Choudhury AR, Philips CA. The effects in correction of anaemia in chronic kidney disease with erythropoietin therapy--preference to cardiovascular, neurologic and general well-being of patients from a tertiary care centre. *J Indian Med Assoc*. 2012;110(12):885-8. Epub 2013/08/14.

1633.

Muller-Staub M, Needham I, Odenbreit M, Lavin MA, van Achterberg T. Implementing nursing diagnostics effectively: cluster randomized trial. *J Adv Nurs*. 2008;63(3):291-301.

1634.

Munro A, Watson HE, McFadyen A. Assessing the impact of training on mental health nurses' therapeutic attitudes and knowledge about co-morbidity: A randomised controlled trial. *Int J Nurs Stud*. 2007;44(8):1430-8.

1635.

Munro CL, Grap MJ, Jones DJ, McClish DK, Sessler CN. Chlorhexidine, toothbrushing, and preventing ventilator-associated pneumonia in critically ill adults. *Am J Crit Care*. 2009;18(5):428-37; quiz 38. Epub 2009/09/03.

1636.

Muntingh A, van der Feltz-Cornelis C, van Marwijk H, Spinhoven P, Assendelft W, de Waal M, et al. Effectiveness of collaborative stepped care for anxiety disorders in primary care: a pragmatic cluster randomised controlled trial. *Psychother Psychosom*. 2014;83(1):37-44. Epub 2013/11/28.

1637.

Murphy DA, Lu MC, Martin D, Hoffman D, Marelich WD. Results of a pilot intervention trial to improve antiretroviral adherence among HIV-positive patients. *The Journal of the Association of Nurses in AIDS Care : JANAC*. 2002;13(6):57-69.

1638.

Murphy P, Kreling B, Kathryn E, Stevens M, Lynn J, Dulac J. Description of the SUPPORT intervention. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. *J Am Geriatr Soc*. 2000;48(5 Suppl):S154-61. Epub 2000/05/16.

1639.

Murray MA, Stacey D, Wilson KG, O'Connor AM. Skills training to support patients considering place of end-of-life care: a randomized control trial. *Journal of palliative care*. 2010;26(2):112-21. Epub 2010/08/20.

1640.

Murrock CJ. The effects of music on the rate of perceived exertion and general mood among coronary artery bypass graft patients enrolled in cardiac rehabilitation phase II. *Rehabilitation nursing : the official journal of the Association of Rehabilitation Nurses*. 2002;27(6):227-31.

1641.

Muzzarelli L, Force M, Sebold M. Aromatherapy and reducing preprocedural anxiety: A controlled prospective study. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2006;29(6):466-71.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1642.

Nagarajaiah, Jothimani G, Parthasarathi R, Reddemma K, Giri AT. Efficacy of nursing interventions in reducing social and occupational disabilities among patients with neurosis. *Nurs J India*. 2012;103(6):256-60. Epub 2013/08/09.

1643.

Nagle AL, Hensley MJ, Schofield MJ, Koschel AJ. A randomised controlled trial to evaluate the efficacy of a nurse-provided intervention for hospitalised smokers. *Australian and New Zealand Journal of Public Health*. 2005;29(3):285-91.

1644.

Nagle C, Skouteris H, Hotchin A, Bruce L, Patterson D, Teale G. Continuity of midwifery care and gestational weight gain in obese women: a randomised controlled trial. *BMC Public Health*. 2011;11:174. Epub 2011/03/24.

1645.

Nahm ES, Barker B, Resnick B, Covington B, Magaziner J, Brennan PF. Effects of a social cognitive theory-based hip fracture prevention web site for older adults. *Comput Inform Nurs*. 2010;28(6):371-9.

1646.

Naismith C, Street A. Introducing the Cardibra: a randomised pilot study of a purpose designed support bra for women having cardiac surgery. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2005;4(3):220-6.

1647.

Nanly H, Chen BT, Lee LL, Chung MH, Lin PC. A comparison of the quality of nursing care between pre- and postimplementing of a clinical pathway. *J Clin Nurs*. 2005;14(10):1260-1. Epub 2005/10/22.

1648.

Naraphong W. Effects of a Culturally Sensitive Exercise Program on Fatigue, Sleep, Mood, and Symptom Distress among Thai Women with Breast Cancer Receiving Adjuvant Chemotherapy: A Pilot Randomized Controlled Trial: University of Cincinnati; 2013.

1649.

Narme P, Clement S, Ehrle N, Schiaratura L, Vachez S, Courtaigne B, et al. Efficacy of musical interventions in dementia: evidence from a randomized controlled trial. *J Alzheimers Dis*. 2014;38(2):359-69. Epub 2013/08/24.

1650.

Nasiriani K, Kalani Z, Farnia F, Motavasslian M, Nasiriani F, Engberg S. Comparison of the effect of water vs. povidone-iodine solution for periurethral cleaning in women requiring an indwelling catheter prior to gynecologic surgery. *Urol Nurs*. 2009;29(2):118-21, 31.

1651.

Natsuo Y, Hideo K, Hanako M, Hayato M, Yuji I, Akemi W, et al. Efficacy of 1.0% chlorhexidine-gluconate ethanol compared with 10% povidone-iodine for long-term central venous catheter care in hematology departments: A prospective study. *American Journal of Infection Control*. 2014;42(5):574-6.

1652.

Ndosi M, Lewis M, Hale C, Quinn H, Ryan S, Emery P, et al. A randomised, controlled study of outcome and cost effectiveness for RA patients attending nurse-led rheumatology clinics: study protocol of an ongoing nationwide multi-centre study. *Int J Nurs Stud*. 2011;48(8):995-1001.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1653.

Ndosi M, Lewis M, Hale C, Quinn H, Ryan S, Emery P, et al. The outcome and cost-effectiveness of nurse-led care in people with rheumatoid arthritis: a multicentre randomised controlled trial. *Ann Rheum Dis.* 2014;73(11):1975-82. Epub 2013/08/29.

1654.

Needham I, Abderhalden C, Halfens RJ, Dassen T, Haug HJ, Fischer JE. The effect of a training course in aggression management on mental health nurses' perceptions of aggression: a cluster randomised controlled trial. *Int J Nurs Stud.* 2005;42(6):649-55.

1655.

Nesari M, Zakerimoghadam M, Rajab A, Bassampour S, Faghihzadeh S. Effect of telephone follow-up on adherence to a diabetes therapeutic regimen. *Japan journal of nursing science : JJNS.* 2010;7(2):121-8.

1656. Nesbitt JC, Deppen S, Corcoran R, Cogdill S, Huckabay S, McKnight D, et al. Postoperative ambulation in thoracic surgery patients: standard versus modern ambulation methods. *Nurs Crit Care.* 2012;17(3):130-7. Epub 2012/04/14.

1657.

Neu M, Robinson J. Maternal holding of preterm infants during the early weeks after birth and dyad interaction at six months. *J Obstet Gynecol Neonatal Nurs.* 2010;39(4):401-14.

1658.

Neu M, Schmiede SJ, Pan Z, Fehringer K, Workman R, Marcheggianni-Howard C, et al. Interactions During Feeding with Mothers and Their Infants with Symptoms of Gastroesophageal Reflux. *Journal of Alternative & Complementary Medicine.* 2014;20(6):493-9.

1659.

New JP, Mason JM, Freemantle N, Teasdale S, Wong L, Bruce NJ, et al. Educational outreach in diabetes to encourage practice nurses to use primary care hypertension and hyperlipidaemia guidelines (EDEN): a randomized controlled trial. *Diabet Med.* 2004;21(6):599-603.

1660.

New JP, Mason JM, Freemantle N, Teasdale S, Wong LM, Bruce NJ, et al. Specialist nurse-led intervention to treat and control hypertension and hyperlipidemia in diabetes (SPLINT): a randomized controlled trial. *Diabetes Care.* 2003;26(8):2250-5.

1661.

Newhouse RP, Dennison Himmelfarb C, Morlock L, Frick KD, Pronovost P, Liang Y. A phased cluster-randomized trial of rural hospitals testing a quality collaborative to improve heart failure care: organizational context matters. *Med Care.* 2013;51(5):396-403.

1662.

Newman K, Doran D, Nagle LM. The relation of critical care nurses' information-seeking behaviour with perception of personal control, training, and non-routineness of the task. *Dynamics.* 2014;25(1):13-8. Epub 2014/04/11.

1663.

Newton KM, Reed SD, Guthrie KA, Sherman KJ, Booth-LaForce C, Caan B, et al. Efficacy of yoga for vasomotor symptoms: a randomized controlled trial. *Menopause.* 2014;21(4):339-46. Epub 2013/09/21.

1664.

Neyens JC, Dijcks BP, Twisk J, Schols JM, van Haastregt JC, van den Heuvel WJ, et al. A multifactorial intervention for the prevention of falls in psychogeriatric nursing home patients, a randomised controlled trial (RCT). *Age Ageing.* 2009;38(2):194-9.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1665.

Nguyen TN, Nilsson S, Hellstrom AL, Bengtson A. Music therapy to reduce pain and anxiety in children with cancer undergoing lumbar puncture: a randomized clinical trial. *J Pediatr Oncol Nurs.* 2010;27(3):146-55.

1666.

Ni CH, Tsai WH, Lee LM, Kao CC, Chen YC. Minimising preoperative anxiety with music for day surgery patients - a randomised clinical trial. *J Clin Nurs.* 2012;21(5-6):620-5.

1667.

Nicolaides-Bouman A, van Rossum E, Kempen GI, Knipschild P. Effects of home visits by home nurses to elderly people with health problems: design of a randomised clinical trial in the Netherlands [ISRCTN92017183]. *BMC Health Serv Res.* 2004;4(1):35.

1668.

Nicolas L, Franco A, Provost H, Amico L, Berenguer M, Lombard F, et al. [Videophone assistance and home hospitalization: the ViSaDom program]. *Presse Med.* 2005;34(15):1059-64. Epub 2005/12/13. Teleassistance en hospitalisation b domicile: le programme ViSaDom.

1669.

Niebel G, Kallweit C, Lange I, Folster-Holst R. [Direct versus video-aided parent education in atopic eczema in childhood as a supplement to specialty physician treatment. A controlled pilot study]. *Hautarzt.* 2000;51(6):401-11. Epub 2000/07/25. Direkte versus videovermittelte Elternschulung bei atopischem Ekzem im Kindesalter als Ergänzung facharztlicher Behandlung. Eine kontrollierte Pilotstudie.

1670.

Nightingale JJ, Knight MV, Higgins B, Dean T. Randomized, double-blind comparison of patient-controlled epidural infusion vs nurse-administered epidural infusion for postoperative analgesia in patients undergoing colonic resection. *Br J Anaesth.* 2007;98(3):380-4. Epub 2007/02/07.

1671.

Nikoletti S, Hyde S, Shaw T, Myers H, Kristjanson LJ. Comparison of plain ice and flavoured ice for preventing oral mucositis associated with the use of 5 fluorouracil. *J Clin Nurs.* 2005;14(6):750-3.

1672.

Nilsson S, Enskar K, Hallqvist C, Kokinsky E. Active and passive distraction in children undergoing wound dressings. *J Pediatr Nurs.* 2013;28(2):158-66.

1673.

Nilsson U. Soothing music can increase oxytocin levels during bed rest after open-heart surgery: a randomised control trial. *Journal of Clinical Nursing.* 2009;18(15):2153-61.

1674.

Nilsson U. Effectiveness of music interventions for women with high anxiety during coronary angiographic procedures: a randomized controlled. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology.* 2012;11(2):150-3. Epub 2010/11/26.

1675.

Nir Z, Zolotogorsky Z, Sugarman H. Structured nursing intervention versus routine rehabilitation after stroke. *Am J Phys Med Rehabil.* 2004;83(7):522-9.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1676.

Nishikawa M, Sakakibara H. Effect of nursing intervention program using abdominal palpation of Leopold's maneuvers on maternal-fetal attachment. *Reprod Health*. 2013;10:12. Epub 2013/02/21.

1677.

Nissen I, Jensen MS. Randomised controlled trial of nurse-supported discharge of patients with exacerbation of chronic obstructive pulmonary disease. *Sygeplejeassisteret hjemmebehandling af eksacerbation i kronisk obstruktiv lungesygdom*. 2007;169(23):2220-3.

1678.

Niu SF, Chu H, Chen CH, Chung MH, Chang YS, Liao YM, et al. A comparison of the effects of fixed- and rotating-shift schedules on nursing staff attention levels: a randomized trial. *Biol Res Nurs*. 2013;15(4):443-50.

1679.

Niu SF, Chu H, Chung MH, Lin CC, Chang YS, Chou KR. Sleep quality in nurses: a randomized clinical trial of day and night shift workers. *Biol Res Nurs*. 2013;15(3):273-9. Epub 2012/04/05.

1680.

Noel-Weiss J, Rupp A, Cragg B, Bassett V, Woodend AK. Randomized controlled trial to determine effects of prenatal breastfeeding workshop on maternal breastfeeding self-efficacy and breastfeeding duration. *J Obstet Gynecol Neonatal Nurs*. 2006;35(5):616-24.

1681.

Noknoy S, Rangsin R, Saengcharnchai P, Tantibhaedhyangkul U, McCambridge J. RCT of effectiveness of motivational enhancement therapy delivered by nurses for hazardous drinkers in primary care units in Thailand. *Alcohol Alcohol*. 2010;45(3):263-70.

1682.

Nolan A, Lawrence C. A pilot study of a nursing intervention protocol to minimize maternal-infant separation after Cesarean birth. *J Obstet Gynecol Neonatal Nurs*. 2009;38(4):430-42.

1683.

Nolte S, Donnelly J, Kelly S, Conley P, Cobb R. A randomized clinical trial of a videotape intervention for women with chemotherapy-induced alopecia: a gynecologic oncology group study. *Oncol Nurs Forum*. 2006;33(2):305-11.

1684.

Nord D, Belew J. Effectiveness of the essential oils lavender and ginger in promoting children's comfort in a perianesthesia setting. *J Perianesth Nurs*. 2009;24(5):307-12.

1685.

Nordgren L, Engström G. Effects of dog-assisted intervention on behavioural and psychological symptoms of dementia. *Nursing Older People*. 2014;26(3):31-8.

1686.

Norr KF, Crittenden KS, Lehrer EL, Reyes O, Boyd CB, Nacion KW, et al. Maternal and infant outcomes at one year for a nurse-health advocate home visiting program serving African Americans and Mexican Americans. *Public Health Nurs*. 2003;20(3):190-203.

1687.

North Staffordshire Changing Childbirth Research T. A randomised study of midwifery caseload care and traditional 'shared-care'. *Midwifery*. 2000;16(4):295-302.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1688.

Northouse LL, Mood DW, Schafenacker A, Kalemkerian G, Zalupski M, Lorusso P, et al. Randomized clinical trial of a brief and extensive dyadic intervention for advanced cancer patients and their family caregivers. *Psychooncology*. 2013;22(3):555-63.

1689.

Northouse LL, Rosset T, Phillips L, Mood D, Schafenacker A, Kershaw T. Research with families facing cancer: the challenges of accrual and retention. *Res Nurs Health*. 2006;29(3):199-211.

1690.

Northouse LL, Walker J, Schafenacker A, Mood D, Mellon S, Galvin E, et al. A family-based program of care for women with recurrent breast cancer and their family members. *Oncol Nurs Forum*. 2002;29(10):1411-9.

1691.

Norton-Westwood D, Robertson-Malt S, Anderson R. A randomized controlled trial to assess the impact of an Admission Service on patient and staff satisfaction. *Int J Nurs Pract*. 2010;16(5):461-71.

1692.

Norwood MG, Stephens JH, Hewett PJ. The nursing and financial implications of laparoscopic colorectal surgery: data from a randomized controlled trial. *Colorectal Dis*. 2011;13(11):1303-7. Epub 2010/10/20.

1693.

Nural N, Hintistan S, Gursoy AA, Duman EN. The effect of home healthcare on quality of life in patients diagnosed with gastrointestinal cancer. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2009;32(4):273-83.

1694.

Nurse R. Computer-assisted versus traditional classroom instruction to promote change in the nursing management of the second stage of labor [Randomized controlled trial, thesis]: Texas Woman's University; 2009.

1695.

Nyamathi A, Liu Y, Marfisee M, Shoptaw S, Gregerson P, Saab S, et al. Effects of a nurse-managed program on hepatitis A and B vaccine completion among homeless adults. *Nurs Res*. 2009;58(1):13-22. Epub 2008/12/19.

1696.

Nyamathi A, Nahid P, Berg J, Burrage J, Christiani A, Aqtash S, et al. Efficacy of nurse case-managed intervention for latent tuberculosis among homeless subsamples. *Nurs Res*. 2008;57(1):33-9.

1697.

Nyamathi A, Sinha K, Greengold B, Cohen A, Marfisee M. Predictors of HAV/HBV vaccination completion among methadone maintenance clients. *Res Nurs Health*. 2010;33(2):120-32.

1698.

Nyman MH, Gustafsson M, Langius-Eklöf A, Johansson J-E, Norlin R, Hagberg L. Intermittent versus indwelling urinary catheterisation in hip surgery patients: A randomised controlled trial with cost-effectiveness analysis. *Int J Nurs Stud*. 2013;50(12):1589-98.

1699.

Nyman MH, Johansson JE, Gustafsson M. A randomised controlled trial on the effect of clamping the indwelling urinary catheter in patients with hip fracture. *J Clin Nurs*. 2010;19(3-4):405-13.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1700.

Nyman SR, Victor CR. Older people's recruitment, sustained participation, and adherence to falls prevention interventions in institutional settings: a supplement to the Cochrane systematic review. *Age Ageing*. 2011;40(4):430-6. Epub 2011/04/20.

1701.

O, Stige B, Qvale LG, Gold C. Individual music therapy for agitation in dementia: an exploratory randomized controlled trial. *Aging & Mental Health*. 2013;17(6):667-78.

1702.

O'Connor G, Coates V, O'Neill S. Randomised controlled trial of a tailored information pack for patients undergoing surgery and treatment for rectal cancer. *Eur J Oncol Nurs*. 2014;18(2):183-91.

1703.

Obasi CN, Brown R, Ewers T, Barlow S, Gassman M, Zgierska A, et al. Advantage of meditation over exercise in reducing cold and flu illness is related to improved function and quality of life. *Influenza Other Respir Viruses*. 2013;7(6):938-44. Epub 2012/11/23.

1704.

Oberje E, de Bruin M, Evers S, Viechtbauer W, Nobel HE, Schaalma H, et al. Cost-effectiveness of a nurse-based intervention (AIMS) to improve adherence among HIV-infected patients: design of a multi-centre randomised controlled trial. *BMC Health Serv Res*. 2013;13:274. Epub 2013/09/26.

1705.

O'Brien D, Greenfield MLVH, Anderson JE, Smith BA, Morris M. Comfort, Satisfaction, and Anxiolysis in Surgical Patients Using a Patient-Adjustable Comfort Warming System: A Prospective Randomized Clinical Trial. *J Perianesth Nurs*. 2010;25(2):88-93.

1706.

O'Brien JA, Finlayson KJ, Kerr G, Edwards HE. Testing the effectiveness of a self-efficacy based exercise intervention for adults with venous leg ulcers: protocol of a randomised controlled trial. *BMC Dermatol*. 2014;14:16. Epub 2014/10/04.

1707.

O'Connell ML, Henderson KE, Luedicke J, Schwartz MB. Repeated Exposure in a Natural Setting: A Preschool Intervention to Increase Vegetable Consumption. *Journal of the Academy of Nutrition & Dietetics*. 2012;112(2):230-4.

1708.

Oermann MH, Kardong-Edgren S, Odom-Maryon T, Ha Y, McColgan JK, Hurd D, et al. HeartCode BLS with voice assisted manikin for teaching nursing students: preliminary results. *Nurs Educ Perspect*. 2010;31(5):303-8.

1709.

Oermann MH, Kardong-Edgren S, Odom-Maryon T, Hallmark BF, Hurd D, Rogers N, et al. DELIBERATE PRACTICE of MOTOR SKILLS in Nursing Education: CPR AS EXEMPLAR. *Nurs Educ Perspect*. 2011;32(5):311-5.

1710.

Oermann MH, Kardong-Edgren SE, Odom-Maryon T. Effects of monthly practice on nursing students' CPR psychomotor skill performance. *Resuscitation*. 2011;82(4):447-53. Epub 2011/01/14.

1711.

Oermann MH, Masserang M, Maxey M, Lange MP. Clinic visit and waiting: patient education and satisfaction. *Nursing Economic\$. 2002;20(6):292-5*.

1712.

Oermann MH, Webb SA, Ashare JA. Outcomes of videotape instruction in clinic waiting area. *Orthop Nurs*. 2003;22(2):102-5.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1713.

Oh EG, Bang SY, Kim SH, Hyun SS, Chu SH, Jeon JY, et al. Therapeutic lifestyle modification program reduces plasma levels of the chemokines CRP and MCP-1 in subjects with metabolic syndrome. *Biol Res Nurs*. 2013;15(1):48-55.

1714.

Oh EG, Chu SH, Bang SY, Lee MK, Kim SH, Hyun SS, et al. Effects of a therapeutic lifestyle modification program on inflammatory chemokines and insulin resistance in subjects with metabolic syndrome. *Biol Res Nurs*. 2011;13(2):182-8. Epub 2010/11/30.

1715.

O'Halloran PD, Murray LJ, Cran GW, Dunlop L, Kernohan G, Beringer TR. The effect of type of hip protector and resident characteristics on adherence to use of hip protectors in nursing and residential homes--an exploratory study. *Int J Nurs Stud*. 2005;42(4):387-97.

1716.

Ohgi S, Fukuda M, Akiyama T, Gima H. Effect of an early intervention programme on low birthweight infants with cerebral injuries. *J Paediatr Child Health*. 2004;40(12):689-95.

1717.

Ohno T, Uematsu H, Nozaki S, Sugimoto K. Improvement of taste sensitivity of the nursed elderly by oral care. *J Med Dent Sci*. 2003;50(1):101-7.

1718.

Ohura T, Nakajo T, Okada S, Omura K, Adachi K. Evaluation of effects of nutrition intervention on healing of pressure ulcers and nutritional states (randomized controlled trial). *Wound Repair Regen*. 2011;19(3):330-6.

1719.

Oken BS, Fonareva I, Haas M, Wahbeh H, Lane JB, Zajdel D, et al. Pilot controlled trial of mindfulness meditation and education for dementia caregivers. *J Altern Complement Med*. 2010;16(10):1031-8. Epub 2010/10/12.

1720.

Oken E, Patel R, Guthrie LB, Vilchuck K, Bogdanovich N, Sergeichick N, et al. Effects of an intervention to promote breastfeeding on maternal adiposity and blood pressure at 11.5 y postpartum: results from the Promotion of Breastfeeding Intervention Trial, a cluster-randomized controlled trial. *Am J Clin Nutr*. 2013;98(4):1048-56. Epub 2013/08/16.

1721.

Olaya GA, Lawson M, Fewtrell MS. Efficacy and safety of new complementary feeding guidelines with an emphasis on red meat consumption: a randomized trial in Bogota, Colombia. *Am J Clin Nutr*. 2013;98(4):983-93. Epub 2013/08/16.

1722.

Olds DL, Robinson J, O'Brien R, Luckey DW, Pettitt LM, Henderson CR, Jr., et al. Home visiting by paraprofessionals and by nurses: a randomized, controlled trial. *Pediatrics*. 2002;110(3):486-96.

1723.

Olds DL, Robinson J, Pettitt L, Luckey DW, Holmberg J, Ng RK, et al. Effects of home visits by paraprofessionals and by nurses: age 4 follow-up results of a randomized trial. *Pediatrics*. 2004;114(6):1560-8. Epub 2004/12/03.

1724.

Oliveira SM, Silva FM, Riesco ML, Latorre Mdo R, Nobre MR. Comparison of application times for ice packs used to relieve perineal pain after normal birth: a randomised clinical trial. *J Clin Nurs*. 2012;21(23-24):3382-91.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1725.

Olofsson B, Stenvall M, Lundstrom M, Svensson O, Gustafson Y. Malnutrition in hip fracture patients: an intervention study. *J Clin Nurs*. 2007;16(11):2027-38.

1726.

Olsen DL, Raub W, Jr., Bradley C, Johnson M, Macias JL, Love V, et al. The effect of aloe vera gel/mild soap versus mild soap alone in preventing skin reactions in patients undergoing radiation therapy. *Oncol Nurs Forum*. 2001;28(3):543-7.

1727.

Olson DM, Bader MK, Dennis C, Mahanes D, Riemen K. Multicenter pilot study: Safety of automated chest percussion in patients at risk for intracranial hypertension. *J Neurosci Nurs*. 2010;42(3):119-27.

1728.

Olson K, Rennie RP, Hanson J, Ryan M, Gilpin J, Falsetti M, et al. Evaluation of a no-dressing intervention for tunneled central venous catheter exit sites. *Journal of infusion nursing : the official publication of the Infusion Nurses Society*. 2004;27(1):37-44.

1729.

Olsson E, Eriksson M. Oral glucose for pain relief during eye examinations for retinopathy of prematurity. *J Clin Nurs*. 2011;20(7-8):1054-9.

1730.

O'Lynn C, Krautscheid L. Evaluating the effects of intimate touch instruction: facilitating professional and respectful touch by male nursing students. *J Nurs Educ*. 2014;53(3):126-35. Epub 2014/02/12.

1731.

O'Neill P, Duarte F, Ribeiro I, Centeno MJ, Moreira J. Ropivacaine continuous wound infusion versus epidural morphine for postoperative analgesia after cesarean delivery: a randomized controlled trial. *Anesth Analg*. 2012;114(1):179-85. Epub 2011/10/26.

1732.

O'Neill-Murphy K, Liebman M, Barnsteiner JH. Fever education: does it reduce parent fever anxiety? *Pediatr Emerg Care*. 2001;17(1):47-51.

1733.

Ong A, Orozco F, Sheikh ES, Anmuth C, Alfaro A, Kathrins R, et al. An RCT on the effects of topical CGP on surgical wound appearance and residual scarring in bilateral total-knee arthroplasty patients. *J Wound Care*. 2011;20(12):592-8.

1734.

Onieva-Zafra MD, Castro-Sánchez AM, Matarán-Peñarrocha GA, Moreno-Lorenzo C. Effect of Music as Nursing Intervention for People Diagnosed with Fibromyalgia. *Pain Management Nursing*. 2013;14(2):e39-46.

1735.

Ono H, Taguchi T, Kido Y, Fujino Y, Doki Y. The usefulness of bright light therapy for patients after oesophagectomy. *Intensive Crit Care Nurs*. 2011;27(3):158-66.

1736.

Onrust S, Smit F, Willemse G, van den Bout J, Cuijpers P. Cost-utility of a visiting service for older widowed individuals: randomised trial. *BMC Health Serv Res*. 2008;8:128. Epub 2008/06/14.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1737.

Oranta O, Luutonen S, Salokangas RK, Vahlberg T, Leino-Kilpi H. The effects of interpersonal counselling on health-related quality of life after myocardial infarction. *J Clin Nurs*. 2011;20(23-24):3373-82.

1738.

Osborn DP, Nazareth I, Wright CA, King MB. Impact of a nurse-led intervention to improve screening for cardiovascular risk factors in people with severe mental illnesses. Phase-two cluster randomised feasibility trial of community mental health teams. *BMC Health Serv Res*. 2010;10:61. Epub 2010/03/12.

1739.

Osei DK, Lee JW, Modest NN, Pothier PKT. Effects of an Online Support Group For Prostate Cancer Survivors: A Randomized Trial. *Urologic Nursing*. 2013;33(3):123-33.

1740.

O'Shea E, Devane D, Murphy K, Cooney A, Casey D, Jordan F, et al. Effectiveness of a structured education reminiscence-based programme for staff on the quality of life of residents with dementia in long-stay units: a study protocol for a cluster randomised trial. *Trials*. 2011;12(1):41. Epub 2011/02/16.

1741.

Oster ME, Kuo KW, Mahle WT. Quality improvement in screening for critical congenital heart disease. *J Pediatr*. 2014;164(1):67-71 e2. Epub 2013/10/15.

1742.

Osterman RL, Dyehouse J. Effects of a motivational interviewing intervention to decrease prenatal alcohol use. *Western journal of nursing research*. 2012;34(4):434-54.

1743.

Oswalt K, Biasini F. Effects of infant massage on HIV-infected mothers and their infants. *J Spec Pediatr Nurs*. 2011;16(3):169-78.

1744.

Otsu H, Moriyama M. Effectiveness of an educational self-management program for outpatients with chronic heart failure. *Japan journal of nursing science : JJNS*. 2011;8(2):140-52.

1745.

Ousley TL. *The Development of Critical Thinking with Technology in Nursing Education*: Northcentral University; 2012.

1746.

Oz F. Impact of training on empathic communication skills and tendency of nurses. *Clin Excell Nurse Pract*. 2001;5(1):44-51. Epub 2001/01/12.

1747.

Ozawa M, Sasaki M, Kanda K. Effect of procedure light on the physiological responses of preterm infants. *Japan journal of nursing science : JJNS*. 2010;7(1):76-83. Epub 2010/07/14.

1748.

Ozdemir F, Birtane M, Tabatabaei R, Kokino S, Ekuklu G. Comparing stroke rehabilitation outcomes between acute inpatient and nonintense home settings. *Arch Phys Med Rehabil*. 2001;82(10):1375-9. Epub 2001/10/06.

1749.

Özden D, Türk G, Düger C, Güler EK, Tok F, Gülsoy Z. Effects of oral care solutions on mucous membrane integrity and bacterial colonization. *Nurs Crit Care*. 2014;19(2):78-86.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1750.

Paans W, Müller-Staub M, Nieweg R. The Influence of the Use of Diagnostic Resources on Nurses' Communication With Simulated Patients During Admission Interviews. *International Journal of Nursing Knowledge*. 2013;24(2):101-7.

1751.

Paans W, Sermeus W, B, Krijnen WP, Cees P S. Do knowledge, knowledge sources and reasoning skills affect the accuracy of nursing diagnoses? a randomised study. *BMC Nursing*. 2012;11(1):11-22.

1752.

Paans W, Sermeus W, Nieweg R, van der Schans C. Determinants of the accuracy of nursing diagnoses: influence of ready knowledge, knowledge sources, disposition toward critical thinking, and reasoning skills. *J Prof Nurs*. 2010;26(4):232-41. Epub 2010/07/20.

1753.

Padalino Y, Peres HH. E-learning: a comparative study for knowledge apprehension among nurses. *Revista latino-americana de enfermagem*. 2007;15(3):397-403. Epub 2007/07/27.

1754.

Padula CA, Yeaw E, Mistry S. A home-based nurse-coached inspiratory muscle training intervention in heart failure. *Appl Nurs Res*. 2009;22(1):18-25.

1755.

Pagaiya N, Garner P. Primary care nurses using guidelines in Thailand: a randomized controlled trial. *Trop Med Int Health*. 2005;10(5):471-7.

1756.

Page M, Robson A. Galvanic skin responses from asking stressful questions. *Br J Nurs*. 2007;16(10):622-4, 6-7.

1757.

Palmer S, Selvaraj S, Dunn C, Osman LM, Cairns J, Franklin D, et al. Annual review of patients with sleep apnea/hypopnea syndrome--a pragmatic randomised trial of nurse home visit versus consultant clinic review. *Sleep Med*. 2004;5(1):61-5. Epub 2004/01/17.

1758.

Palumbo MV, Wu G, Shaner-McRae H, Rambur B, McIntosh B. Tai Chi for older nurses: a workplace wellness pilot study. *Appl Nurs Res*. 2012;25(1):54-9.

1759.

Pan J, Liu L, Yan YH, Shao ZW, Li Q, Zhou RH. [Application of health education path in advanced schistosomiasis patients with splenomegaly in perioperative period]. *Zhongguo Xue Xi Chong Bing Fang Zhi Za Zhi*. 2014;26(4):425-7, 30. Epub 2014/12/02.

1760.

Pan L, Zhang J, Li L. Effects of progressive muscle relaxation training on anxiety and quality of life of inpatients with ectopic pregnancy receiving methotrexate treatment. *Res Nurs Health*. 2012;35(4):376-82. Epub 2012/05/10.

1761.

Papotto BA, Mills T. Treatment of severe flexion deficits following total knee arthroplasty: a randomized clinical trial. *Orthop Nurs*. 2012;31(1):29-34.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1762.

Paquette J, Le May S, Lachance Fiola J, Villeneuve E, Lapointe A, Bourgault P. A randomized clinical trial of a nurse telephone follow-up on paediatric tonsillectomy pain management and complications. *J Adv Nurs*. 2013;69(9):2054-65.

1763.

Paradis V, Cossette S, Frasure-Smith N, Heppell S, Guertin M-C. The efficacy of a motivational nursing intervention based on the stages of change on self-care in heart failure patients. *Journal of Cardiovascular Nursing*. 2010;25(2):130-41.

1764.

Park ES, Sung KS, Oh WO, Im HS, Kim ES, Kim YA, et al. [Pain relieving effect of yakson therapy for infants]. *Taehan Kanho Hakhoe Chi*. 2006;36(6):897-904. Epub 2006/11/09.

1765.

Park J, McCaffrey R, Newman D, Cheung C, Hagen D. The effect of Sit 'n' Fit Chair Yoga among community-dwelling older adults with osteoarthritis. *Holist Nurs Pract*. 2014;28(4):247-57. Epub 2014/06/12.

1766.

Park JH, Bae SH, Jung YS, Kim KS. Quality of life and symptom experience in breast cancer survivors after participating in a psychoeducational support program: a pilot study. *Cancer Nurs*. 2012;35(1):E34-41. Epub 2011/07/16.

1767.

Park MH, Kwon DY, Seo WK, Lim KS, Song MS. The effects of cognitive training on community-dwelling elderly Koreans. *J Psychiatr Ment Health Nurs*. 2009;16(10):904-9.

1768.

Park S, Chang S, Chung C. Effects of a cognition-emotion focused program to increase public participation in Papanicolaou smear screening. *Public Health Nurs*. 2005;22(4):289-98.

1769.

Park S, Lee YJ, Oh DN, Kim J. Comparison of standardized peristomal skin care and crusting technique in prevention of peristomal skin problems in ostomy patients. *J Korean Acad Nurs*. 2011;41(6):814-20.

1770.

Parker RA, McNeill JA, Pelayo LW, Goei KA, Howard J, Gunter MD. Pediatric clinical simulation: A pilot project. *The Journal of nursing education*. 2011;50(2):105-11. Epub 2011/01/08.

1771.

Parkin-Smith GF, Norman IJ, Briggs E, Angier E, Wood TG, Brantingham JW. A structured protocol of evidence-based conservative care compared with usual care for acute nonspecific low back pain: a randomized clinical trial. *Arch Phys Med Rehabil*. 2012;93(1):11-20.

1772.

Parone D, Stauss M, Reed C-R, Sherman B, Smith L, Johnson R, et al. A Comparative Study of Two Nebulizers in the Emergency Department: Breath-Actuated Nebulizer and Handheld Nebulizer. *JEN: Journal of Emergency Nursing*. 2014;40(2):131-7.

1773.

Parry C, Min SJ, Chugh A, Chalmers S, Coleman EA. Further application of the care transitions intervention: results of a randomized controlled trial conducted in a fee-for-service setting. *Home Health Care Serv Q*. 2009;28(2-3):84-99.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1774.

Parsons G, Jester R, Godfrey H. A randomised controlled trial to evaluate the efficacy of a health maintenance clinic intervention for patients undergoing elective primary total hip and knee replacement surgery. *International Journal of Orthopaedic and Trauma Nursing*. 2013;17(4):171-9.

1775.

Partridge MR, Caress AL, Brown C, Hennings J, Luker K, Woodcock A, et al. Can lay people deliver asthma self-management education as effectively as primary care based practice nurses? *Thorax*. 2008;63(9):778-83.

1776.

Patel A, Knapp M, Evans A, Perez I, Kalra L. Training care givers of stroke patients: economic evaluation. *Bmj*. 2004;328(7448):1102. Epub 2004/05/08.

1777.

Patel M, Thimons DG, Winston JL, Langholff W, McGowan T. An open-label, randomized, multicenter, controlled study of epoetin alfa for the treatment of anemia of chronic kidney disease in the long term care setting. *J Am Med Dir Assoc*. 2012;13(3):244-8.

1778.

Patiraki EI, Papathanassoglou ED, Tafas C, Akarepi V, Katsaragakis SG, Kampitsi A, et al. A randomized controlled trial of an educational intervention on Hellenic nursing staff's knowledge and attitudes on cancer pain management. *Eur J Oncol Nurs*. 2006;10(5):337-52.

1779.

Patman S, Jenkins S, Stiller K. Physiotherapy does not prevent, or hasten recovery from, ventilator-associated pneumonia in patients with acquired brain injury. *Intensive Care Med*. 2009;35(2):258-65. Epub 2008/09/25.

1780.

Paul F, Jones MC, Hendry C, Adair PM. The quality of written information for parents regarding the management of a febrile convulsion: a randomized controlled trial. *J Clin Nurs*. 2007;16(12):2308-22. Epub 2007/11/27.

1781.

Paul IM, Beiler JS, Schaefer EW, Hollenbeak CS, Alleman N, Sturgis SA, et al. A Randomized Trial of Single Home Nursing Visits vs Office-Based Care After Nursery/Maternity Discharge The Nurses for Infants Through Teaching and Assessment After the Nursery (NITTANY) Study. *Arch Pediatr Adolesc Med*. 2012;166(3):263-70.

1782.

Payne JK, Held J, Thorpe J, Shaw H. Effect of exercise on biomarkers, fatigue, sleep disturbances, and depressive symptoms in older women with breast cancer receiving hormonal therapy. *Oncol Nurs Forum*. 2008;35(4):635-42.

1783.

Pbert L, Druker S, DiFranza JR, Gorak D, Reed G, Magner R, et al. Effectiveness of a school nurse-delivered smoking-cessation intervention for adolescents. *Pediatrics*. 2011;128(5):926-36.

1784.

Pbert L, Osganian SK, Gorak D, Druker S, Reed G, O'Neill KM, et al. A school nurse-delivered adolescent smoking cessation intervention: a randomized controlled trial. *Preventive Medicine*. 2006;43(4):312-20.

1785.

Pedersen GB, Storm JO. Emergency department X-rays requested by physicians or nurses. *Ugeskr Laeger*. 2009;171(21):1747-51. Rontgenundersogelser i skadestuen ordineret af laege eller sygeplejerske.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1786.

Pedreira ML, Kusahara DM, de Carvalho WB, Nunez SC, Peterlini MA. Oral care interventions and oropharyngeal colonization in children receiving mechanical ventilation. *Am J Crit Care*. 2009;18(4):319-28; quiz 29. Epub 2009/06/27.

1787.

Pedrolo E, Reichembach Danski MT, Vayego SA, de Oliveira GLR, Boostel R. Infection, local reaction and poor fixation of dressings for central venous catheter. *Acta Paulista de Enfermagem*. 2014;27(1):63-8.

1788.

Peeters MJ, van Zuilen AD, van den Brand JA, Bots ML, van Buren M, Ten Dam MA, et al. Nurse practitioner care improves renal outcome in patients with CKD. *J Am Soc Nephrol*. 2014;25(2):390-8. Epub 2013/10/26.

1789.

Peltzer K, Simbayi L, Banyini M, Kekana Q. HIV risk reduction intervention among traditionally circumcised young men in South Africa: a cluster randomized control trial. *The Journal of the Association of Nurses in AIDS Care : JANAC*. 2011;22(5):397-406.

1790.

Penders J, Gerhold K, Stobberingh EE, Thijs C, Zimmermann K, Lau S, et al. Establishment of the intestinal microbiota and its role for atopic dermatitis in early childhood. *J Allergy Clin Immunol*. 2013;132(3):601-7 e8. Epub 2013/08/01.

1791.

Peng SM, Koo M, Kuo JC. Effect of group music activity as an adjunctive therapy on psychotic symptoms in patients with acute schizophrenia. *Arch Psychiatr Nurs*. 2010;24(6):429-34.

1792.

Persell SD, Eder M, Friesema E, Connor C, Rademaker A, French DD, et al. EHR-based medication support and nurse-led medication therapy management: rationale and design for a three-arm clinic randomized trial. *J Am Heart Assoc*. 2013;2(5):e000311. Epub 2013/10/26.

1793.

Peters KL, Rosychuk RJ, Hendson L, Cote JJ, McPherson C, Tyebkhan JM. Improvement of short- and long-term outcomes for very low birth weight infants: Edmonton NIDCAP trial. *Pediatrics*. 2009;124(4):1009-20.

1794.

Peterson U, Bergstrom G, Samuelsson M, Asberg M, Nygren A. Reflecting peer-support groups in the prevention of stress and burnout: randomized controlled trial. *J Adv Nurs*. 2008;63(5):506-16.

1795.

Petterson E, Vernby A, Molstad S, Lundborg CS. Can a multifaceted educational intervention targeting both nurses and physicians change the prescribing of antibiotics to nursing home residents? A cluster randomized controlled trial. *J Antimicrob Chemother*. 2011;66(11):2659-66.

1796.

Petterson PH, Lindskog EA, Öwall A. Patient-controlled versus nurse-controlled pain treatment after coronary artery bypass surgery. *Acta Anaesthesiologica Scandinavica*. 2000;44(1):43-7.

1797.

Peyrovi H, Parvizy S, Haghani H. Supportive counselling programme for nursing students experiencing academic failure: randomized controlled trial. *J Adv Nurs*. 2009;65(9):1899-906.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1798.

Phelan DL, Oliveria SA, Christos PJ, Dusza SW, Halpern AC. Skin self-examination in patients at high risk for melanoma: a pilot study. *Oncol Nurs Forum*. 2003;30(6):1029-36.

1799.

Phillips LR. Abuse of aging caregivers: test of a nursing intervention. *ANS Advances in nursing science*. 2008;31(2):164-81. Epub 2008/05/24.

1800.

Phuphaibul R, Thanooruk R, Leucha Y, Sirapo-ngam Y, Kanobdee C. The impacts of the "Immune of Life" for teens module application on the coping behaviors and mental health of early adolescents. *J Pediatr Nurs*. 2005;20(6):461-8.

1801.

Pierce LL, Thompson TL, Govoni AL, Steiner V. Caregivers' incongruence: emotional strain in caring for persons with stroke. *Rehabil Nurs*. 2012;37(5):258-66. Epub 2012/09/06.

1802.

Pietrocola P, Riley RG, Beanland CJ, Kelly C, Radnell J. A randomized controlled trial to measure the effectiveness of a sacral wedge in preventing postoperative back pain following trans-urethral resection of the prostate (TURP) in lithotomy position. *J Clin Nurs*. 2004;13(8):977-85.

1803.

Piette JD, Valenstein M, Himle J, Duffy S, Torres T, Vogel M, et al. Clinical complexity and the effectiveness of an intervention for depressed diabetes patients. *Chronic Illn*. 2011;7(4):267-78.

1804.

Piette JD, Weinberger M, Kraemer FB, McPhee SJ. Impact of automated calls with nurse follow-up on diabetes treatment outcomes in a Department of Veterans Affairs Health Care System: a randomized controlled trial. *Diabetes Care*. 2001;24(2):202-8.

1805.

Piette JD, Weinberger M, McPhee SJ. The effect of automated calls with telephone nurse follow-up on patient-centered outcomes of diabetes care: a randomized, controlled trial. *Med Care*. 2000;38(2):218-30.

1806.

Pillai AK, Sharma KK, Gupta YK, Bakhshi S. Anti-emetic effect of ginger powder versus placebo as an add-on therapy in children and young adults receiving high emetogenic chemotherapy. *Pediatr Blood Cancer*. 2011;56(2):234-8. doi: 10.1002/pbc.22778. Epub 2010 Sep 14.

1807.

Pinnock H, Bawden R, Proctor S, Wolfe S, Scullion J, Price D, et al. Accessibility, acceptability, and effectiveness in primary care of routine telephone review of asthma: pragmatic, randomised controlled trial. *Bmj*. 2003;326(7387):477-9.

1808.

Pinto BM, Papandonatos GD, Goldstein MG. A randomized trial to promote physical activity among breast cancer patients. *Health Psychol*. 2013;32(6):616-26. Epub 2013/06/05.

1809.

Pinto MD, Hickman RL, Jr., Clochesy J, Buchner M. Avatar-based depression self-management technology: promising approach to improve depressive symptoms among young adults. *Appl Nurs Res*. 2013;26(1):45-8. Epub 2012/12/26.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1810.

Piotrowski MM, Paterson C, Mitchinson A, Kim HM, Kirsh M, Hinshaw DB. Massage as adjuvant therapy in the management of acute postoperative pain: a preliminary study in men. *J Am Coll Surg*. 2003;197(6):1037-46.

1811.

Pipe TB, Bortz JJ, Dueck A, Pendergast D, Buchda V, Summers J. Nurse leader mindfulness meditation program for stress management: a randomized controlled trial. *J Nurs Adm*. 2009;39(3):130-7.

1812.

Piper SN, Beschmann RB, Mengistu A, Maleck WH, Boldt J, Rohm KD. Postoperative analgesedation with S(+)-ketamine decreases the incidences of postanesthetic shivering and nausea and vomiting after cardiac surgery. *Med Sci Monit*. 2008;14(12):PI59-65. Epub 2008/12/02.

1813.

Pittman J, Beeson T, Terry C, Kessler W, Kirk L. Methods of bowel management in critical care: a randomized controlled trial. *J Wound Ostomy Continence Nurs*. 2012;39(6):633-9.

1814.

Polek C, Hardie T. Warfarin use post hospitalization: pilot comparative effectiveness of telephone follow-up. *Rehabil Nurs*. 2012;37(2):80-7.

1815.

Polkki T, Pietila AM, Vehvilainen-Julkunen K, Laukkala H, Kiviluoma K. Imagery-induced relaxation in children's postoperative pain relief: a randomized pilot study. *J Pediatr Nurs*. 2008;23(3):217-24.

1816.

Pollard DL. Impact of a feeding log on breastfeeding duration and exclusivity. *Matern Child Health J*. 2011;15(3):395-400.

1817.

Poonai N, Alawi K, Rieder M, Lynch T, Lim R. A Comparison of Amethocaine and Liposomal Lidocaine Cream as a Pain Reliever Before Venipuncture in Children A Randomized Control Trial. *Pediatr Emerg Care*. 2012;28(2):104-8.

1818.

Poortaghi S, Baghernia A, Golzari SE, Safayian A, Atri SB. The effect of home-based cardiac rehabilitation program on self efficacy of patients referred to cardiac rehabilitation center. *BMC Res Notes*. 2013;6:287. Epub 2013/07/25.

1819.

Porteous R, Kaufman K, Rush J. The effect of individualized professional support on duration of breastfeeding: a randomized controlled trial. *J Hum Lact*. 2000;16(4):303-8.

1820.

Postmus D, Pari AAA, Jaarsma T, Luttik ML, van Veldhuisen DJ, Hillege HL, et al. A trial-based economic evaluation of 2 nurse-led disease management programs in heart failure. *Am Heart J*. 2011;162(6):1096-104.

1821.

Potter P, Eisenberg S, Cain KC, Berry DL. Orange interventions for symptoms associated with dimethyl sulfoxide during stem cell reinfusions: a feasibility study. *Cancer Nurs*. 2011;34(5):361-8.

1822.

Pozehl B, Duncan K, Krueger S, VerMaas P. Adjunctive effects of exercise training in heart failure patients receiving maximum pharmacologic therapy. *Progress in cardiovascular nursing*. 2003;18(4):177-83.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1823.

Pozner CN, Almozlino A, Elmer J, Poole S, McNamara D, Barash D. Cardiopulmonary resuscitation feedback improves the quality of chest compression provided by hospital health care professionals. *The American journal of emergency medicine*. 2011;29(6):618-25. Epub 2010/09/10.

1824.

Prendergast V, Hagell P, Hallberg IR. Electric versus manual tooth brushing among neuroscience ICU patients: is it safe? *Neurocrit Care*. 2011;14(2):281-6.

1825.

Prendergast V, Jakobsson U, Renvert S, Hallberg IR. Effects of a standard versus comprehensive oral care protocol among intubated neuroscience ICU patients: results of a randomized controlled trial. *J Neurosci Nurs*. 2012;44(3):134-46; quiz 47-8.

1826.

Pressler SJ, Therrien B, Riley PL, Chou CC, Ronis DL, Koelling TM, et al. Nurse-Enhanced Memory Intervention in Heart Failure: the MEMOIR study. *J Card Fail*. 2011;17(10):832-43. Epub 2011/10/04.

1827.

Price LM. Transition to Community: a program to help clients with schizophrenia move from inpatient to community care; a pilot study. *Arch Psychiatr Nurs*. 2007;21(6):336-44.

1828.

Price T, McGloin S, Izzard J, Gilchrist M. Cooling strategies for patients with severe cerebral insult in ICU (Part 2). *Nurs Crit Care*. 2003;8(1):37-45.

1829.

Pridham KA, Krolkowski MM, Limbo RK, Paradowski J, Rudd N, Meurer JR, et al. Guiding mothers' management of health problems of very low birth-weight infants. *Public Health Nurs*. 2006;23(3):205-15.

1830.

Pryce J, Albertsen K, Nielsen K. Evaluation of an open-rota system in a Danish psychiatric hospital: a mechanism for improving job satisfaction and work-life balance. *J Nurs Manag*. 2006;14(4):282-8.

1831.

Pu Y, Cen G, Sun J, Gong J, Zhang Y, Zhang M, et al. Warming with an underbody warming system reduces intraoperative hypothermia in patients undergoing laparoscopic gastrointestinal surgery: a randomized controlled study. *Int J Nurs Stud*. 2014;51(2):181-9. Epub 2013/06/22.

1832.

Purath J, Miller AM, McCabe G, Wilbur J. A brief intervention to increase physical activity in sedentary working women. *Can J Nurs Res*. 2004;36(1):76-91. Epub 2004/05/12.

1833.

Puskar K, Grabiak BR, Bernardo LM, Ren D. Adolescent coping across time: implications for psychiatric mental health nurses. *Issues Ment Health Nurs*. 2009;30(9):581-6.

1834.

Puskar K, Sereika S, Tusaie-Mumford K. Effect of the Teaching Kids to Cope (TKC) program on outcomes of depression and coping among rural adolescents. *J Child Adolesc Psychiatr Nurs*. 2003;16(2):71-80.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1835.

Putwatana P, Sanmanowong P, Oonprasertpong L, Junda T, Pitiporn S, Narkwong L. Relief of radiation-induced oral mucositis in head and neck cancer. *Cancer Nurs.* 2009;32(1):82-7.

1836.

Qi BB, Resnick B, Smeltzer SC, Bausell B. Self-efficacy program to prevent osteoporosis among Chinese immigrants: a randomized controlled trial. *Nurs Res.* 2011;60(6):393-404.

1837.

Quan L, Dong J, Li Y, Zuo L. The effectiveness of intensive nursing care on seasonal variation of blood pressure in patients on peritoneal dialysis. *J Adv Nurs.* 2012;68(6):1267-75. Epub 2011/10/29.

1838.

Quinn D, Newton N, Piecuch R. Effect of less frequent bathing on premature infant skin. *J Obstet Gynecol Neonatal Nurs.* 2005;34(6):741-6.

1839.

Quintard B, Constant A, Lakdja F, Labeyrie-Lagardère Hln. Factors predicting sexual functioning in patients 3 months after surgical procedures for breast cancer: The role of the Sense of Coherence. *Eur J Oncol Nurs.* 2014;18(1):41-5.

1840.

R L, Andrews R, Chumber S. A study to compare the effectiveness of normal saline vs tapwater in irrigation of chronic wounds. *International Journal of Nursing Education.* 2010;3(1):19-21.

1841.

Rabins PV, Black BS, Roca R, German P, McGuire M, Robbins B, et al. Effectiveness of a nurse-based outreach program for identifying and treating psychiatric illness in the elderly. *Jama.* 2000;283(21):2802-9.

1842.

Rader J, Barrick AL, Hoeffler B, Sloane PD, McKenzie D, Talerico KA, et al. The bathing of older adults with dementia. *Am J Nurs.* 2006;106(4):40-8, quiz 8-9. Epub 2006/04/01.

1843.

Radwany SM, Hazelett SE, Allen KR, Kropp DJ, Ertle D, Albanese TH, et al. Results of the promoting effective advance care planning for elders (PEACE) randomized pilot study. *Popul Health Manag.* 2014;17(2):106-11. Epub 2013/10/26.

1844.

Radziewicz RM, Rose JH, Bowman KF, Berila RA, O'Toole EE, Given B. Establishing treatment fidelity in a coping and communication support telephone intervention for aging patients with advanced cancer and their family caregivers. *Cancer Nurs.* 2009;32(3):193-202. Epub 2009/03/20.

1845.

Raftery JP, Yao GL, Murchie P, Campbell NC, Ritchie LD. Cost effectiveness of nurse led secondary prevention clinics for coronary heart disease in primary care: follow up of a randomised controlled trial. *Bmj.* 2005;330(7493):707. Epub 2005/02/18.

1846.

Rahnavard Z, Nodeh ZH, Hosseini L. Effectiveness of clinical teaching associate model in nursing education: Results from a developing country. *Contemporary Nurse: A Journal for the Australian Nursing Profession.* 2013;45(2):174-81.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1847.

Rambod M, Pourali-Mohammadi N, Pasyar N, Rafii F, Sharif F. The effect of Benson's relaxation technique on the quality of sleep of Iranian hemodialysis patients: a randomized trial. *Complementary therapies in medicine*. 2013;21(6):577-84. Epub 2013/11/28.

1848.

Ramirez-Garcia P, Cote J. An individualized intervention to foster optimal antiretroviral treatment-taking behavior among persons living with HIV: a pilot randomized controlled trial. *The Journal of the Association of Nurses in AIDS Care : JANAC*. 2012;23(3):220-32.

1849.

Ramos MM, Schrader R, Trujillo R, Blea M, Greenberg C. School nurse inspections improve handwashing supplies. *J Sch Health*. 2011;81(6):355-8.

1850.

Ramya KR, Andrews GR. Effectiveness of discharge counseling on compliance and problems of patients who have undergone heart valve replacement. *International Journal of Nursing Education*. 2012;4(1):49-51.

1851.

Ran KQ, He AM, Han QR, Tang ZL, Lei FH. Comfortable nursing and the mental state in parturient women. *Chinese Journal of Clinical Rehabilitation*. 2005;9(32):62-3.

1852.

Ransom S, Azzarello LM, McMillan SC. Methodological issues in the recruitment of cancer pain patients and their caregivers. *Res Nurs Health*. 2006;29(3):190-8.

1853.

Rantonen J, Vehtari A, Karppinen J, Luoto S, Viikari-Juntura E, Hupli M, et al. Face-to-face information combined with a booklet versus a booklet alone for treatment of mild low-back pain: a randomized controlled trial. *Scand J Work Environ Health*. 2014;40(2):156-66. Epub 2013/11/05.

1854.

Rantz MJ, Zwygart-Stauffacher M, Hicks L, Mehr D, Flesner M, Petroski GF, et al. Randomized multilevel intervention to improve outcomes of residents in nursing homes in need of improvement. *J Am Med Dir Assoc*. 2012;13(1):60-8. Epub 2011/08/06.

1855.

Rasero L, Marsullo M, Dal Molin A. [Assessing the effectiveness of Gelclair(R) in the prevention and therapy of stomatitis in patients undergoing hematopoietic stem-cell transplantation: a randomized trial]. *Prof Inferm*. 2014;67(1):15-20. Epub 2014/04/26. Valutazione dell'efficacia del Gelclair(R) nella prevenzione e cura della stomatite nei pazienti sottoposti a trapianto di cellule staminali emopoietiche: Studio randomizzato.

1856.

Rasheed S, Saeed A, Yazdanie N. Awareness and ethical views regarding life support among doctors working in tertiary care facilities of Karachi, Pakistan. *J Pak Med Assoc*. 2012;62(7):690-3. Epub 2013/07/23.

1857.

Rask MT, Jensen ML, Andersen J, Zachariae R. Effects of an intervention aimed at improving nurse-patient communication in an oncology outpatient clinic. *Cancer Nurs*. 2009;32(1):E1-11.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1858.

Rathod S, Kingdon D, Smith P, Turkington D. Insight into schizophrenia: the effects of cognitive behavioural therapy on the components of insight and association with sociodemographics--data on a previously published randomised controlled trial. *Schizophr Res.* 2005;74(2-3):211-9. Epub 2005/02/22.

1859.

Raurell-Torredà M, Llano-Serrano Cd, Almirall-Solsona D, Nicolás-Arfelis JM. Arterial catheter setup for glucose control in critically ill patients: A randomized controlled trial. *Am J Crit Care.* 2014;23(2):150-9.

1860.

Ravaud P, Giraudeau B, Logeart I, Laruier JS, Rolland D, Treves R, et al. Management of osteoarthritis (OA) with an unsupervised home based exercise programme and/or patient administered assessment tools. A cluster randomised controlled trial with a 2x2 factorial design. *Ann Rheum Dis.* 2004;63(6):703-8. Epub 2004/05/14.

1861.

Rawl SM, Given BA, Given CW, Champion VL, Kozachik SL, Kozachik SL, et al. Intervention to improve psychological functioning for newly diagnosed patients with cancer. *Oncol Nurs Forum.* 2002;29(6):967-75.

1862.

Razavi D, Delvaux N, Marchal S, Durieux JF, Farvacques C, Dubus L, et al. Does training increase the use of more emotionally laden words by nurses when talking with cancer patients? A randomised study. *British Journal of Cancer.* 2002;87(1):1-7.

1863.

Ream E, Richardson A, Alexander-Dann C. Supportive intervention for fatigue in patients undergoing chemotherapy: a randomized controlled trial. *J Pain Symptom Manage.* 2006;31(2):148-61.

1864.

Redhead K, Bradshaw T, Braynion P, Doyle M. An evaluation of the outcomes of psychosocial intervention training for qualified and unqualified nursing staff working in a low-secure mental health unit. *J Psychiatr Ment Health Nurs.* 2011;18(1):59-66.

1865.

Reeder JA, Joyce T, Sibley K, Arnold D, Altindag O. Telephone peer counseling of breastfeeding among WIC participants: a randomized controlled trial. *Pediatrics.* 2014;134(3):e700-9. Epub 2014/08/06.

1866.

Reeve J, Stiller K, Nicol K, McPherson KM, Birch P, Gordon IR, et al. A postoperative shoulder exercise program improves function and decreases pain following open thoracotomy: a randomised trial. *Journal of physiotherapy.* 2010;56(4):245-52. Epub 2010/11/26.

1867.

Reeve JC, Nicol K, Stiller K, McPherson KM, Birch P, Gordon IR, et al. Does physiotherapy reduce the incidence of postoperative pulmonary complications following pulmonary resection via open thoracotomy? A preliminary randomised single-blind clinical trial. *Eur J Cardiothorac Surg.* 2010;37(5):1158-66. Epub 2010/02/09.

1868.

Reid C, Courtney M. A randomized clinical trial to evaluate the effect of diet on weight loss and coping of people living with HIV and lipodystrophy. *J Clin Nurs.* 2007;16(7B):197-206.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1869.

Reid J, Scott D, Santin O, Cardwell CR, Donnelly M, Kernohan WG, et al. Evaluation of a psychoeducational intervention for patients with advanced cancer who have cachexia and their lay carers (EPACaCC): study protocol. *J Adv Nurs*. 2014;70(5):1174-83. Epub 2013/10/15.

1870.

Reig-Ferrer A, Ferrer-Cascales R, Santos-Ruiz A, Campos-Ferrer A, Prieto-Seva A, Velasco-Ruiz I, et al. A relaxation technique enhances psychological well-being and immune parameters in elderly people from a nursing home: a randomized controlled study. *BMC Complement Altern Med*. 2014;14:311. Epub 2014/08/26.

1871.

Reimann FM, Samson U, Derad I, Fuchs M, Schiefer B, Stange EF. Synergistic sedation with low-dose midazolam and propofol for colonoscopies. *Endoscopy*. 2000;32(3):239-44. Epub 2000/03/16.

1872.

Reinhardt AC, Mullins IL, De Blicke C, Schultz P. IV Insertion Simulation: Confidence, Skill, and Performance. *Clinical Simulation in Nursing*. 2012;8(5):e157-e67.

1873.

Reinhardt JP, Chichin E, Posner L, Kassabian S. Vital conversations with family in the nursing home: preparation for end-stage dementia care. *J Soc Work End Life Palliat Care*. 2014;10(2):112-26. Epub 2014/05/20.

1874.

Reis D, Walsh ME, Young-McCaughan S, Jones T. Effects of Nia exercise in women receiving radiation therapy for breast cancer. *Oncol Nurs Forum*. 2013;40(5):E374-81.

1875.

Rejeh N, Heravi-Karimooi M, Vaismoradi M, Jasper M. Effect of systematic relaxation techniques on anxiety and pain in older patients undergoing abdominal surgery. *Int J Nurs Pract*. 2013;19(5):462-70. Epub 2013/10/08.

1876.

Remington R. Calming music and hand massage with agitated elderly. *Nurs Res*. 2002;51(5):317-23.

1877.

Ren K, Qiu J, Wang X, Niu F, Jiang T. The effect of a sweet potato, footbath, and acupuncture intervention in preventing constipation in hospitalized patients with acute coronary syndromes. *Gastroenterology nursing : the official journal of the Society of Gastroenterology Nurses and Associates*. 2012;35(4):271-7.

1878.

Resnick B, Cayo J, Galik E, Pretzer-Aboff I. Implementation of the 6-week educational component in the Res-Care intervention: process and outcomes. *Journal of continuing education in nursing*. 2009;40(8):353-60.

1879.

Resnick B, Galik E, Gruber-Baldini A, Zimmerman S. Testing the effect of function-focused care in assisted living. *Journal of the American Geriatrics Society*. 2011;59(12):2233-40.

1880.

Resnick B, Gruber-Baldini AL, Galik E, Pretzer-Aboff I, Russ K, Hebel JR, et al. Changing the philosophy of care in long-term care: testing of the restorative care intervention. *Gerontologist*. 2009;49(2):175-84.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1881.

Resnick B, Gruber-Baldini AL, Zimmerman S, Galik E, Pretzer-Aboff I, Russ K, et al. Nursing home resident outcomes from the Res-Care intervention. *J Am Geriatr Soc.* 2009;57(7):1156-65. Epub 2009/07/03.

1882.

Resnick EA, Bishop M, O'Connell A, Hugo B, Isern G, Timm A, et al. The CHEER study to reduce BMI in Elementary School students: a school-based, parent-directed study in Framingham, Massachusetts. *The Journal of school nursing : the official publication of the National Association of School Nurses.* 2009;25(5):361-72.

1883.

Reynolds A, Ayres-de-Campos D, Pereira-Cavaleiro A, Ferreira-Bastos L. Simulation for teaching normal delivery and shoulder dystocia to midwives in training. *Education for health.* 2010;23(3):405. Epub 2011/02/04.

1884.

Reynolds H, Wilson-Barnett J, Richardson G. Evaluation of the role of the Parkinson's disease nurse specialist. *Int J Nurs Stud.* 2000;37(4):337-49.

1885.

Reynolds MA. Postoperative pain management discharge teaching in a rural population. *Pain management nursing : official journal of the American Society of Pain Management Nurses.* 2009;10(2):76-84.

1886.

Reynolds T, Russell L, Deeth M, Jones H, Birchall L. A randomised controlled trial comparing Drawtex with standard dressings for exuding wounds. *J Wound Care.* 2004;13(2):71-4.

1887.

Reynolds W, Lauder W, Sharkey S, Maciver S, Veitch T, Cameron D. The effects of a transitional discharge model for psychiatric patients. *J Psychiatr Ment Health Nurs.* 2004;11(1):82-8.

1888.

Rezaei-Adaryani M, Ahmadi F, Asghari-Jafarabadi M. The effect of changing position and early ambulation after cardiac catheterization on patients' outcomes: a single-blind randomized controlled trial. *Int J Nurs Stud.* 2009;46(8):1047-53.

1889.

Rezaei-Adaryani M, Ahmadi F, Mohamadi E, Asghari-Jafarabadi M. The effect of three positioning methods on patient outcomes after cardiac catheterization. *J Adv Nurs.* 2009;65(2):417-24.

1890.

Rhee H, Hollen PJ, Belyea MJ, Sutherland MA. Decision-making program for rural adolescents with asthma: a pilot study. *J Pediatr Nurs.* 2008;23(6):439-50. Epub 2008/11/26.

1891.

Ribezzo S, Spina E, Di Bartolomeo S, Sanson G. Noninvasive techniques for blood pressure measurement are not a reliable alternative to direct measurement: a randomized crossover trial in ICU. *ScientificWorldJournal.* 2014;2014:353628. Epub 2014/03/13.

1892.

Richards KC, Lambert C, Beck CK, Bliwise DL, Evans WJ, Kalra GK, et al. Strength training, walking, and social activity improve sleep in nursing home and assisted living residents: randomized controlled trial. *J Am Geriatr Soc.* 2011;59(2):214-23.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1893.

Richeson NE, Spross JA, Lutz K, Peng C. Effects of Reiki on anxiety, depression, pain, and physiological factors in community-dwelling older adults. *Res Gerontol Nurs*. 2010;3(3):187-99. Epub 2010/07/20.

1894.

Rickard CM, Couchman BA, Hughes M, McGrail MR. Preventing hypothermia during continuous veno-venous haemodiafiltration: a randomized controlled trial. *J Adv Nurs*. 2004;47(4):393-400.

1895.

Rico-Blázquez M, Escortell-Mayor E, del-Cura-González I, Sanz-Cuesta T, Gallego-Berciano P, de las Casas-Cámara G, et al. CuidaCare: effectiveness of a nursing intervention on the quality of life's caregiver: cluster-randomized clinical trial. *BMC Nursing*. 2014;13(1):1-20.

1896.

Ridge K, Bartlett J, Cheah Y, Thomas S, Lawrence-Smith G, Winkley K, et al. Do the effects of psychological treatments on improving glycemic control in type 1 diabetes persist over time? A long-term follow-up of a randomized controlled trial. *Psychosom Med*. 2012;74(3):319-23. Epub 2012/03/22.

1897.

Ridner SH, Poage-Hooper E, Kanar C, Doersam JK, Bond SM, Dietrich MS. A pilot randomized trial evaluating low-level laser therapy as an alternative treatment to manual lymphatic drainage for breast cancer-related lymphedema. *Oncol Nurs Forum*. 2013;40(4):383-93.

1898.

Riegel B, Carlson B. Is individual peer support a promising intervention for persons with heart failure? *Journal of Cardiovascular Nursing*. 2004;19(3):174-83.

1899.

Riegel B, Carlson B, Kopp Z, LePetri B, Glaser D, Unger A. Effect of a standardized nurse case-management telephone intervention on resource use in patients with chronic heart failure. *Archives of Internal Medicine*. 2002;162(6):705-12.

1900.

Rinaldi L, Floccari A, Selman H. Ultrasound guidance of embryo transfer: a role for midwife. *Sex Reprod Healthc*. 2014;5(2):47-9. Epub 2014/05/13.

1901.

Ring Jacobsson L, Friedrichsen M, Goransson A, Hallert C. Does a Coeliac School increase psychological well-being in women suffering from coeliac disease, living on a gluten-free diet? *J Clin Nurs*. 2012;21(5-6):766-75.

1902.

Ritz J, Pashnik B, Padula C, Simmons K. Effectiveness of 2 methods of chlorhexidine bathing. *J Nurs Care Qual*. 2012;27(2):171-5. Epub 2011/11/01.

1903.

Ritz LJ, Nissen MJ, Swenson KK, Farrell JB, Spurduto PW, Sladek ML, et al. Effects of advanced nursing care on quality of life and cost outcomes of women diagnosed with breast cancer. *Oncol Nurs Forum*. 2000;27(6):923-32.

1904.

Rivard C, Awad M, Liebermann M, Dejong M, Massey SM, Sinacore J, et al. Bladder drainage during labor: a randomized controlled trial. *J Obstet Gynaecol Res*. 2012;38(8):1046-51. Epub 2012/05/01.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1905. Robb SL, Burns DS, Stegenga KA, Haut PR, Monahan PO, Meza J, et al. Randomized clinical trial of therapeutic music video intervention for resilience outcomes in adolescents/young adults undergoing hematopoietic stem cell transplant: a report from the Children's Oncology Group. *Cancer*. 2014;120(6):909-17. Epub 2014/01/29.
1906. Robbins GK, Testa MA, Su M, Safren SA, Morse G, Lammert S, et al. Site nurse-initiated adherence and symptom support telephone calls for HIV-positive individuals starting antiretroviral therapy, ACTG 5031: substudy of ACTG 384. *HIV Clin Trials*. 2013;14(5):235-53. Epub 2013/10/23.
1907. Robbins H, Hundley V, Osman LM. Minor illness education for parents of young children. *J Adv Nurs*. 2003;44(3):238-47.
1908. Roberts K, Naik R. Catheterization options following radical surgery for cervical cancer. *Br J Nurs*. 2006;15(19):1038-44.
1909. Robertson MC, Devlin N, Gardner MM, Campbell AJ. Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. 1: Randomised controlled trial. *Bmj*. 2001;322(7288):697-701.
1910. Robson V, Dodd S, Thomas S. Standardized antibacterial honey (Medihoney) with standard therapy in wound care: randomized clinical trial. *J Adv Nurs*. 2009;65(3):565-75.
1911. Rodrigo-Gil J, Suner-Soler R, Cruz-Diaz V, Bagot-Prats M, Algans-Coll L, Cepeda-Bautista M, et al. [Care for patients with acute stroke: effectiveness of portable vesical ultrasound imaging in the stroke unit]. *Rev Neurol*. 2012;54(3):151-8. Epub 2012/01/27. Cuidados a los pacientes con ictus agudo: eficacia del ecografo vesical portatil en la unidad de ictus.
1912. Rogers CE, Keller C, Larkey LK, Ainsworth BE. A randomized controlled trial to determine the efficacy of Sign Chi Do exercise on adaptation to aging. *Res Gerontol Nurs*. 2012;5(2):101-13.
1913. Roh JH, Synn A, Lim CM, Suh HJ, Hong SB, Huh JW, et al. A weaning protocol administered by critical care nurses for the weaning of patients from mechanical ventilation. *J Crit Care*. 2012;27(6):549-55.
1914. Roldan-Merino J, Garcia IC, Ramos-Pichardo JD, Foix-Sanjuan A, Quilez-Jover J, Montserrat-Martinez M. Impact of personalized in-home nursing care plans on dependence in ADLs/IADLs and on family burden among adults diagnosed with Schizophrenia: a randomized controlled study. *Perspect Psychiatr Care*. 2013;49(3):171-8. Epub 2013/07/04.
1915. Roman LA, Gardiner JC, Lindsay JK, Moore JS, Luo Z, Baer LJ, et al. Alleviating perinatal depressive symptoms and stress: a nurse-community health worker randomized trial. *Arch Womens Ment Health*. 2009;12(6):379-91.
1916. Roman LA, Lindsay JK, Moore JS, Duthie PA, Peck C, Barton LR, et al. Addressing mental health and stress in Medicaid-insured pregnant women using a nurse-community health worker home visiting team. *Public Health Nurs*. 2007;24(3):239-48.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1917.

Romeo R, Knapp M, Banerjee S, Morris J, Baldwin R, Tarrier N, et al. Treatment and prevention of depression after surgery for hip fracture in older people: cost-effectiveness analysis. *J Affect Disord.* 2011;128(3):211-9. Epub 2010/08/11.

1918.

Rondanelli M, Giacosa A, Opizzi A, Pelucchi C, La Vecchia C, Montorfano G, et al. Long chain omega 3 polyunsaturated fatty acids supplementation in the treatment of elderly depression: effects on depressive symptoms, on phospholipids fatty acids profile and on health-related quality of life. *J Nutr Health Aging.* 2011;15(1):37-44. Epub 2011/01/27.

1919.

Rootmensen GN, van Keimpema AR, Looyen EE, van der Schaaf L, de Haan RJ, Jansen HM. The effects of additional care by a pulmonary nurse for asthma and COPD patients at a respiratory outpatient clinic: results from a double blind, randomized clinical trial. *Patient Educ Couns.* 2008;70(2):179-86.

1920.

Rose KM, Taylor AG, Bourguignon C. Effects of cranial electrical stimulation on sleep disturbances, depressive symptoms, and caregiving appraisal in spousal caregivers of persons with Alzheimer's disease. *Appl Nurs Res.* 2009;22(2):119-25. Epub 2009/05/12.

1921.

Rose SB, Lawton BA, Elley CR, Dowell AC, Fenton AJ. The 'Women's Lifestyle Study', 2-year randomized controlled trial of physical activity counselling in primary health care: rationale and study design. *BMC Public Health.* 2007;7:166.

1922.

Rosenbloom SK, Victorson DE, Hahn EA, Peterman AH, Cella D. Assessment is not enough: a randomized controlled trial of the effects of HRQL assessment on quality of life and satisfaction in oncology clinical practice. *Psychooncology.* 2007;16(12):1069-79.

1923.

Rosenzweig M, Brufsky A, Rastogi P, Puhalla S, Simon J, Underwood S. The attitudes, communication, treatment, and support intervention to reduce breast cancer treatment disparity. *Oncol Nurs Forum.* 2011;38(1):85-9.

1924.

Rosenzweig MQ, Bender CM, Lucke JP, Yasko JM, Brufsky AM. The decision to prematurely terminate a trial of R-HuEPO due to thrombotic events. *Journal of Pain and Symptom Management.* 2004;27(2):185-90.

1925.

Rosenzweig MQ, Wiehagen T, Brufsky A, Sillaman A, Arnold R. The Unique Perspective of Illness Among Women With Metastatic Breast Cancer According to Race and Income. *Journal of Hospice & Palliative Nursing.* 2009;11(1):27-40.

1926.

Ross SM. African geranium (EPs 7630), part I: a proprietary root extract of *Pelargonium sidoides* (EPs 7630) is found to be effective in resolving symptoms associated with the common cold in adults. *Holist Nurs Pract.* 2012;26(2):106-9. Epub 2012/02/22.

1927.

Rossiter JC. The effect of a culture-specific education program to promote breastfeeding among Vietnamese women in Sydney. *Int J Nurs Stud.* 1994;31(4):369-79.

1928.

Rosted E, Poulsen I, Hendriksen C, Petersen J, Wagner L. Testing a two step nursing intervention focused on decreasing rehospitalizations and nursing home admission post discharge from acute care. *Geriatr Nurs.* 2013;34(6):477-85.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1929.

Rothmann JC, Gerber JJ, Venter OM, Steyn HS, Monteith JL. Primary care drug therapy training: the solution for PHC nurses? *Curatationis*. 2000;23(1):43-52.

1930.

Routasalo PE, Tilvis RS, Kautiainen H, Pitkala KH. Effects of psychosocial group rehabilitation on social functioning, loneliness and well-being of lonely, older people: randomized controlled trial. *J Adv Nurs*. 2009;65(2):297-305.

1931.

Rowe K, Weatherall R. Why do patients fail to follow long term treatment? *Nurs Times*. 2011;107(13):12-5.

1932.

Rowe MA, Kairalla JA, McCrae CS. Sleep in dementia caregivers and the effect of a nighttime monitoring system. *J Nurs Scholarsh*. 2010;42(3):338-47.

1933.

Royer M, Ballentine NH, Eslinger PJ, Houser K, Mistrick R, Behr R, et al. Light therapy for seniors in long term care. *J Am Med Dir Assoc*. 2012;13(2):100-2.

1934.

Roykulcharoen V, Good M. Systematic relaxation to relieve postoperative pain. *J Adv Nurs*. 2004;48(2):140-8.

1935.

Rubin DA, Wilson KS, Wiersma LD, Weiss JW, Rose DJ. Rationale and design of active play @ home: a parent-led physical activity program for children with and without disability. *BMC Pediatr*. 2014;14:41. Epub 2014/02/18.

1936.

Rubio-Gurung S, Putet G, Touzet S, Gauthier-Moulinier H, Jordan I, Beissel A, et al. In situ simulation training for neonatal resuscitation: an RCT. *Pediatrics*. 2014;134(3):e790-7. Epub 2014/08/06.

1937.

Ruchiwit M. The effect of the one-to-one interaction process with group supportive psychotherapy on the levels of hope, anxiety and self-care practice for patients that have experienced organ loss: an alternative nursing care model. *Int J Nurs Pract*. 2012;18(4):363-72. Epub 2012/08/01.

1938.

Ruegg TA, Curran CR, Lamb T. Use of buffered lidocaine in bone marrow biopsies: a randomized, controlled trial. *Oncol Nurs Forum*. 2009;36(1):52-60.

1939.

Ruehl BD. The psychological and physical health effects of written emotional expression in pediatric hematology/oncology, intensive care, and neonatal intensive care nursing staff. Alliant International University; 2013.

1940.

Rujawatthanakorn D, Panpakdee O, Malathum P, Tanomsup S. Effectiveness of a self-management program for Thais with essential hypertension. *Pacific Rim International Journal of Nursing Research*. 2011;15(2):97-109.

1941.

Ruland CM, Andersen T, Jeneson A, Moore S, Grimsbo GH, Borosund E, et al. Effects of an internet support system to assist cancer patients in reducing symptom distress: a randomized controlled trial. *Cancer Nurs*. 2013;36(1):6-17.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1942.

Ruland CM, Holte HH, Roislien J, Heaven C, Hamilton GA, Kristiansen J, et al. Effects of a computer-supported interactive tailored patient assessment tool on patient care, symptom distress, and patients' need for symptom management support: a randomized clinical trial. *J Am Med Inform Assoc.* 2010;17(4):403-10.

1943.

Ruppar TM. Randomized pilot study of a behavioral feedback intervention to improve medication adherence in older adults with hypertension. *The Journal of cardiovascular nursing.* 2010;25(6):470-9.

1944.

Rushforth H, Bliss A, Burge D, Gasper EA. A pilot randomised controlled trial of medical versus nurse clerking for minor surgery. *Arch Dis Child.* 2000;83(3):223-6.

1945.

Rushforth H, Burge D, Mullee M, Jones S, McDonald H, Gasper EA. Nurse-led paediatric pre operative assessment: an equivalence study. *Paediatr Nurs.* 2006;18(3):23-9.

1946.

Rushforth K. A randomised controlled trial of weaning from mechanical ventilation in paediatric intensive care (PIC). Methodological and practical issues. *Intensive Crit Care Nurs.* 2005;21(2):76-86.

1947.

Russell L, Reynolds TM, Towns A, Worth W, Greenman A, Turner R. Randomized comparison trial of the RIK and the Nimbus 3 mattresses. *Br J Nurs.* 2003;12(4):254, 6-9.

1948.

Russell LJ, Reynolds TM, Park C, Rithalia S, Gonsalkorale M, Birch J, et al. Randomized clinical trial comparing 2 support surfaces: results of the Prevention of Pressure Ulcers Study. *Adv Skin Wound Care.* 2003;16(6):317-27.

1949.

Ruth M, Locsin R. The effect of music listening on acute confusion and delirium in elders undergoing elective hip and knee surgery. *Journal of Clinical Nursing.* 2004;13(6B):91-6.

1950.

Ryan P, Maierle D, Csuka ME, Thomson A, Szabo A. Computer-based intervention to enhance self-management of calcium and vitamin D intake in women. *Western journal of nursing research.* 2013;35(8):986-1010.

1951.

Ryan S, Hassell AB, Lewis M, Farrell A. Impact of a rheumatology expert nurse on the wellbeing of patients attending a drug monitoring clinic. *J Adv Nurs.* 2006;53(3):277-86.

1952.

Ryden MB, Snyder M, Gross CR, Savik K, Pearson V, Krichbaum K, et al. Value-added outcomes: The use of advanced practice nurses in long-term care facilities. *Gerontologist.* 2000;40(6):654-62.

1953.

Ryhänen AM, Rankinen S, Siekkinen M, Saarinen M, Korvenranta H, Leino-Kilpi H. The impact of an empowering Internet-based Breast Cancer Patient Pathway program on breast cancer patients' clinical outcomes: a randomised controlled trial. *Journal of Clinical Nursing.* 2013;22(7/8):1016-25.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1954.

Rytter L, Jakobsen HN, Ronholt F, Hammer AV, Andreassen AH, Nissen A, et al. Comprehensive discharge follow-up in patients' homes by GPs and district nurses of elderly patients. A randomized controlled trial. *Scandinavian journal of primary health care*. 2010;28(3):146-53. Epub 2010/05/01.

1955.

Ryu MJ, Park JS, Park H. Effect of sleep-inducing music on sleep in persons with percutaneous transluminal coronary angiography in the cardiac care unit. *J Clin Nurs*. 2012;21(5-6):728-35.

1956.

Rzyska I, Rzymiski P, Wilczak M, Wloszczak-Szubzda A, Jarosz MJ, Musielak M. The influence of passive and active moral training on medical university on changes of students' moral competence index - results from randomized single blinded trial. *Ann Agric Environ Med*. 2014;21(1):161-6. Epub 2014/04/18.

1957.

Saadati N, Mohammadjafari R, Natanj S, Abedi P. The effect of gabapentin on intensity and duration of hot flashes in postmenopausal women: a randomized controlled trial. *Glob J Health Sci*. 2013;5(6):126-30. Epub 2013/11/01.

1958.

Saadatmand V, Rejeh N, Heravi-Karimooi M, Tadrissi SD, Zayeri F, Vaismoradi M, et al. Effect of nature-based sounds' intervention on agitation, anxiety, and stress in patients under mechanical ventilator support: a randomised controlled trial. *Int J Nurs Stud*. 2013;50(7):895-904.

1959.

Sadati L, Pazouki A, Mehdizadeh A, Shoar S, Tamannaie Z, Chaichian S. Effect of preoperative nursing visit on preoperative anxiety and postoperative complications in candidates for laparoscopic cholecystectomy: a randomized clinical trial. *Scand J Caring Sci*. 2013;27(4):994-8.

1960.

Sakamoto Y, Ebihara S, Ebihara T, Tomita N, Toba K, Freeman S, et al. Fall prevention using olfactory stimulation with lavender odor in elderly nursing home residents: a randomized controlled trial. *J Am Geriatr Soc*. 2012;60(6):1005-11. doi: 10.1111/j.532-5415.2012.03977.x. Epub 2012 May 30.

1961.

Salamonson Y, Koch J, Weaver R, Everett B, Jackson D. Embedded academic writing support for nursing students with English as a second language. *J Adv Nurs*. 2010;66(2):413-21.

1962.

Salzer MS, Brusilovskiy E, Prvu-Bettger J, Kottsieper P. Measuring community participation of adults with psychiatric disabilities: reliability of two modes of data collection. *Rehabil Psychol*. 2014;59(2):211-9. Epub 2014/03/13.

1963.

Samarel N, Tulman L, Fawcett J. Effects of two types of social support and education on adaptation to early-stage breast cancer. *Res Nurs Health*. 2002;25(6):459-70.

1964.

Sanchez A, Silvestre C, Sauto R, Martinez C, Grandes G, Pre DErg. Feasibility and effectiveness of the implementation of a primary prevention programme for type 2 diabetes in routine primary care practice: a phase IV cluster randomised clinical trial. *BMC Fam Pract*. 2012;13:109. Epub 2012/11/20.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1965.

Sander Wint S, Eshelman D, Steele J, Guzzetta CE. Effects of distraction using virtual reality glasses during lumbar punctures in adolescents with cancer. *Oncol Nurs Forum*. 2002;29(1):E8-E15.

1966.

Sanders J, Owen-Jones E, Robling M. Evaluating the family nurse partnership in England: the Building Blocks trial. *The practising midwife*. 2011;14(7):13-5. Epub 2011/08/23.

1967.

Sandgren AK, McCaul KD, King B, O'Donnell S, Foreman G. Telephone therapy for patients with breast cancer. *Oncol Nurs Forum*. 2000;27(4):683-8. Epub 2000/06/02.

1968.

Sandige H, Ndekha MJ, Briend A, Ashorn P, Manary MJ. Home-based treatment of malnourished Malawian children with locally produced or imported ready-to-use food. *J Pediatr Gastroenterol Nutr*. 2004;39(2):141-6. Epub 2004/07/23.

1969.

Sanne I, Orrell C, Fox MP, Conradie F, Ive P, Zeinecker J, et al. Nurse versus doctor management of HIV-infected patients receiving antiretroviral therapy (CIPRA-SA): a randomised non-inferiority trial. *Lancet*. 2010;376(9734):33-40. Epub 2010/06/19.

1970.

Santana-Sosa E, Barriopedro MI, Lopez-Mojares LM, Perez M, Lucia A. Exercise training is beneficial for Alzheimer's patients. *Int J Sports Med*. 2008;29(10):845-50. Epub 2008/04/11.

1971.

Santos Jde O, de Oliveira SM, da Silva FM, Nobre MR, Osava RH, Riesco ML. Low-level laser therapy for pain relief after episiotomy: a double-blind randomised clinical trial. *J Clin Nurs*. 2012;21(23-24):3513-22.

1972.

Santos Jde O, Oliveira SM, Nobre MR, Aranha AC, Alvarenga MB. A randomised clinical trial of the effect of low-level laser therapy for perineal pain and healing after episiotomy: a pilot study. *Midwifery*. 2012;28(5):e653-9. Epub 2011/10/11.

1973.

Santra S, Sarkar PS, Latif A, Bhattacharyya A. Augmented versus non-augmented open surgical repair of fresh tendo-achilles injury: a prospective randomised study. *J Indian Med Assoc*. 2012;110(11):776-8. Epub 2013/06/22.

1974.

Sanz-Pozo B, de Miguel-Diez J, Anegon-Blanco M, Garcia-Carballo M, Gomez-Suarez E, Fernandez-Dominguez JF. Effectiveness of a programme of intensive tobacco counselling by nursing professionals. *Aten Primaria*. 2006;37(5):266-72. Efectividad de un programa de consejo antitabaco intensivo realizado por profesionales de enfermeria.

1975.

Saraf S, Bayya J, Weedon J, Minkoff H, Fisher N. The relationship of praise/criticism to learning during obstetrical simulation: a randomized clinical trial. *Journal of Perinatal Medicine*. 2014;42(4):479-86.

1976.

Sato D, Kaneda K, Wakabayashi H, Nomura T. Comparison of 2-year effects of once and twice weekly water exercise on activities of daily living ability of community dwelling frail elderly. *Arch Gerontol Geriatr*. 2009;49(1):123-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1977.

Sawatzky JA, Christie S, Singal RK. Exploring outcomes of a nurse practitioner-managed cardiac surgery follow-up intervention: a randomized trial. *J Adv Nurs*. 2013;69(9):2076-87.

1978.

Sawaya MA. Concept mapping as a teaching strategy on knowledge of community/public health nursing among accelerated baccalaureate nursing students [Randomized controlled trial]: University of Northern Colorado; 2010.

1979.

Sawyer AC, Lynch J, Bowering K, Jeffs D, Clark J, Mpundu-Kaambwa C, et al. An equivalence evaluation of a nurse-moderated group-based internet support program for new mothers versus standard care: a pragmatic preference randomised controlled trial. *BMC Pediatr*. 2014;14:119. Epub 2014/06/03.

1980.

Scarabotto LB, Riesco ML. Use of hyaluronidase to prevent perineal trauma during spontaneous delivery: a pilot study. *J Midwifery Womens Health*. 2008;53(4):353-61.

1981.

Schachman KA, Lee RK, Lederman RR. Baby boot camp - Facilitating maternal role adaptation among military wives. *Nurs Res*. 2004;53(2):107-15.

1982.

Schaik R, Rovekamp MH. Fact or myth? Pain reduction in solvent-assisted removal of adhesive tape. *J Wound Care*. 2011;20(8):380-3.

1983.

challom ME, Prentice D, Sona C, Micek ST, Skrupky LP. Heparin or 0.9% sodium chloride to maintain central venous catheter patency: a randomized trial. *Crit Care Med*. 2012;40(6):1820-6.

1984.

Scharman EJ, Cloonan HA, Durback-Morris LF. Home administration of charcoal: can mothers administer a therapeutic dose? *J Emerg Med*. 2001;21(4):357-61. Epub 2001/12/01.

1985.

Schirmer J, Fustinoni SM, Basile ALD. Perineal outcomes on the left lateral versus vertical semi-sitting birth positions: a randomized study. *Acta Paulista De Enfermagem*. 2011;24(6):745-50.

1986.

Schjolberg TK, Dodd M, Henriksen N, Asplund K, Cvancarova SmÅstuen M, Rustoen T. Effects of an educational intervention for managing fatigue in women with early stage breast cancer. *Eur J Oncol Nurs*. 2014;18(3):286-94.

1987.

Schlegel C, Woermann U, Shaha M, Rethans JJ, van der Vleuten C. Effects of communication training on real practice performance: a role-play module versus a standardized patient module. *J Nurs Educ*. 2012;51(1):16-22.

1988.

Schlenk EA, Lias JL, Sereika SM, Dunbar-Jacob J, Kwoh CK. Improving physical activity and function in overweight and obese older adults with osteoarthritis of the knee: a feasibility study. *Rehabil Nurs*. 2011;36(1):32-42. Epub 2011/02/05.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

1989.

Schmelzer M, Schiller LR, Meyer R, Rugari SM, Case P. Safety and effectiveness of large-volume enema solutions. *Appl Nurs Res.* 2004;17(4):265-74.

1990.

Schneider SM, Prince-Paul M, Allen MJ, Silverman P, Talaba D. Virtual reality as a distraction intervention for women receiving chemotherapy. *Oncol Nurs Forum.* 2004;31(1):81-8.

1991.

Schoenfelder DP. A fall prevention program for elderly individuals. Exercise in long-term care settings. *J Gerontol Nurs.* 2000;26(3):43-51.

1992.

Schultz M, Atherton IM, Hubbard G, Watson AJ. The use of mindfulness-based cognitive therapy for improving quality of life for inflammatory bowel disease patients: study protocol for a pilot randomised controlled trial with embedded process evaluation. *Trials.* 2013;14:431. Epub 2013/12/18.

1993.

Schrecengost A. Do humorous preoperative teaching strategies work? *Aorn J.* 2001;74(5):683-9.

1994.

Schreuders B, van Marwijk H, Smit J, Rijmen F, Stalman W, van Oppen P. Primary care patients with mental health problems: outcome of a randomised clinical trial. *Br J Gen Pract.* 2007;57(544):886-91. Epub 2007/11/03.

1995.

Schroeder K, Fahey T, Hollinghurst S, Peters TJ. Nurse-led adherence support in hypertension: a randomized controlled trial. *Fam Pract.* 2005;22(2):144-51.

1996.

Schubert M, Clarke SP, Aiken LH, de Geest S. Associations between rationing of nursing care and inpatient mortality in Swiss hospitals. *Int J Qual Health Care.* 2012;24(3):230-8. Epub 2012/03/30.

1997.

Schultz AA, Goodwin PA, Jesseman C, Toews HG, Lane M, Smith C. Evaluating the effectiveness of gel pillows for reducing bilateral head flattening in preterm infants: a randomized controlled pilot study. *Appl Nurs Res.* 2008;21(4):191-8.

1998.

Schwartz AL, Winters-Stone K, Gallucci B. Exercise effects on bone mineral density in women with breast cancer receiving adjuvant chemotherapy. *Oncol Nurs Forum.* 2007;34(3):627-33.

1999.

Schwarz KA, Mion LC, Hudock D, Litman G. Telemonitoring of heart failure patients and their caregivers: A pilot randomized controlled trial. *Progress in cardiovascular nursing.* 2008;23(1):18-26.

2000.

Scisney-Matlock M, Glazewki L, McClerking C, Kachorek L. Development and evaluation of DASH diet tailored messages for hypertension treatment. *Appl Nurs Res.* 2006;19(2):78-87.

2001.

Scott EM, Leaper DJ, Clark M, Kelly PJ. Effects of warming therapy on pressure ulcers--a randomized trial. *Aorn J.* 2001;73(5):921-7, 9-33, 36-38.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2002.

Scott LD, Setter-Kline K, Britton AS. The effects of nursing interventions to enhance mental health and quality of life among individuals with heart failure. *Appl Nurs Res.* 2004;17(4):248-56.

2003.

Scura KW, Budin W, Garfing E. Telephone social support and education for adaptation to prostate cancer: a pilot study. *Oncol Nurs Forum.* 2004;31(2):335-8.

2004.

Sebbane M, Hayter M, Romero J, Lefebvre S, Chabrot C, Mercier G, et al. Chest compressions performed by ED staff: a randomized cross-over simulation study on the floor and on a stretcher. *The American journal of emergency medicine.* 2012;30(9):1928-34.

2005.

Secginli S, Nahcivan NO. The effectiveness of a nurse-delivered breast health promotion program on breast cancer screening behaviours in non-adherent Turkish women: A randomized controlled trial. *Int J Nurs Stud.* 2011;48(1):24-36.

2006.

Secola R, Azen C, Lewis MA, Pike N, Needleman J, Sposto R, et al. A crossover randomized prospective pilot study evaluating a central venous catheter team in reducing catheter-related bloodstream infections in pediatric oncology patients. *J Pediatr Oncol Nurs.* 2012;29(6):307-15.

2007.

Secomb J, McKenna L, Smith C. The effectiveness of simulation activities on the cognitive abilities of undergraduate third-year nursing students: a randomised control trial. *J Clin Nurs.* 2012;21(23-24):3475-84.

2008.

Seers K, Crichton N, Carroll D, Richards S, Saunders T. Evidence-based postoperative pain management in nursing: Is a randomized-controlled trial the most appropriate design? *J Nurs Manag.* 2004;12(3):183-93.

2009.

Seers K, Crichton N, Tutton L, Smith L, Saunders T. Effectiveness of relaxation for postoperative pain and anxiety: randomized controlled trial. *J Adv Nurs.* 2008;62(6):681-8. Epub 2008/05/28.

2010.

Segal CG, Anderson JJ. Preoperative skin preparation of cardiac patients. *Aorn J.* 2002;76(5):821-8.

2011.

Segrin C, Badger T, Dorros SM, Meek P, Lopez AM. Interdependent anxiety and psychological distress in women with breast cancer and their partners. *Psychooncology.* 2007;16(7):634-43. Epub 2006/11/10.

2012.

Sekine Y, Takai Y, Nishii O, Kudaka N, Onozawa A, Kizu J, et al. [Establishment of an optimum bowel preparation method before gynecologic laparoscopic surgery]. *Yakugaku Zasshi.* 2001;121(8):637-45. Epub 2001/08/29.

2013.

Selby C, Valencia S, Garcia L, Keep D, Overcash J, Jackson J. Activity level during a one-hour labor check evaluation: walking versus bed rest. *MCN Am J Matern Child Nurs.* 2012;37(2):101-7; quiz 8-9. Epub 2012/01/25.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2014.

Sellæg MS, Romild U, Kuhry E. Prevention of tape blisters after hip replacement surgery: A randomized clinical trial. *International Journal of Orthopaedic & Trauma Nursing*. 2012;16(1):39-46.

2015.

Senarath U, Fernando DN, Rodrigo I. Effect of training for care providers on practice of essential newborn care in hospitals in Sri Lanka. *J Obstet Gynecol Neonatal Nurs*. 2007;36(6):531-41.

2016.

Sendelbach SE, Halm MA, Doran KA, Miller EH, Gaillard P. Effects of music therapy on physiological and psychological outcomes for patients undergoing cardiac surgery. *The Journal of cardiovascular nursing*. 2006;21(3):194-200.

2017.

Serda BC, Marcos-Gragera R. Urinary incontinence and prostate cancer: a progressive rehabilitation program design. *Rehabil Nurs*. 2014;39(6):271-80. Epub 2013/06/20.

2018.

Serra-Rexach JA, Bustamante-Ara N, Hierro Villaran M, Gonzalez Gil P, Sanz Ibanez MJ, Blanco Sanz N, et al. Short-term, light- to moderate-intensity exercise training improves leg muscle strength in the oldest old: a randomized controlled trial. *J Am Geriatr Soc*. 2011;59(4):594-602.

2019.

Shabanloei R, Golchin M, Esfahani A, Dolatkah R, Rasoulia M. Effects of music therapy on pain and anxiety in patients undergoing bone marrow biopsy and aspiration. *Aorn J*. 2010;91(6):746-51.

2020.

Shah D, Singh M, Gupta P, Faridi MM. Effect of sequencing of complementary feeding in relation to breast-feeding on total intake in infants. *J Pediatr Gastroenterol Nutr*. 2014;58(3):339-43. Epub 2014/02/22.

2021.

Shah VS, Taddio A, Hancock R, Shah P, Ohlsson A. Topical amethocaine gel 4% for intramuscular injection in term neonates: a double-blind, placebo-controlled, randomized trial. *Clin Ther*. 2008;30(1):166-74. Epub 2008/03/18.

2022.

Shannon RJ, Brown L, Chakravarthy D. Pressure Ulcer Prevention Program Study: a randomized, controlled prospective comparative value evaluation of 2 pressure ulcer prevention strategies in nursing and rehabilitation centers. *Adv Skin Wound Care*. 2012;25(10):450-64.

2023.

Sharp DM, Walker MB, Chaturvedi A, Upadhyay S, Hamid A, Walker AA, et al. A randomised, controlled trial of the psychological effects of reflexology in early breast cancer. *Eur J Cancer*. 2010;46(2):312-22.

2024.

Sharp L, Finnill K, Johansson H, Abrahamsson M, Hatschek T, Bergenmar M. No differences between Calendula cream and aqueous cream in the prevention of acute radiation skin reactions – Results from a randomised blinded trial. *Eur J Oncol Nurs*. 2013;17(4):429-35.

2025.

Sharpnack PA, Koppelman C, Fellows B. Using a dedicated education unit clinical education model with second-degree accelerated nursing program students. *J Nurs Educ*. 2014;53(12):685-91. Epub 2014/11/20.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2026.

Shaughnessy M, Michael K, Resnick B. Impact of treadmill exercise on efficacy expectations, physical activity, and stroke recovery. *J Neurosci Nurs*. 2012;44(1):27-35.

2027.

Shebesta KF, Cook B, Rickets C, Schweer L, Brown RL, Garcia VF, et al. Pediatric trauma nurse practitioners increase bedside nurses' satisfaction with pediatric trauma patient care. *J Trauma Nurs*. 2006;13(2):66-9.

2028.

Sheikhan F, Jahdi F, Khoei EM, Shamsalizadeh N, Sheikhan M, Haghani H. Episiotomy pain relief: Use of Lavender oil essence in primiparous Iranian women. *Complement Ther Clin Pract*. 2012;18(1):66-70.

2029.

Shelley DC, Legrand TS, Gardner DD, Peters JI. A randomized, controlled study to evaluate the role of an in-home asthma disease management program provided by respiratory therapists in improving outcomes and reducing the cost of care. *J Asthma*. 2009;46(2):194-201.

2030.

Shelmet J, Schwartz S, Cappleman J, Peterson G, Skovlund S, Lytzen L, et al. Preference and resource utilization in elderly patients: InnoLet versus vial/syringe. *Diabetes Res Clin Pract*. 2004;63(1):27-35. Epub 2003/12/25.

2031.

Shen C, Pang SM, Kwong EW, Cheng Z. The effect of Chinese food therapy on community dwelling Chinese hypertensive patients with Yin-deficiency. *J Clin Nurs*. 2010;19(7-8):1008-20. Epub 2010/05/25.

2032.

Shepherd AJ, Glenesk A, Niven CA, Mackenzie J. A Scottish study of heel-prick blood sampling in newborn babies. *Midwifery*. 2006;22(2):158-68. Epub 2006/01/03.

2033.

Sheppard C, Higgins B, Wise M, Yiangou C, Dubois D, Kilburn S. Breast cancer follow up: a randomised controlled trial comparing point of need access versus routine 6-monthly clinical review. *Eur J Oncol Nurs*. 2009;13(1):2-8.

2034.

Sher-i-Murtaza M, Zubair M, Jalal A. Is there any benefit of preoperative oral trimetazidine in coronary artery bypass graft? *J Pak Med Assoc*. 2012;62(12):1271-6. Epub 2013/07/23.

2035.

Sherman DW, Haber J, Hoskins CN, Budin WC, Maislin G, Shukla S, et al. The effects of psychoeducation and telephone counseling on the adjustment of women with early-stage breast cancer. *Appl Nurs Res*. 2012;25(1):3-16.

2036.

Sherrard H, Struthers C, Kearns SA, Wells G, Chen L, Mesana T. Using technology to create a medication safety net for cardiac surgery patients: a nurse-led randomized control trial. *Canadian journal of cardiovascular nursing = Journal canadien en soins infirmiers cardio-vasculaires*. 2009;19(3):9-15.

2037.

Sherwood P, Given BA, Given CW, Champion VL, Doorenbos AZ, Azzouz F, et al. A cognitive behavioral intervention for symptom management in patients with advanced cancer. *Oncol Nurs Forum*. 2005;32(6):1190-8. Epub 2005/11/05.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2038.

Shi Q, Ostwald SK, Wang S. Improving glycaemic control self-efficacy and glycaemic control behaviour in Chinese patients with type 2 diabetes mellitus: randomised controlled trial. *J Clin Nurs*. 2010;19(3-4):398-404.

2039.

Shi YX, Fan XY, Han HJ, Wu QX, Di HJ, Hou YH, et al. Effectiveness of a nurse-led intensive educational programme on chronic kidney failure patients with hyperphosphataemia: randomised controlled trial. *J Clin Nurs*. 2013;22(7-8):1189-97.

2040.

Shieh SJ, Chen HL, Liu FC, Liou CC, Lin YI, Tseng HI, et al. The effectiveness of structured discharge education on maternal confidence, caring knowledge and growth of premature newborns. *J Clin Nurs*. 2010;19(23-24):3307-13.

2041.

Shin AM, Park JS. The effects of hope intervention on hope and depression of cancer patients staying at home. *Taehan Kanho Hakhoe Chi*. 2007;37(6):994-1002.

2042.

Shin YS, Lim NY, Yun SC, Park KO. A randomised controlled trial of the effects of cryotherapy on pain, eyelid oedema and facial ecchymosis after craniotomy. *J Clin Nurs*. 2009;18(21):3029-36.

2043.

Shinnick MA. The impact of human patient simulation on nursing clinical knowledge [Randomized controlled trial]: University of California, Los Angeles; 2010.

2044.

Shively MJ, Gardetto NJ, Kodiath MF, Kelly A, Smith TL, Stepnowsky C, et al. Effect of patient activation on self-management in patients with heart failure. *The Journal of cardiovascular nursing*. 2013;28(1):20-34.

2045.

Shore ND, Sieber P, Schimke L, Perzin A, Olsen S. Comparison of tolerability and adverse events following treatment with two GnRH agonists in patients with advanced prostate cancer. *Urol Nurs*. 2013;33(5):236-44, 48. Epub 2013/12/21.

2046.

Shyu YI, Chen MC, Chen ST, Wang HP, Shao JH. A family caregiver-oriented discharge planning program for older stroke patients and their family caregivers. *J Clin Nurs*. 2008;17(18):2497-508.

2047.

Shyu YI, Kuo LM, Chen MC, Chen ST. A clinical trial of an individualised intervention programme for family caregivers of older stroke victims in Taiwan. *J Clin Nurs*. 2010;19(11-12):1675-85.

2048.

Shyu YI, Liang J, Wu CC, Cheng HS, Chen MC. An interdisciplinary intervention for older Taiwanese patients after surgery for hip fracture improves health-related quality of life. *BMC Musculoskelet Disord*. 2010;11:225. Epub 2010/10/06.

2049.

Shyu YI, Liang J, Wu CC, Su JY, Cheng HS, Chou SW, et al. Two-year effects of interdisciplinary intervention for hip fracture in older Taiwanese. *J Am Geriatr Soc*. 2010;58(6):1081-9. Epub 2010/08/21.

2050.

Sidani S, Streiner D, Leclerc C. Evaluating the effectiveness of the abilities-focused approach to morning care of people with dementia. *Int J Older People Nurs*. 2012;7(1):37-45. Epub 2011/06/03.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2051.

Sidora-Arcoleo K, Anson E, Lorber M, Cole R, Olds D, Kitzman H. Differential effects of a nurse home-visiting intervention on physically aggressive behavior in children. *J Pediatr Nurs*. 2010;25(1):35-45. Epub 2010/02/02.

2052.

Siedliecki SL, Good M. Effect of music on power, pain, depression and disability. *J Adv Nurs*. 2006;54(5):553-62.

2053.

Sigsby LM, Yarandi HN. A knowledge comparison of nursing students in perioperative versus other rotations. *Aorn J*. 2004;80(4):699-707.

2054.

Sigurdardottir AK, Benediktsson R, Jonsdottir H. Instruments to tailor care of people with type 2 diabetes. *J Adv Nurs*. 2009;65(10):2118-30.

2055.

Sikorskii A, Given CW, Given B, Jeon S, Decker V, Decker D, et al. Symptom management for cancer patients: a trial comparing two multimodal interventions. *J Pain Symptom Manage*. 2007;34(3):253-64.

2056.

Silva-Smith AL, Fleury J, Belyea M. Effects of a physical activity and healthy eating intervention to reduce stroke risk factors in older adults. *Prev Med*. 2013;57(5):708-11. Epub 2013/07/19.

2057.

immons SF, Alessi C, Schnelle JF. An intervention to increase fluid intake in nursing home residents: prompting and preference compliance. *Journal of the American Geriatrics Society*. 2001;49(7):926-33.

2058.

Simmons SF, Ouslander JG. Resident and family satisfaction with incontinence and mobility care: sensitivity to intervention effects? *Gerontologist*. 2005;45(3):318-26. Epub 2005/06/04.

2059.

Simmons SF, Schnelle JF. Effects of an exercise and scheduled-toileting intervention on appetite and constipation in nursing home residents. *J Nutr Health Aging*. 2004;8(2):116-21.

2060.

Simpson KR, James DC. Effects of immediate versus delayed pushing during second-stage labor on fetal well-being: a randomized clinical trial. *Nurs Res*. 2005;54(3):149-57. Epub 2005/05/18.

2061.

Sinclair L, Hunter R, Hagen S, Nelson D, Hunt J, Group EMHS. How effective are mental health nurses in A&E departments? *Emergency Medicine Journal*. 2006;23(9):687-92.

2062.

Singh NA, Quine S, Clemson LM, Williams EJ, Williamson DA, Stavrinou TM, et al. Effects of high-intensity progressive resistance training and targeted multidisciplinary treatment of frailty on mortality and nursing home admissions after hip fracture: a randomized controlled trial. *J Am Med Dir Assoc*. 2012;13(1):24-30. Epub 2011/09/29.

2063.

Sipe BW, Rex DK, Latinovich D, Overley C, Kinser K, Bratcher L, et al. Propofol versus midazolam/meperidine for outpatient colonoscopy: administration by nurses supervised by endoscopists. *Gastrointest Endosc*. 2002;55(7):815-25.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2064.

Sisk JE, Hebert PL, Horowitz CR, McLaughlin MA, Wang JJ, Chassin MR. Effects of nurse management on the quality of heart failure care in minority communities: a randomized trial. *Ann Intern Med.* 2006;145(4):273-83.

2065.

Sit JW, Yip VY, Ko SK, Gun AP, Lee JS. A quasi-experimental study on a community-based stroke prevention programme for clients with minor stroke. *J Clin Nurs.* 2007;16(2):272-81.

2066.

Sitja-Rabert M, Martinez-Zapata MJ, Fort-Vanmeerhaeghe A, Rey-Abella F, Romero-Rodriguez D, Bonfill X. Whole body vibration for older persons: an open randomized, multicentre, parallel, clinical trial. *BMC geriatr.* 2011;11:89. Epub 2011/12/24.

2067.

Skarbek-Borowska S, Becker BM, Lovgren K, Bates A, Minugh PA. Brief focal ultrasound with topical anesthetic decreases the pain of intravenous placement in children. *Pediatr Emerg Care.* 2006;22(5):339-45. Epub 2006/05/23.

2068.

Skelly AH, Carlson J, Leeman J, Soward A, Burns D. Controlled trial of nursing interventions to improve health outcomes of older African American women with type 2 diabetes. *Nurs Res.* 2009;58(6):410-8.

2069.

Skinner CS, Buchanan A, Champion V, Monahan P, Rawl S, Springston J, et al. Process outcomes from a randomized controlled trial comparing tailored mammography interventions delivered via telephone vs. DVD. *Patient Educ Couns.* 2011;85(2):308-12.

2070.

Skrutkowski M, Saucier A, Eades M, Swidzinski M, Ritchie J, Marchionni C, et al. Impact of a pivot nurse in oncology on patients with lung or breast cancer: symptom distress, fatigue, quality of life, and use of healthcare resources. *Oncol Nurs Forum.* 2008;35(6):948-54.

2071.

Sloane PD, Hoeffler B, Mitchell CM, McKenzie DA, Barrick AL, Rader J, et al. Effect of person-centered showering and the towel bath on bathing-associated aggression, agitation, and discomfort in nursing home residents with dementia: a randomized, controlled trial. *J Am Geriatr Soc.* 2004;52(11):1795-804.

2072.

Smeekens AE, Broekhuijsen-van Henten DM, Sittig JS, Russel IM, ten Cate OT, Turner NM, et al. Successful e-learning programme on the detection of child abuse in emergency departments: a randomised controlled trial. *Arch Dis Child.* 2011;96(4):330-4.

2073.

Smeets CH, Smalbrugge M, Gerritsen DL, Nelissen-Vrancken MH, Wetzels RB, van der Spek K, et al. Improving psychotropic drug prescription in nursing home patients with dementia: design of a cluster randomized controlled trial. *BMC Psychiatry.* 2013;13:280. Epub 2013/11/05.

2074.

Smeulders ES, van Haastregt JC, Ambergen T, Uszko-Lencer NH, Janssen-Boyne JJ, Gorgels AP, et al. Nurse-led self-management group programme for patients with congestive heart failure: randomized controlled trial. *J Adv Nurs.* 2010;66(7):1487-99.

2075.

Smith A, Lollar J, Mendenhall J, Brown H, Johnson P, Roberts S. Use of multiple pedagogies to promote confidence in triage decision making: a pilot study. *J Emerg Nurs.* 2013;39(6):660-6. Epub 2012/03/17.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2076.

Smith AG, Soutar RL, Schey S, Andrews CD, Baister ER, Billbrough C, et al. Home care versus hospital care in patients with multiple myeloma treated with pamidronate. *Int J Palliat Nurs.* 2004;10(3):144-9.

2077.

Smith J, Stevens J, Taylor M, Tibbey J. A randomized, controlled trial comparing compression bandaging and cold therapy in postoperative total knee replacement surgery. *Orthop Nurs.* 2002;21(2):61-6.

2078.

Smith JR, McGrath J, Brotto M, Inder T. A randomized-controlled trial pilot study examining the neurodevelopmental effects of a 5-week M Technique intervention on very preterm infants. *Adv Neonatal Care.* 2014;14(3):187-200. Epub 2014/05/27.

2079.

Smith LJ, Harrison MB, Graham ID, Lamb M. Community leg ulcer bandaging study: lessons learned in a pilot, randomized controlled trial. *Ostomy/wound management.* 2010;56(9):32-42. Epub 2010/09/22.

2080.

Smith M, Casey L, Johnson D, Gwede C, Riggin OZ. Music as a therapeutic intervention for anxiety in patients receiving radiation therapy. *Oncol Nurs Forum.* 2001;28(5):855-62.

2081.

Smith PM, Corso L, Brown KS, Cameron R. Nurse case-managed tobacco cessation interventions for general hospital patients: results of a randomized clinical trial. *Can J Nurs Res.* 2011;43(1):98-117.

2082.

Snider KT, Snider EJ, Johnson JC, Hagan C, Schoenwald C. Preventative osteopathic manipulative treatment and the elderly nursing home resident: a pilot study. *J Am Osteopath Assoc.* 2012;112(8):489-501.

2083.

So HM, Lee CC, Leung AK, Lim JM, Chan CS, Yan WW. Comparing the effectiveness of polyethylene covers (Gladwrap) with lanolin (Duratears) eye ointment to prevent corneal abrasions in critically ill patients: a randomized controlled study. *Int J Nurs Stud.* 2008;45(11):1565-71.

2084.

Sol BG, van der Graaf Y, Brouwer B, Hickox SM, Visseren FL. The effect of a self-management intervention to reduce vascular risk factors in patients with manifestations of vascular diseases. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology.* 2010;9(2):132-9.

2085.

Sol BG, van der Graaf Y, van der Bijl JJ, Goessens BM, Visseren FL. The role of self-efficacy in vascular risk factor management: a randomized controlled trial. *Patient Educ Couns.* 2008;71(2):191-7.

2086.

Solís Muñoz M, García López F, José Casado Dones M, Iza Zabala A, Barragán Tamayo A, González Domínguez T, et al. Health education programme in heart transplant recipients. A randomized controlled trial. Programa de educación para la salud en el trasplantado de corazón Ensayo controlado con asignación aleatoria. 2005;15(3):131-40.

2087.

Song D, Chung F, Ronayne M, Ward B, Yogendran S, Sibbick C. Fast-tracking (bypassing the PACU) does not reduce nursing workload after ambulatory surgery. *Br J Anaesth.* 2004;93(6):768-74.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2088.

Song H-Y, Yong SJ, Hur HK. Effectiveness of a Brief Self-Care Support Intervention for Pulmonary Rehabilitation Among the Elderly Patients with Chronic Obstructive Pulmonary Disease in Korea. *Rehabilitation Nursing*. 2014;39(3):147-56.

2089.

Song MK, Donovan HS, Piraino BM, Choi J, Bernardini J, Verosky D, et al. Effects of an intervention to improve communication about end-of-life care among African Americans with chronic kidney disease. *Appl Nurs Res*. 2010;23(2):65-72.

2090.

Song MK, Ward SE, Happ MB, Piraino B, Donovan HS, Shields AM, et al. Randomized controlled trial of SPIRIT: an effective approach to preparing African-American dialysis patients and families for end of life. *Res Nurs Health*. 2009;32(3):260-73.

2091.

Song WJ, Sohng KY. Effects of progressive resistance training on body composition, physical fitness and quality of life of patients on hemodialysis. *J Korean Acad Nurs*. 2012;42(7):947-56. Epub 2013/02/05.

2092.

Songprakun W, McCann TV. Evaluation of a bibliotherapy manual for reducing psychological distress in people with depression: a randomized controlled trial. *J Adv Nurs*. 2012;68(12):2674-84.

2093.

Songprakun W, McCann TV. Evaluation of a cognitive behavioural self-help manual for reducing depression: a randomized controlled trial. *J Psychiatr Ment Health Nurs*. 2012;19(7):647-53. Epub 2012/01/21.

2094.

Sonuga-Barke EJ, Thompson M, Daley D, Laver-Bradbury C. Parent training for Attention Deficit/Hyperactivity Disorder: is it as effective when delivered as routine rather than as specialist care? *Br J Clin Psychol*. 2004;43(Pt 4):449-57. Epub 2004/11/09.

2095.

Sood R, Sood A, Wolf SL, Linqvist BM, Liu H, Sloan JA, et al. Paced breathing compared with usual breathing for hot flashes. *Menopause (10723714)*. 2013;20(2):179-84.

2096.

Sookyung H, Hodorowski JK, Nirenberg A, Perocchia RS, Staats JA, Velez O, et al. Mobile Health-Based Approaches for Smoking Cessation Resources. *Oncol Nurs Forum*. 2013;40:E312-9.

2097.

Sorensen J, Frich L. Home visits by specially trained nurses after discharge from multi-disciplinary pain care: a cost consequence analysis based on a randomised controlled trial. *Eur J Pain*. 2008;12(2):164-71.

2098.

Sorknaes AD, Bech M, Madsen H, Titlestad IL, Hounsgaard L, Hansen-Nord M, et al. The effect of real-time teleconsultations between hospital-based nurses and patients with severe COPD discharged after an exacerbation. *J Telemed Telecare*. 2013;19(8):466-74. Epub 2013/11/15.

2099.

Sparks L. Taking the "Ouch" out of Injections for Children: Using Distraction to Decrease Pain. *MCN The American Journal of Maternal Child Nursing*. 2001;26(2):72-8

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2100.

Sparks LA, Setlik J, Luhman J. Parental holding and positioning to decrease IV distress in young children: a randomized controlled trial. *Journal of Pediatric Nursing*. 2007;22(6):440-7. Epub 2007/11/27.

2101.

Spence K, Smith J, Peat J. Accuracy of weighing simulated infants with in-bed and freestanding scales while connected and disconnected to a ventilator. *Adv Neonat Care*. 2003;3(1):27-36.

2102.

Spijker A, Teerenstra S, Wollersheim H, Adang E, Verhey F, Vernooij-Dassen M. Influence of adherence to a systematic care program for caregivers of dementia patients. *Am J Geriatr Psychiatry*. 2013;21(1):26-36. Epub 2013/01/08.

2103.

Squire SJ, Kirchhoff KT, Hissong K. Comparing two methods of topical anesthesia used before intravenous cannulation in pediatric patients. *J Pediatr Health Care*. 2000;14(2):68-72. Epub 2000/03/29.

2104.

Srikrajang J, Pochamarn C, Chittreecheur J, Apisarnthanarak A, Danchaiwijitr S. Effectiveness of education and problem solving work group on nursing practices to prevent needlestick and sharp injury. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet*. 2005;88 Suppl 10:S115-9.

2105.

Srivastava S, Gupta A, Bhatnagar A, Dutta S. Effect of very early skin to skin contact on success at breastfeeding and preventing early hypothermia in neonates. *Indian J Public Health*. 2014;58(1):22-6. Epub 2014/04/22.

2106.

Srof BJ, Velsor-Friedrich B, Penckofer S. The effects of coping skills training among teens with asthma. *Western journal of nursing research*. 2012;34(8):1043-61. Epub 2011/04/23.

2107.

Stables RH, Booth J, Welstand J, Wright A, Ormerod OJ, Hodgson WR. A randomised controlled trial to compare a nurse practitioner to medical staff in the preparation of patients for diagnostic cardiac catheterisation: the study of nursing intervention in practice (SNIP). *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2004;3(1):53-9.

2108.

Standley JM, Cassidy J, Grant R, Cevasco A, Szuch C, Nguyen J, et al. The effect of music reinforcement for non-nutritive sucking on nipple feeding of premature infants. *Pediatr Nurs*. 2010;36(3):138-45.

2109.

Stark LJ, Spear S, Boles R, Kuhl E, Ratcliff M, Scharf C, et al. A pilot randomized controlled trial of a clinic and home-based behavioral intervention to decrease obesity in preschoolers. *Obesity (Silver Spring)*. 2011;19(1):134-41. Epub 2010/04/17.

2110.

Stauss M, Sherman B, Pugh L, Parone D, Looby-Rodriguez K, Bell A, et al. Hemolysis of coagulation specimens: a comparative study of intravenous draw methods. *J Emerg Nurs*. 2012;38(1):15-21.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2111.

Steen M, Marchant P. Ice packs and cooling gel pads versus no localised treatment for relief of perineal pain: a randomised controlled trial. *Evidence Based Midwifery*. 2007;5(1):16-22.

2112.

Stefaniak JE, Turkelson CL. Does the sequence of instruction matter during simulation? *Simul Healthc*. 2014;9(1):15-20. Epub 2013/10/08.

2113.

Stephenson NL, Weinrich SP, Tavakoli AS. The effects of foot reflexology on anxiety and pain in patients with breast and lung cancer. *Oncol Nurs Forum*. 2000;27(1):67-72. Epub 2000/02/08.

2114.

Stern A, Mitsakakis N, Paulden M, Alibhai S, Wong J, Tomlinson G, et al. Pressure ulcer multidisciplinary teams via telemedicine: a pragmatic cluster randomized stepped wedge trial in long term care. *BMC Health Serv Res*. 2014;14:83. Epub 2014/02/25.

2115.

Stevens B, Guerriere D, McKeever P, Croxford R, Miller KL, Watson-MacDonell J, et al. Economics of home vs. hospital breastfeeding support for newborns. *J Adv Nurs*. 2006;53(2):233-43.

2116.

Steventon A, Bardsley M, Billings J, Dixon J, Doll H, Beynon M, et al. Effect of telecare on use of health and social care services: findings from the Whole Systems Demonstrator cluster randomised trial. *Age Ageing*. 2013;42(4):501-8. Epub 2013/02/28.

2117.

Stinson CK, Kirk E. Structured reminiscence: an intervention to decrease depression and increase self-transcendence in older women. *J Clin Nurs*. 2006;15(2):208-18.

2118.

Stinson CK, Young EA, Kirk E, Walker R. Use of a structured reminiscence protocol to decrease depression in older women. *J Psychiatr Ment Health Nurs*. 2010;17(8):665-73.

2119.

Stirling C, Leggett S, Lloyd B, Scott J, Blizzard L, Quinn S, et al. Decision aids for respite service choices by carers of people with dementia: development and pilot RCT. *BMC Med Inform Decis Mak*. 2012;12:21. Epub 2012/03/21.

2120.

Stirling L, Raab G, Alder EM, Robertson F. Randomized trial of essential oils to reduce perioperative patient anxiety: feasibility study. *J Adv Nurs*. 2007;60(5):494-501.

2121.

Stolley JM, Reed D, Buckwalter KC. Caregiving appraisal and interventions based on the progressively lowered stress threshold model. *American journal of Alzheimer's disease and other dementias*. 2002;17(2):110-20. Epub 2002/04/17.

2122.

Strand E, Nygren I, Bergkvist L, Smedh K. Nurse or surgeon follow-up after rectal cancer: a randomized trial. *Colorectal Dis*. 2011;13(9):999-1003.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2123.

Straznický NE, Grima MT, Sari CI, Eikelis N, Lambert GW, Nestel PJ, et al. A randomized controlled trial of the effects of pioglitazone treatment on sympathetic nervous system activity and cardiovascular function in obese subjects with metabolic syndrome. *J Clin Endocrinol Metab.* 2014;99(9):E1701-7. Epub 2014/06/18.

2124.

Street JS, Clark WS, Gannon KS, Cummings JL, Bymaster FP, Tamura RN, et al. Olanzapine treatment of psychotic and behavioral symptoms in patients with Alzheimer disease in nursing care facilities: a double-blind, randomized, placebo-controlled trial. The HGEU Study Group. *Arch Gen Psychiatry.* 2000;57(10):968-76. Epub 2000/10/04.

2125.

Street KN, Eaton N, Clarke B, Ellis M, Young PM, Hunt L, et al. Child disability case studies: an interprofessional learning opportunity for medical students and paediatric nursing students. *Med Educ.* 2007;41(8):771-80.

2126.

Stromberg A, Martensson J, Fridlund B, Levin LA, Karlsson JE, Dahlstrom U. Nurse-led heart failure clinics improve survival and self-care behaviour in patients with heart failure: results from a prospective, randomised trial. *Eur Heart J.* 2003;24(11):1014-23.

2127.

Strong V, Waters R, Hibberd C, Murray G, Wall L, Walker J, et al. Management of depression for people with cancer (SMaRT oncology 1): a randomised trial. *Lancet.* 2008;372(9632):40-8.

2128.

Strout TD, Schultz AA, Baumann MR, Jordan PJ, Worthing B, Burton JH. Reducing pain in ED patients during lumbar puncture: the efficacy and feasibility of iontophoresis, collaborative approach. *J Emerg Nurs.* 2004;30(5):423-30.

2129.

Stuifbergen AK, Becker H, Timmerman GM, Kullberg V. The use of individualized goal setting to facilitate behavior change in women with multiple sclerosis. *The Journal of neuroscience nursing : journal of the American Association of Neuroscience Nurses.* 2003;35(2):94-9, 106.

2130.

Su C-P, Lai H-L, Chang E-T, Yiin L-M, Perng S-J, Chen P-W. A randomized controlled trial of the effects of listening to non-commercial music on quality of nocturnal sleep and relaxation indices in patients in medical intensive care unit. *J Adv Nurs.* 2013;69(6):1377-89.

2131.

Suh EE. The effects of P6 acupressure and nurse-provided counseling on chemotherapy-induced nausea and vomiting in patients with breast cancer. *Oncol Nurs Forum.* 2012;39(1):E1-9.

2132.

Suh EE, Kim H, Kang J, Kim H, Park KO, Jeong BL, et al. Outcomes of a culturally responsive health promotion program for elderly Korean survivors of gastrointestinal cancers: a randomized controlled trial. *Geriatr Nurs.* 2013;34(6):445-52. Epub 2013/10/26.

2133.

Suijker JJ, Buurman BM, ter Riet G, van Rijn M, de Haan RJ, de Rooij SE, et al. Comprehensive geriatric assessment, multifactorial interventions and nurse-led care coordination to prevent functional decline in community-dwelling older persons: protocol of a cluster randomized trial. *BMC Health Serv Res.* 2012;12(1):85.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2134.

Suksomboon N, Poolsup N, Nge YL. Impact of phone call intervention on glycemetic control in diabetes patients: a systematic review and meta-analysis of randomized, controlled trials. *PloS one*. 2014;9(2):e89207. Epub 2014/03/04.

2135.

Sun FK, Chiang CY, Lin YH, Chen TB. Short-term effects of a suicide education intervention for family caregivers of people who are suicidal. *J Clin Nurs*. 2014;23(1-2):91-102. Epub 2013/06/22.

2136.

Sun FK, Chiang CY, Yu PJ, Lin CH. A suicide education programme for nurses to educate the family caregivers of suicidal individuals: a longitudinal study. *Nurse education today*. 2013;33(10):1192-200.

2137.

Sun JL, Sung MS, Huang MY, Cheng GC, Lin CC. Effectiveness of acupressure for residents of long-term care facilities with insomnia: a randomized controlled trial. *Int J Nurs Stud*. 2010;47(7):798-805.

2138.

Sundberg KK, Lampic C, Arvidson J, Wettergren L. Sense of Coherence and Need for Support Among Long-Term Survivors of Childhood Cancer. *Cancer Nursing*. 2012;35(4):E43-E9.

2139.

Sundstrom BW, Bang A, Karlsson T, Winge K, Lundberg C, Herlitz J. Anxiolytics in patients suffering a suspected acute coronary syndrome: multi-centre randomised controlled trial in Emergency Medical Service. *Int J Cardiol*. 2013;168(4):3580-7. Epub 2013/06/04.

2140.

Sung HC, Chang AM, Lee WL. A preferred music listening intervention to reduce anxiety in older adults with dementia in nursing homes. *J Clin Nurs*. 2010;19(7-8):1056-64. Epub 2010/05/25.

2141.

Sung HC, Lee WL, Li TL, Watson R. A group music intervention using percussion instruments with familiar music to reduce anxiety and agitation of institutionalized older adults with dementia. *Int J Geriatr Psychiatry*. 2012;27(6):621-7.

2142.

Sutters KA, Miaskowski C, Holdridge-Zeuner D, Waite S, Paul SM, Savedra MC, et al. Time-contingent dosing of an opioid analgesic after tonsillectomy does not increase moderate-to-severe side effects in children. *Pain Management Nursing*. 2005;6(2):49-57

2143.

Svanberg A, Ohrn K, Birgegard G. Oral cryotherapy reduces mucositis and improves nutrition - a randomised controlled trial. *J Clin Nurs*. 2010;19(15-16):2146-51.

2144.

Sveinbjarnardottir EK, Svavarsdottir EK, Wright LM. What are the benefits of a short therapeutic conversation intervention with acute psychiatric patients and their families? A controlled before and after study. *Int J Nurs Stud*. 2013;50(5):593-602. Epub 2012/11/14.

2145.

Swallow V, Knafel K, Sanatacroce S, Hall A, Smith T, Campbell M, et al. The Online Parent Information and Support project, meeting parents' information and support needs for home-based management of childhood chronic kidney disease: research protocol. *J Adv Nurs*. 2012;68(9):2095-102. Epub 2012/01/10.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2146.

Swayden KJ, Anderson KK, Connelly LM, Moran JS, McMahon JK, Arnold PM. Effect of sitting vs. standing on perception of provider time at bedside: A pilot study. *Patient Education and Counseling*. 2012;86(2):166-71.

2147.

Swenson C, Turok DK, Ward K, Jacobson JC, Dermish A. Self-administered misoprostol or placebo before intrauterine device insertion in nulliparous women: a randomized controlled trial. *Obstet Gynecol*. 2012;120(2 Pt 1):341-7. Epub 2012/07/25.

2148.

Swerczek LM, Banister C, Bloomberg GR, Bruns JM, Epstein J, Highstein GR, et al. A telephone coaching intervention to improve asthma self-management behaviors. *Pediatr Nurs*. 2013;39(3):125-30, 45.

2149.

Swindle RW, Rao JK, Helmy A, Plue L, Zhou XH, Eckert GJ, et al. Integrating clinical nurse specialists into the treatment of primary care patients with depression. *Int J Psychiatry Med*. 2003;33(1):17-37.

2150.

Symons S, Rowsell M, Bhowal B, Dias JJ. Hospital versus home management of children with buckle fractures of the distal radius. A prospective, randomised trial. *J Bone Joint Surg Br*. 2001;83(4):556-60. Epub 2001/05/31.

2151.

Szanton SL, Thorpe RJ, Boyd C, Tanner EK, Leff B, Agree E, et al. Community aging in place, advancing better living for elders: a bio-behavioral-environmental intervention to improve function and health-related quality of life in disabled older adults. *J Am Geriatr Soc*. 2011;59(12):2314-20.

2152.

Sze FK, Wong E, Yi X, Woo J. Does acupuncture have additional value to standard poststroke motor rehabilitation? *Stroke*. 2002;33(1):186-94. Epub 2002/01/10.

2153.

Taavoni S, Nazem Ekbatani N, Haghani H. Valerian/lemon balm use for sleep disorders during menopause. *Complement Ther Clin Pract*. 2013;19(4):193-6. Epub 2013/11/10.

2154.

Tadaka E, Kanagawa K. A randomized controlled trial of a group care program for community-dwelling elderly people with dementia. *Japan Journal of Nursing Science*. 2004;1(1):19-25.

2155.

Tafas CA, Patiraki E, McDonald DD, Lemonidou C. Testing an instrument measuring Greek nurses' knowledge and attitudes regarding pain. *Cancer Nursing*. 2002;25(1):8-14.

2156.

Taguchi T, Yano M, Kido Y. Influence of bright light therapy on postoperative patients: a pilot study. *Intensive Crit Care Nurs*. 2007;23(5):289-97.

2157.

Taibi DM, Bourguignon C, Gill Taylor A. A feasibility study of valerian extract for sleep disturbance in person with arthritis. *Biol Res Nurs*. 2009;10(4):409-17.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2158.

Takeuchi EE, Keding A, Awad N, Hofmann U, Campbell LJ, Selby PJ, et al. Impact of patient-reported outcomes in oncology: a longitudinal analysis of patient-physician communication. *J Clin Oncol.* 2011;29(21):2910-7.

2159.

Taler SJ, Textor SC, Augustine JE. Resistant hypertension: comparing hemodynamic management to specialist care. *Hypertension.* 2002;39(5):982-8. Epub 2002/05/23.

2160.

Tamaki A. Effectiveness of home visits by mental health nurses for Japanese women with post-partum depression. *Int J Ment Health Nurs.* 2008;17(6):419-27.

2161.

Tamminga SJ, de Boer AG, Bos MM, Fons G, Kitzen JJ, Plaisier PW, et al. A hospital-based work support intervention to enhance the return to work of cancer patients: a process evaluation. *J Occup Rehabil.* 2012;22(4):565-78.

2162.

Tan BR, Ye JL, Liuyu L, Wei BH. [Effect of nursing intervention on the prevention of burns in warm needling moxibustion]. *Zhongguo Zhen Jiu.* 2013;33(11):1010-2. Epub 2014/02/06.

2163.

Tan MY, Magarey JM, Chee SS, Lee LF, Tan MH. A brief structured education programme enhances self-care practices and improves glycaemic control in Malaysians with poorly controlled diabetes. *Health education research.* 2011;26(5):896-907. Epub 2011/07/01.

2164.

Tanir MK, Kuguoglu S. Impact of exercise on lower activity levels in children with acute lymphoblastic leukemia: a randomized controlled trial from Turkey. *Rehabil Nurs.* 2013;38(1):48-59.

2165.

Tappen RM, Roach KE, Applegate EB, Stowell P. Effect of a combined walking and conversation intervention on functional mobility of nursing home residents with Alzheimer disease. *Alzheimer Dis Assoc Disord.* 2000;14(4):196-201.

2166.

Tappen RM, Williams CL. Therapeutic conversation to improve mood in nursing home residents with Alzheimer's disease. *Res Gerontol Nurs.* 2009;2(4):267-75.

2167.

Tate JA, Snitz BE, Alvarez KA, Nahin RL, Weissfeld LA, Lopez O, et al. Infection hospitalization increases risk of dementia in the elderly. *Crit Care Med.* 2014;42(5):1037-46. Epub 2013/12/26.

2168.

Tawalbeh LI, Tubaishat A. Effect of simulation on knowledge of advanced cardiac life support, knowledge retention, and confidence of nursing students in Jordan. *J Nurs Educ.* 2014;53(1):38-44. Epub 2013/12/18.

2169.

Taylor AG, Anderson JG, Riedel SL, Lewis JE, Kinser PA, Bourguignon C. Cranial electrical stimulation improves symptoms and functional status in individuals with fibromyalgia. *Pain management nursing : official journal of the American Society of Pain Management Nurses.* 2013;14(4):327-35. Epub 2013/12/10.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2170.

Taylor T, Tanner J. Risk management: razors versus clippers: a randomised controlled trial. *British Journal of Perioperative Nursing*. 2005;15(12):518.

2171.

Taylor-Piliae RE, Chair SY. The effect of nursing interventions utilizing music therapy or sensory information on Chinese patients' anxiety prior to cardiac catheterization: a pilot study. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2002;1(3):203-11.

2172.

Taylor-Piliae RE, Hoke TM, Hepworth JT, Latt LD, Najafi B, Coull BM. Effect of Tai Chi on physical function, fall rates and quality of life among older stroke survivors. *Arch Phys Med Rehabil*. 2014;95(5):816-24. Epub 2014/01/21.

2173.

Taylor-Piliae RE, Silva E, Sheremeta SP. Tai Chi as an adjunct physical activity for adults aged 45 years and older enrolled in phase III cardiac rehabilitation. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2012;11(1):34-43. Epub 2010/11/26.

2174.

Teixeira E. The effect of mindfulness meditation on painful diabetic peripheral neuropathy in adults older than 50 years. *Holist Nurs Pract*. 2010;24(5):277-83.

2175.

Teresi JA, Ramirez M, Ellis J, Silver S, Boratgis G, Kong J, et al. A staff intervention targeting resident-to-resident elder mistreatment (R-REM) in long-term care increased staff knowledge, recognition and reporting: results from a cluster randomized trial. *Int J Nurs Stud*. 2013;50(5):644-56.

2176.

Terry M, Halstead LS, O'Hare P, Gaskill C, Ho PS, Obecný J, et al. Feasibility study of home care wound management using telemedicine. *Adv Skin Wound Care*. 2009;22(8):358-64.

2177.

Teschler H, Wessendorf TE, Farhat AA, Konietzko N, Berthon-Jones M. Two months auto-adjusting versus conventional nCPAP for obstructive sleep apnoea syndrome. *Eur Respir J*. 2000;15(6):990-5. Epub 2000/07/08.

2178.

Testad I, Aasland AM, Aarsland D. The effect of staff training on the use of restraint in dementia: a single-blind randomised controlled trial. *International Journal of Geriatric Psychiatry*. 2005;20(6):587-90.

2179.

Tezel A, Gozum S. Comparison of effects of nursing care to problem solving training on levels of depressive symptoms in post partum women. *Patient Educ Couns*. 2006;63(1-2):64-73.

2180.

Theilla M, Schwartz B, Cohen J, Shapiro H, Anbar R, Singer P. Impact of a nutritional formula enriched in fish oil and micronutrients on pressure ulcers in critical care patients. *Am J Crit Care*. 2012;21(4):e102-9.

2181.

Thijs-Boer FM, Thijs JT, van de Wiel HB. Conventional or adhesive external breast prosthesis? A prospective study of the patients' preference after mastectomy. *Cancer Nursing*. 2001;24(3):227-30.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2182.

Thomas EJ, Sexton JB, Neilands TB, Frankel A, Helmreich RL. The effect of executive walk rounds on nurse safety climate attitudes: a randomized trial of clinical units[ISRCTN85147255] [corrected]. *BMC Health Serv Res.* 2005;5(1):28. Epub 2005/04/13.

2183.

Thomas ML, Elliott JE, Rao SM, Fahey KF, Paul SM, Miaskowski C. A randomized, clinical trial of education or motivational-interviewing-based coaching compared to usual care to improve cancer pain management. *Oncol Nurs Forum.* 2012;39(1):39-49.

2184.

Thompson N, Connelly L, Peltzer J, Nowack WJ, Hamera E, Hunter EE. Psychogenic Nonepileptic Seizures: A Pilot Study of a Brief Educational Intervention. *Perspectives in Psychiatric Care.* 2013;49(2):78-83.

2185.

Thoyre SM, Holditch-Davis D, Schwartz TA, Melendez Roman CR, Nix W. Coregulated approach to feeding preterm infants with lung disease: effects during feeding. *Nurs Res.* 2012;61(4):242-51. Epub 2012/05/09.

2186.

Thyrian JR, Fiss T, Dreier A, Bowing G, Angelow A, Lueke S, et al. Life- and person-centred help in Mecklenburg-Western Pomerania, Germany (DelpHi): study protocol for a randomised controlled trial. *Trials.* 2012;13:56. Epub 2012/05/12.

2187.

Tian FS, Zhang HR, Li WD, Qiao P, Duan HB, Jia CX. [Study on acupuncture treatment of diabetic neurogenic bladder]. *Zhongguo Zhen Jiu.* 2007;27(7):485-7. Epub 2007/08/29.

2188.

Tiessen AH, Smit AJ, Broer J, Groenier KH, van der Meer K. Randomized controlled trial on cardiovascular risk management by practice nurses supported by self-monitoring in primary care. *BMC Fam Pract.* 2012;13:90. Epub 2012/09/06.

2189.

Tijhuis GJ, Zwinderman AH, Hazes JM, Breedveld FC, Vlieland PM. Two-year follow-up of a randomized controlled trial of a clinical nurse specialist intervention, inpatient, and day patient team care in rheumatoid arthritis. *J Adv Nurs.* 2003;41(1):34-43.

2190.

Tijhuis GJ, Zwinderman AH, Hazes JM, Van Den Hout WB, Breedveld FC, Vliet Vlieland TP. A randomized comparison of care provided by a clinical nurse specialist, an inpatient team, and a day patient team in rheumatoid arthritis. *Arthritis Rheum.* 2002;47(5):525-31.

2191.

Tingstrom PR, Kamwendo K, Bergdahl B. Effects of a problem-based learning rehabilitation programme on quality of life in patients with coronary artery disease. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology.* 2005;4(4):324-30.

2192.

Tiwari A, Fong DY, Wong JY, Yuen KH, Yuk H, Pang P, et al. Safety-promoting behaviors of community-dwelling abused Chinese women after an advocacy intervention: a randomized controlled trial. *Int J Nurs Stud.* 2012;49(6):645-55.

2193.

Tobar A E, Lanan M A, Pino P S, Aspee L P, Rivas V S, Prat R D, et al. [Protocol based sedation versus conventional treatment in critically ill patients on mechanical ventilation]. *Rev Med Chil.* 2008;136(6):711-8. Sedacion guiada por protocolo versus manejo convencional en pacientes criticos en ventilacion mecanica.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2194.

Tobar AE, Lanas MA, Pino PS, Aspee LP, Rivas VS, Prat RD, et al. [Protocol based sedation versus conventional treatment in critically ill patients on mechanical ventilation]. *Rev Med Chil.* 2008;136(6):711-8. Epub 2008/09/05. Sedacion guiada por protocolo versus manejo convencional en pacientes criticos en ventilacion mecanica.

2195.

Tokem Y, Argon G, Keser G. Case management in care of Turkish rheumatoid arthritis patients. *Rehabil Nurs.* 2011;36(5):205-13.

2196.

Tomlinson M, Doherty T, Ijumba P, Jackson D, Lawn J, Persson LA, et al. Goodstart: a cluster randomised effectiveness trial of an integrated, community-based package for maternal and newborn care, with prevention of mother-to-child transmission of HIV in a South African township. *Trop Med Int Health.* 2014;19(3):256-66. Epub 2014/01/18.

2197.

Tompkins C, Orwat J. A randomized trial of telemonitoring heart failure patients. *Journal of healthcare management / American College of Healthcare Executives.* 2010;55(5):312-22; discussion 22-3. Epub 2010/11/17.

2198.

Tonstad S, Alm CS, Sandvik E. Effect of nurse counselling on metabolic risk factors in patients with mild hypertension: a randomised controlled trial. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology.* 2007;6(2):160-4.

2199. Toole BM, Stichler JF, Ecoff L, Kath L. Promoting nurses' knowledge in evidence-based practice: do educational methods matter? *J Nurses Prof Dev.* 2013;29(4):173-81. Epub 2013/07/24.

2200.

Tornvall E, Wahren LK, Wilhelmsson S. Advancing nursing documentation--an intervention study using patients with leg ulcer as an example. *Int J Med Inf.* 2009;78(9):605-17.

2201.

Torres-Arreola Ldel P, Doubova Dubova SV, Hernandez SF, Torres-Valdez LE, Constantino-Casas NP, Garcia-Contreras F, et al. Effectiveness of two rehabilitation strategies provided by nurses for stroke patients in Mexico. *J Clin Nurs.* 2009;18(21):2993-3002.

2202.

Toruner EK, Savaser S. A controlled evaluation of a school-based obesity prevention in Turkish school children. *The Journal of school nursing : the official publication of the National Association of School Nurses.* 2010;26(6):473-82. Epub 2010/09/25.

2203.

Tough SC, Johnston DW, Siever JE, Jorgenson G, Slocombe L, Lane C, et al. Does supplementary prenatal nursing and home visitation support improve resource use in a universal health care system? A randomized controlled trial in Canada. *Birth.* 2006;33(3):183-94.

2204.

Townsend CS, Bonham E, Chase L, Dunscomb J, McAlister S. A comparison of still point induction to massage therapy in reducing pain and increasing comfort in chronic pain. *Holist Nurs Pract.* 2014;28(2):78-84. Epub 2014/02/08.

2205.

Townsend J, Wolke D, Hayes J, Dave S, Rogers C, Bloomfield L, et al. Routine examination of the newborn: the EMREN study. Evaluation of an extension of the midwife role including a randomised controlled trial of appropriately trained midwives and paediatric senior house officers. *Health Technol Assess.* 2004;8(14):iii-iv, ix-xi, 1-100.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2206.

Townson JK, Gregory JW, Cohen D, Channon S, Harman N, Davies JH, et al. Delivering early care in diabetes evaluation (DECIDE): a protocol for a randomised controlled trial to assess hospital versus home management at diagnosis in childhood diabetes. *BMC Pediatr.* 2011;11:7.

2207.

Tranmer JE, Hodnett ED, Hannah ME, Stevens BJ. The effect of unrestricted oral carbohydrate intake on labor progress. *J Obstet Gynecol Neonatal Nurs.* 2005;34(3):319-28.

2208.

Tranmer JE, Lochhaus-Gerlach J, Lam M. The effect of staff nurse participation in a clinical nursing research project on attitude towards, access to, support of and use of research in the acute care setting. *Canadian journal of nursing leadership.* 2002;15(1):18-26.

2209.

Trappenburg JC, Monninkhof EM, Bourbeau J, Troosters T, Schrijvers AJ, Verheij TJ, et al. Effect of an action plan with ongoing support by a case manager on exacerbation-related outcome in patients with COPD: a multicentre randomised controlled trial. *Thorax.* 2011;66(11):977-84. Epub 2011/07/26.

2210.

Tsai MC, Tsai YF, Hwang FM, Liu CY. Effectiveness of a brief intervention for managing hazardous drinking problems of inpatients in Taiwan. *J Adv Nurs.* 2011;67(9):2038-46.

2211.

Tsai SL, Chai SK, Hsieh LF, Lin S, Taur FM, Sung WH, et al. The use of virtual reality computer simulation in learning Port-A cath injection. *Adv Health Sci Educ Theory Pract.* 2008;13(1):71-87.

2212.

Tsai SL, Tsai WW, Chai SK, Sung WH, Doong JL, Fung CP. Evaluation of computer-assisted multimedia instruction in intravenous injection. *Int J Nurs Stud.* 2004;41(2):191-8. Epub 2004/01/17.

2213.

Tsai WP, Lin LY, Chang HC, Yu LS, Chou MC. The effects of the Gatekeeper Suicide-Awareness Program for nursing personnel. *Perspect Psychiatr Care.* 2011;47(3):117-25. Epub 2011/06/29.

2214.

Tsai YF, Tsai HH, Lai YH, Chu TL. Pain prevalence, experiences and management strategies among the elderly in taiwanese nursing homes. *J Pain Symptom Manage.* 2004;28(6):579-84. Epub 2004/12/14.

2215.

Tsai YF, Wong TK, Tsai HH, Ku YC. Self-worth therapy for depressive symptoms in older nursing home residents. *J Adv Nurs.* 2008;64(5):488-94.

2216.

Tsaih PL, Shih YL, Hu MH. Low-intensity task-oriented exercise for ambulation-challenged residents in long-term care facilities: a randomized, controlled trial. *Am J Phys Med Rehabil.* 2012;91(7):616-24. Epub 2012/05/09.

2217.

Tsao WY, Lo SF, Harmod T, Lee RP. [A comparison of the efficacy of different wound dressing management techniques in preventing pressure ulcers]. *Hu Li Za Zhi.* 2013;60(4):65-75. Epub 2013/08/08.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2218.

Tsay SL. Self-efficacy training for patients with end-stage renal disease. *J Adv Nurs.* 2003;43(4):370-5. Epub 2003/07/31.

2219.

Tsay SL, Chen HL, Chen SC, Lin HR, Lin KC. Effects of reflexotherapy on acute postoperative pain and anxiety among patients with digestive cancer. *Cancer Nursing.* 2008;31(2):109-15.

2220.

Tsay SL, Lee YC, Lee YC. Effects of an adaptation training programme for patients with end-stage renal disease. *J Adv Nurs.* 2005;50(1):39-46. Epub 2005/03/25.

2221.

Tsay SL, Wang JC, Lin KC, Chung UL. Effects of acupressure therapy for patients having prolonged mechanical ventilation support. *J Adv Nurs.* 2005;52(2):142-50.

2222.

Tse M, Au J. The effects of acupressure in older adults with chronic knee pain: Depression, pain, activities of daily living and mobility. *Journal of Pain Management.* 2010;3(4):339-410.

2223.

Tse MM, Ng JK, Chung JW, Wong TK. The effect of visual stimuli on pain threshold and tolerance. *J Clin Nurs.* 2002;11(4):462-9.

2224.

Tse MM, Vong SK, Ho SS. The effectiveness of an integrated pain management program for older persons and staff in nursing homes. *Arch Gerontol Geriatr.* 2012;54(2):e203-12. Epub 2011/05/20.

2225.

Tse MM, Wong AC, Ng HN, Lee HY, Chong MH, Leung WY. The effect of a pain management program on patients with cancer pain. *Cancer Nurs.* 2012;35(6):438-46.

2226.

Tseng YF, Chen CH, Lee CS. Effects of listening to music on postpartum stress and anxiety levels. *J Clin Nurs.* 2010;19(7-8):1049-55. Epub 2010/05/25.

2227.

Tu XH, He ZY, Fu X, Chen YH, Chen YL, Kang SJ. [Brain arousal dysfunction in severe craniocerebral injury treated with acupuncture]. *Zhongguo Zhen Jiu.* 2010;30(12):974-6. Epub 2011/02/05.

2228.

Tucker SJ, Ytterberg KL, Lenoach LM, Schmit TL, Mucha DI, Wooten JA, et al. Reducing pediatric overweight: nurse-delivered motivational interviewing in primary care. *J Pediatr Nurs.* 2013;28(6):536-47. Epub 2013/03/28.

2229.

Tullmann DF, Haugh KH, Dracup KA, Bourguignon C. A randomized controlled trial to reduce delay in older adults seeking help for symptoms of acute myocardial infarction. *Res Nurs Health.* 2007;30(5):485-97.

2230.

Tully KP, Ball HL. Postnatal unit bassinet types when rooming-in after cesarean birth: implications for breastfeeding and infant safety. *J Hum Lact.* 2012;28(4):495-505. Epub 2012/08/24.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2231.

Tung TK, Kaufmann JA, Tanner E. The effect of nurse practitioner practice in home care on emergency department visits for homebound older adult patients: an exploratory pilot study. *Home Healthc Nurse*. 2012;30(6):366-72. Epub 2012/03/01.

2232.

Tung WC, Lee IF. Effects of an osteoporosis educational programme for men. *J Adv Nurs*. 2006;56(1):26-34. Epub 2006/09/16.

2233.

Turkington D, Kingdon D, Rathod S, Hammond K, Pelton J, Mehta R. Outcomes of an effectiveness trial of cognitive-behavioural intervention by mental health nurses in schizophrenia. *Br J Psychiatry*. 2006;189:36-40. Epub 2006/07/04.

2234.

Turkington D, Sensky T, Scott J, Barnes TR, Nur U, Siddle R, et al. A randomized controlled trial of cognitive-behavior therapy for persistent symptoms in schizophrenia: a five-year follow-up. *Schizophr Res*. 2008;98(1-3):1-7. Epub 2007/10/16.

2235.

Turner J, Kelly B, Clarke D, Yates P, Aranda S, Jolley D, et al. A randomised trial of a psychosocial intervention for cancer patients integrated into routine care: the PROMPT study (promoting optimal outcomes in mood through tailored psychosocial therapies). *BMC Cancer*. 2011;11:48.

2236.

Tveito TH, Eriksen HR. Integrated health programme: a workplace randomized controlled trial. *J Adv Nurs*. 2009;65(1):110-9.

2237.

Twersky J, Montgomery T, Sloane R, Weiner M, Doyle S, Mathur K, et al. A randomized, controlled study to assess the effect of silk-like textiles and high-absorbency adult incontinence briefs on pressure ulcer prevention. *Ostomy/wound management*. 2012;58(12):18-24.

2238.

Twiss E, Seaver J, McCaffrey R. The effect of music listening on older adults undergoing cardiovascular surgery. *Nurs Crit Care*. 2006;11(5):224-31.

2239.

Tzeng YL, Shih YJ, Teng YK, Chiu CY, Huang MY. Enema prior to labor: a controversial routine in Taiwan. *J Nurs Res*. 2005;13(4):263-70.

2240.

Uitdehaag MJ, van der Velden LA, de Boer MF, Spaander MC, Steyerberg EW, Kuipers EJ, et al. Recordings of consultations are beneficial in the transition from curative to palliative cancer care: a pilot-study in patients with oesophageal or head and neck cancer. *Eur J Oncol Nurs*. 2012;16(2):109-14. Epub 2011/05/24.

2241.

Ulla Diez SM, Fortis AP, Franco SF. Efficacy of a health-promotion intervention for college students: a randomized controlled trial. *Nurs Res*. 2012;61(2):121-32.

2242.

Ullan AM, Belver MH, Fernandez E, Lorente F, Badia M, Fernandez B. The effect of a program to promote play to reduce children's post-surgical pain: with plush toys, it hurts less. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2014;15(1):273-82. Epub 2013/01/01.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2243.

Usher K, Park T, Foster K, Buettner P. A randomized controlled trial undertaken to test a nurse-led weight management and exercise intervention designed for people with serious mental illness who take second generation antipsychotics. *J Adv Nurs*. 2013;69(7):1539-48.

2244.

Utens CM, Goossens LM, van Schayck OC, Rutten-van Molken MP, van Litsenburg W, Janssen A, et al. Patient preference and satisfaction in hospital-at-home and usual hospital care for COPD exacerbations: results of a randomised controlled trial. *Int J Nurs Stud*. 2013;50(11):1537-49.

2245.

Utens CMA, van Schayck OCP, Goossens LMA, Rutten-van Molken MPH, DeMunck DRAJ, Seezink W, et al. Informal caregiver strain, preference and satisfaction in hospital-at-home and usual hospital care for COPD exacerbations: Results of a randomised controlled trial. *Int J Nurs Stud*. 2014;51(8):1093-192.

2246.

Utriyaprasit K, Moore SM, Chaiseri P. Recovery after coronary artery bypass surgery: effect of an audiotape information programme. *J Adv Nurs*. 2010;66(8):1747-59. Epub 2010/06/19.

2247.

Uwakwe CBU. Systematized HIV/AIDS education for student nurses at the University of Ibadan, Nigeria: impact on knowledge, attitudes and compliance with universal precautions. *J Adv Nurs*. 2000;32(2):416-24.

2248.

Uys LR, Minnaar A, Simpson B, Reid S. The effect of two models of supervision on selected outcomes. *J Nurs Scholarsh*. 2005;37(3):282-8. Epub 2005/10/21.

2249.

Uysal N, Eşer I, Akpınar H. The effect of abdominal massage on gastric residual volume: A randomized controlled trial. *Gastroenterology Nursing*. 2012;35(2):117-23.

2250.

Vaajoki A, Pietila AM, Kankkunen P, Vehviläinen-Julkunen K. Effects of listening to music on pain intensity and pain distress after surgery: an intervention. *J Clin Nurs*. 2012;21(5-6):708-17. Epub 2011/08/17.

2251.

Vad E, Worm C, Lauritsen JM, Poulsen PB, Puggaard L, Stovring H, et al. [Physical training as treatment of reduced functional ability in frail 75+ year-olds living at home. A randomized intervention study in general practice with technological assessment elements]. *Ugeskr Laeger*. 2002;164(44):5140-4. Epub 2002/11/27. Fysisk træning som behandling af nedsat funktionsevne hos svage, hjemmeboende 75+ -arige. Et randomiseret interventionsstudie i almen praksis omfattende elementer til en teknologivurdering.

2252.

Vakilian K, Atarha M, Bekhradi R, Chaman R. Healing advantages of lavender essential oil during episiotomy recovery: a clinical trial. *Complement Ther Clin Pract*. 2011;17(1):50-3.

2253.

Valeberg BT, Kolstad E, Smastuen MC, Miaskowski C, Rustoen T. The PRO-SELF pain control program improves family caregivers' knowledge of cancer pain management. *Cancer Nurs*. 2013;36(6):429-35. Epub 2012/11/17.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2254.

Vallerand AH, Riley-Doucet C, Hasenau SM, Templin T. Improving cancer pain management by homecare nurses. *Oncol Nurs Forum*. 2004;31(4):809-16.

2255.

Van Bogaert P, Van Grinsven R, Tolson D, Wouters K, Engelborghs S, Van der Mussele S. Effects of SolCos model-based individual reminiscence on older adults with mild to moderate dementia due to Alzheimer disease: a pilot study. *J Am Med Dir Assoc*. 2013;14(7):528 e9-13. Epub 2013/04/16.

2256.

van de Sande R, Nijman HL, Noorthoorn EO, Wierdsma AI, Hellendoorn E, van der Staak C, et al. Aggression and seclusion on acute psychiatric wards: effect of short-term risk assessment. *Br J Psychiatry*. 2011;199(6):473-8. Epub 2011/10/22.

2257.

van de Steeg L, R IJ, Langelaan M, Wagner C. Can an e-learning course improve nursing care for older people at risk of delirium: a stepped wedge cluster randomised trial. *BMC Geriatr*. 2014;14:69. Epub 2014/06/03.

2258.

van de Ven G, Draskovic I, Adang EM, Donders RA, Post A, Zuidema SU, et al. Improving person-centred care in nursing homes through dementia-care mapping: design of a cluster-randomised controlled trial. *BMC Geriatr*. 2012;12:1.

2259.

van de Ven G, Draskovic I, van Herpen E, Koopmans RT, Donders R, Zuidema SU, et al. The economics of dementia-care mapping in nursing homes: a cluster-randomised controlled trial. *PloS one*. 2014;9(1):e86662. Epub 2014/02/04.

2260.

van der Kooij CH, Droes RM, de Lange J, Ettema TP, Cools HJ, van Tilburg W. The implementation of integrated emotion-oriented care: did it actually change the attitude, skills and time spent of trained caregivers? *Dementia (London)*. 2013;12(5):536-50. Epub 2013/12/18.

2261.

van der Meulen IC, May AM, Ros WJ, Oosterom M, Hordijk GJ, Koole R, et al. One-year effect of a nurse-led psychosocial intervention on depressive symptoms in patients with head and neck cancer: a randomized controlled trial. *Oncologist*. 2013;18(3):336-44.

2262.

van der Putten G-J, De Visschere L, Schols J, de Baat C, Vanobbergen J. Supervised versus non-supervised implementation of an oral health care guideline in (residential) care homes: a cluster randomized controlled clinical trial. *BMC Oral Health*. 2010;10:17.

2263.

van Dijk AM, van Weert JC, Droes RM. Does theatre improve the quality of life of people with dementia? *Int Psychogeriatr*. 2012;24(3):367-81. Epub 2011/11/02.

2264.

van Gaal BG, Schoonhoven L, Mintjes JA, Borm GF, Hulscher ME, Defloor T, et al. Fewer adverse events as a result of the SAFE or SORRY? programme in hospitals and nursing homes. part i: primary outcome of a cluster randomised trial. *Int J Nurs Stud*. 2011;48(9):1040-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2265.

van Gaal BGI, Schoonhoven L, Vloet LCM, Mintjes JAJ, Borm GF, Koopmans RTCM, et al. The effect of the SAFE or SORRY? programme on patient safety knowledge of nurses in hospitals and nursing homes: A cluster randomised trial. *Int J Nurs Stud*. 2010;47(9):1117-25.

2266.

van Hout HP, Jansen AP, van Marwijk HW, Pronk M, Frijters DF, Nijpels G. Prevention of adverse health trajectories in a vulnerable elderly population through nurse home visits: a randomized controlled trial [ISRCTN05358495]. *J Gerontol A Biol Sci Med Sci*. 2010;65(7):734-42. Epub 2010/05/12.

2267.

van Hout HPJ, Jansen APD, van Marwijk HWJ, Pronk M, Frijters DF, Nijpels G. Prevention of adverse health trajectories in a vulnerable elderly population through nurse home visits: a randomized controlled trial [ISRCTN05358495]. *J Gerontol A Biol Sci Med Sci*. 2010;65(7):734-42.

2268.

van Leen M, Hovius S, Neyens J, Halfens R, Schols J. Pressure relief, cold foam or static air? A single center, prospective, controlled randomized clinical trial in a Dutch nursing home. *J Tissue Viability*. 2011;20(1):30-4.

2269.

van Meijel B, Kruitwagen C, van der Gaag M, Kahn RS, Grypdonck MHF. An intervention study to prevent relapse in patients with schizophrenia. *J Nurs Scholarsh*. 2006;38(1):42-9.

2270.

van Os AJ, Aziz L, Schalkwijk D, Schols JM, de Bie RA. Effectiveness of Physio Acoustic Sound (PAS) therapy in demented nursing home residents with nocturnal restlessness: study protocol for a randomized controlled trial. *Trials*. 2012;13:34. Epub 2012/04/13.

2271.

van Os-Medendorp H, Guikers CL, Eland-de Kok PC, Ros WJ, Bruijnzeel-Koomen CA, Buskens E. Costs and cost-effectiveness of the nursing programme 'Coping with itch' for patients with chronic pruritic skin disease. *Br J Dermatol*. 2008;158(5):1013-21.

2272.

van Os-Medendorp H, Ros WJ, Eland-de Kok PC, Kennedy C, Thio BH, van der Schuur-van der Zande A, et al. Effectiveness of the nursing programme 'Coping with itch': a randomized controlled study in adults with chronic pruritic skin disease. *Br J Dermatol*. 2007;156(6):1235-44.

2273.

Van Puyenbroeck K, Hens N, Coenen S, Michiels B, Beunckens C, Molenberghs G, et al. Efficacy of daily intake of *Lactobacillus casei* Shirota on respiratory symptoms and influenza vaccination immune response: a randomized, double-blind, placebo-controlled trial in healthy elderly nursing home residents. *Am J Clin Nutr*. 2012;95(5):1165-71.

2274.

van Valen R, van Vuuren H, van Domburg RT, van der Woerd D, Hofland J, Bogers AJ. Pain management after cardiac surgery: experience with a nurse-driven pain protocol. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2012;11(1):62-9. Epub 2012/02/24.

2275.

van Weert JC, Kerkstra A, van Dulmen AM, Bensing JM, Peter JG, Ribbe MW. The implementation of snoezelen in psychogeriatric care: an evaluation through the eyes of caregivers. *Int J Nurs Stud*. 2004;41(4):397-409. Epub 2004/03/31.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2276.

van Zuilen AD, Blankestijn PJ, van Buren M, ten Dam MA, Kaasjager KA, Ligtenberg G, et al. Nurse practitioners improve quality of care in chronic kidney disease: two-year results of a randomised study. *The Netherlands journal of medicine*. 2011;69(11):517-26.

2277.

Van Zuilen AD, Wetzels JF, Bots ML, Van Blankestijn PJ, Group MS. MASTERPLAN: study of the role of nurse practitioners in a multifactorial intervention to reduce cardiovascular risk in chronic kidney disease patients. *J Nephrol*. 2008;21(3):261-7.

2278.

Vanden Bosch ML, Corser WD, Xie Y, Holmes-Rovner M. Posthospital heart-healthy behaviors in adults with comorbid diabetes. *Clin Nurs Res*. 2012;21(3):327-49.

2279.

Vanderwee K, Grypdonck M, Defloor T. Non-blanchable erythema as an indicator for the need for pressure ulcer prevention: a randomized-controlled trial. *J Clin Nurs*. 2007;16(2):325-35.

2280.

Vanderwee K, Grypdonck MH, De Bacquer D, Defloor T. Effectiveness of turning with unequal time intervals on the incidence of pressure ulcer lesions. *J Adv Nurs*. 2007;57(1):59-68.

2281.

VanLeit B, Crowe TK. Outcomes of an occupational therapy program for mothers of children with disabilities: impact on satisfaction with time use and occupational performance. *Am J Occup Ther*. 2002;56(4):402-10. Epub 2002/07/20.

2282.

Varghese NC, Macaden L, Premkumar B, Mathews P, Kumar S. Delirium in older people in hospital: an education programme. *Br J Nurs*. 2014;23(13):704-9.

2283.

Varvaro FF. Family role and work adaptation in MI women. *Clin Nurs Res*. 2000;9(3):339-51.

2284.

Varvaroussis DP, Kalafati M, Pliatsika P, Castren M, Lott C, Xanthos T. Comparison of two teaching methods for cardiac arrhythmia interpretation among nursing students. *Resuscitation*. 2014;85(2):260-5. Epub 2013/10/17.

2285.

Vass M, Avlund K, Lauridsen J, Hendriksen C. Feasible model for prevention of functional decline in older people: municipality-randomized, controlled trial. *Journal of the American Geriatrics Society*. 2005;53(4):563-8.

2286.

Velsor-Friedrich B, Pigott T, Srof B. A practitioner-based asthma intervention program with African American inner-city school children. *J Pediatr Health Care*. 2005;19(3):163-71. Epub 2005/05/04.

2287.

Venturelli M, Scarsini R, Schena F. Six-month walking program changes cognitive and ADL performance in patients with Alzheimer. *American journal of Alzheimer's disease and other dementias*. 2011;26(5):381-8. Epub 2011/08/20.

2288.

Verkaik R, Francke AL, van Meijel B, Spreeuwenberg PM, Ribbe MW, Bensing JM. The introduction of a nursing guideline on depression at psychogeriatric nursing home wards: effects on certified nurse assistants. *Int J Nurs Stud*. 2011;48(6):710-9.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2289.

Verkaik R, Francke AL, van Meijel B, Spreeuwenberg PM, Ribbe MW, Bensing JM. The effects of a nursing guideline on depression in psychogeriatric nursing home residents with dementia. *Int J Geriatr Psychiatry*. 2011;26(7):723-32. Epub 2011/04/16.

2290.

Vessey JA, Sherwood JJ, Warner D, Clark D. Comparing hand washing to hand sanitizers in reducing elementary school students' absenteeism. *Pediatr Nurs*. 2007;33(4):368-72.

2291.

Vieira-Pellenz F, Oliva-Pascual-Vaca A, Rodriguez-Blanco C, Heredia-Rizo AM, Ricard F, Almazan-Campos G. Short-term effect of spinal manipulation on pain perception, spinal mobility, and full height recovery in male subjects with degenerative disk disease: a randomized controlled trial. *Arch Phys Med Rehabil*. 2014;95(9):1613-9. Epub 2014/05/28.

2292.

Villaverde-Gutierrez C, Araujo E, Cruz F, Roa JM, Barbosa W, Ruiz-Villaverde G. Quality of life of rural menopausal women in response to a customized exercise programme. *J Adv Nurs*. 2006;54(1):11-9. Epub 2006/03/24.

2293.

Vinsnes AG, Helbostad JL, Nyronning S, Harkless GE, Granbo R, Seim A. Effect of physical training on urinary incontinence: a randomized parallel group trial in nursing homes. *Clin Interv Aging*. 2012;7:45-50.

2294.

Viviane, Paggiaro AO, Isaac C, Gringlas J, Ferreira MC. Clinical Trial Comparing 3 Different Wound Dressings for the Management of Partial-Thickness Skin Graft Donor Sites. *Journal of Wound, Ostomy & Continence Nursing*. 2011;38(6):643-7.

2295.

Voergaard LL, Vendelbo G, Carlsen B, Jacobsen L, Nissen B, Mortensen J, et al. Ostomy bag management: comparative study of a new one-piece closed bag. *Br J Nurs*. 2007;16(2):95-6, 8-101.

2296.

Vokurka S, Bystricka E, Koza V, Scudlova J, Pavlicova V, Valentova D, et al. The comparative effects of povidone-iodine and normal saline mouthwashes on oral mucositis in patients after high-dose chemotherapy and APBSCT--results of a randomized multicentre study. *Support Care Cancer*. 2005;13(7):554-8.

2297.

Volkers KM, Scherder EJA. The effect of regular walks on various health aspects in older people with dementia: protocol of a randomized-controlled trial. *BMC geriatr*. 2011;11:38.

2298.

von Koch L, Widen Holmqvist L, Kostulas V, Almazan J, de Pedro-Cuesta J. A randomized controlled trial of rehabilitation at home after stroke in Southwest Stockholm: outcome at six months. *Scand J Rehabil Med*. 2000;32(2):80-6. Epub 2000/06/15.

2299.

Vowden K, Vowden P. A pilot study on the potential of remote support to enhance wound care for nursing-home patients. *J Wound Care*. 2013;22(9):481-8.

2300.

Vriezinga SL, Auricchio R, Bravi E, Castillejo G, Chmielewska A, Crespo Escobar P, et al. Randomized feeding intervention in infants at high risk for celiac disease. *N Engl J Med*. 2014;371(14):1304-15. Epub 2014/10/02.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2301.

Wade MJ, Desai AS, Spettell CM, Snyder AD, McGowan-Stackewicz V, Kummer PJ, et al. Telemonitoring with case management for seniors with heart failure. *Am J Manag Care*. 2011;17(3):e71-9. Epub 2011/04/21.

2302.

Wadhwa D, Burman D, Swami N, Rodin G, Lo C, Zimmermann C. Quality of life and mental health in caregivers of outpatients with advanced cancer. *Psychooncology*. 2013;22(2):403-10.

2303.

Wagner D, Byrne M, Kolcaba K. Effects of Comfort Warming on Preoperative Patients. *Aorn J*. 2006;84(3):427-30,32,34-36,38-48.

2304.

Wagner EH, Ludman EJ, Aiello Bowles EJ, Penfold R, Reid RJ, Rutter CM, et al. Nurse navigators in early cancer care: a randomized, controlled trial. *J Clin Oncol*. 2014;32(1):12-8. Epub 2013/11/28.

2305.

Wake M, Lycett K, Clifford SA, Sabin MA, Gunn J, Gibbons K, et al. Shared care obesity management in 3-10 year old children: 12 month outcomes of HopSCOTCH randomised trial. *Bmj*. 2013;346:f3092. Epub 2013/06/12.

2306.

Wakefield BJ, Holman JE, Ray A, Scherubel M, Adams MR, Hillis SL, et al. Effectiveness of home telehealth in comorbid diabetes and hypertension: a randomized, controlled trial. *Telemed J E Health*. 2011;17(4):254-61.

2307.

Waldenström U, Brown S, McLachlan H, Forster D, Brennecke S. Does team midwife care increase satisfaction with antenatal, intrapartum, and postpartum care? A randomized controlled trial. *Birth*. 2000;27(3):156-67.

2308.

Walensky RP, Reichmann WM, Arbelaez C, Wright E, Katz JN, Seage GR, 3rd, et al. Counselor- versus provider-based HIV screening in the emergency department: results from the universal screening for HIV infection in the emergency room (USHER) randomized controlled trial. *Annals of emergency medicine*. 2011;58(1 Suppl 1):S126-32 e1-4. Epub 2011/06/28.

2309.

Wales K, Clemson L, Lannin NA, Cameron ID, Salked G, Gitlin L, et al. Occupational therapy discharge planning for older adults: a protocol for a randomised trial and economic evaluation. *BMC geriatr*. 2012;12:34. Epub 2012/07/10.

2310.

Walker D, DeMaria L, Gonzalez-Hernandez D, Padron-Salas A, Romero-Alvarez M, Suarez L. Are all skilled birth attendants created equal? A cluster randomised controlled study of non-physician based obstetric care in primary health care clinics in Mexico. *Midwifery*. 2013;29(10):1199-205.

2311.

Walker J, Cassidy J, Sharpe M, Trialists SMO-. The second Symptom Management Research Trial in Oncology (SMaRT Oncology-2): a randomised trial to determine the effectiveness and cost-effectiveness of adding a complex intervention for major depressive disorder to usual care for cancer patients. *Trials*. 2009;10:18. Epub 2009/04/01.

2312.

Walker SB, Cleary S, Higgins M. Comparison of the FemoStop device and manual pressure in reducing groin puncture site complications following coronary angioplasty and coronary stent placement. *Int J Nurs Pract*. 2001;7(6):366-75. Epub 2002/01/12.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2313.

Walker SN, Pullen CH, Boeckner L, Hageman PA, Hertzog M, Oberdorfer MK, et al. Clinical trial of tailored activity and eating newsletters with older rural women. *Nurs Res.* 2009;58(2):74-85.

2314.

Walker SN, Pullen CH, Hageman PA, Boeckner LS, Hertzog M, Oberdorfer MK, et al. Maintenance of activity and eating change after a clinical trial of tailored newsletters with older rural women. *Nurs Res.* 2010;59(5):311-21. Epub 2010/08/11.

2315.

Wall LM. Changes in hope and power in lung cancer patients who exercise. *Nurs Sci Q.* 2000;13(3):234-42.

2316.

Wallace LM, Dunn OM, Alder EM, Inch S, Hills RK, Susan ML. A randomised-controlled trial in England of a postnatal midwifery intervention on breast-feeding duration. *Midwifery.* 2006;22(3):262-73.

2317.

Wallymahmed ME, Morgan C, Gill GV, Macfarlane IA. Nurse-led cardiovascular risk factor intervention leads to improvements in cardiovascular risk targets and glycaemic control in people with Type 1 diabetes when compared with routine diabetes clinic attendance. *Diabet Med.* 2011;28(3):373-9. doi: 10.1111/j.1464-5491.2010.03224.x.

2318.

Walsh B, Steiner A, Pickering RM, Ward-Basu J. Economic evaluation of nurse led intermediate care versus standard care for post-acute medical patients: cost minimisation analysis of data from a randomised controlled trial. *Bmj.* 2005;330(7493):699. Epub 2005/03/11.

2319.

Walsh K, Jones L, Tookman A, Mason C, McLoughlin J, Blizard R, et al. Reducing emotional distress in people caring for patients receiving specialist palliative care. Randomised trial. *Br J Psychiatry.* 2007;190(FEB.):142-7.

2320.

Walters JA, Courtney-Pratt H, Cameron-Tucker H, Nelson M, Robinson A, Scott J, et al. Engaging general practice nurses in chronic disease self-management support in Australia: insights from a controlled trial in chronic obstructive pulmonary disease. *Aust J Prim Health.* 2012;18(1):74-9.

2321.

Walworth D, Standley JM, Robertson A, Smith A, Swedberg O, Peyton JJ. Effects of neurodevelopmental stimulation on premature infants in neonatal intensive care: Randomized controlled trial. *Journal of Neonatal Nursing.* 2012;18(6):210-6.

2322.

Wambach KA, Aaronson L, Breedlove G, Domian EW, Rojjanasrirat W, Yeh HW. A randomized controlled trial of breastfeeding support and education for adolescent mothers. *Western journal of nursing research.* 2011;33(4):486-505. Epub 2010/09/30.

2323.

Wan H, Hu S, Thobaben M, Hou Y, Yin T. Continuous primary nursing care increases satisfaction with nursing care and reduces postpartum problems for hospitalized pregnant women. *Contemporary nurse.* 2011;37(2):149-59. Epub 2011/06/23.

2324.

Wang H, Zhou J, Huang L, Li X, Fennie KP, Williams AB. Effects of nurse-delivered home visits combined with telephone calls on medication adherence and quality of life in HIV-infected heroin users in Hunan of China. *J Clin Nurs.* 2010;19(3-4):380-8. Epub 2010/05/27.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2325.

Wang HL, Keck JF. Foot and hand massage as an intervention for postoperative pain. *Pain Management Nursing*. 2004;5(2):59-65.

2326.

Wang JJ. The effects of reminiscence on self-health perception and self-esteem of institutionalized elderly in Taiwan. *Int J Psychiatr Nurs Res*. 2004;9(3):1092-9. Epub 2004/06/25.

2327.

Wang JJ, Hsu YC, Cheng SF. The effects of reminiscence in promoting mental health of Taiwanese elderly. *Int J Nurs Stud*. 2005;42(1):31-6. Epub 2004/12/08.

2328.

Wang J-J, Lin Y-H, Hsieh L-Y. Effects of gerotranscendence support group on gerotranscendence perspective, depression, and life satisfaction of institutionalized elders. *Aging & Mental Health*. 2011;15(5):580-6.

2329.

Wang LN, Tao H, Zhao Y, Zhou YQ, Jiang XR. Optimal timing for initiation of biofeedback-assisted relaxation training in hospitalized coronary heart disease patients with sleep disturbances. *The Journal of cardiovascular nursing*. 2014;29(4):367-76. Epub 2013/06/21.

2330.

Wang SP, Lin LC, Lee CM, Wu SC. Effectiveness of a self-care program in improving symptom distress and quality of life in congestive heart failure patients: a preliminary study. *J Nurs Res*. 2011;19(4):257-66. Epub 2011/11/18.

2331.

Wang TJ, Lee SC, Liang SY, Tung HH, Wu SF, Lin YP. Comparing the efficacy of aquatic exercises and land-based exercises for patients with knee osteoarthritis. *J Clin Nurs*. 2011;20(17-18):2609-22.

2332

.Wang TZ, Chen Y, He YM, Fu XD, Wang Y, Xu YQ, et al. Effects of Chinese herbal medicine Yiqi Huaju Qingli Formula in metabolic syndrome patients with microalbuminuria: a randomized placebo-controlled trial. *J Integr Med*. 2013;11(3):175-83. Epub 2013/06/08.

2333.

Wang W, Chair SY, Thompson DR, Twinn SF. Effects of home-based rehabilitation on health-related quality of life and psychological status in Chinese patients recovering from acute myocardial infarction. *Heart Lung*. 2012;41(1):15-25.

2334.

Wang W, Shao XD, Shag BS. [Influence of "Sancai" acupuncture treatment on plasma and urine SP, 5-HT levels of renal colic patients]. *Zhen Ci Yan Jiu*. 2013;38(2):152-7. Epub 2013/07/04.

2335.

Wang Y, Zang XY, Bai J, Liu SY, Zhao Y, Zhang Q. Effect of a Health Belief Model-based nursing intervention on Chinese patients with moderate to severe chronic obstructive pulmonary disease: a randomised controlled trial. *J Clin Nurs*. 2013. Epub 2013/10/10.

2336.

Wang YH. Influence of self-management education on patients with peripherally inserted central catheters. *Chinese Journal of Clinical Nutrition*. 2011;19(2):124-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2337.

Wang Y-J, Boehmke M, Wu Y-WB, Dickerson SS, Fisher N. Effects of a 6-week walking program on Taiwanese women newly diagnosed with early-stage breast cancer. *Cancer Nursing*. 2011;34(2):E1-13.

2338.

Wang ZQ, Zhan SY, Fransen M, Lin JH. Clinical attitudes towards pain treatment post-orthopedic surgery: a multicenter study in Beijing. *Chin Med J (Engl)*. 2012;125(14):2499-504. Epub 2012/08/14.

2339.

Wangnum K, Thanarojanawanich T, Chinwatanachai K, Jamprasert L, Maleehuan O, Janthakun V. Impact of the multidisciplinary education program in self-care on fatigue in lung cancer patients receiving chemotherapy. *Journal of the Medical Association of Thailand = Chotmai het thangphaet*. 2013;96(12):1601-8. Epub 2014/02/12.

2340.

Ward JA, Harden M, Gibson RE, Byles JE. A cluster randomised controlled trial to prevent injury due to falls in a residential aged care population. *Med J Aust*. 2010;192(6):319-22.

2341.

Ward S, Donovan HS, Owen B, Grosen E, Serlin R. An individualized intervention to overcome patient-related barriers to pain management in women with gynecologic cancers. *Res Nurs Health*. 2000;23(5):393-405.

2342.

Ward T. Using psychological insights to help people quit smoking. *J Adv Nurs*. 2001;34(6):754-9.

2343.

Ward-Larson C, Horn RA, Gosnell F. The efficacy of facilitated tucking for relieving procedural pain of endotracheal suctioning in very low birthweight infants. *MCN Am J Matern Child Nurs*. 2004;29(3):151-6; quiz 7-8.

2344.

Wathen JE, Gao D, Merritt G, Georgopoulos G, Battan FK. A randomized controlled trial comparing a fascia iliaca compartment nerve block to a traditional systemic analgesic for femur fractures in a pediatric emergency department. *Annals of emergency medicine*. 2007;50(2):162-71, 71 e1.

2345.

Watkins N, Kennedy M, Ducharme M, Padula C. Same-handed and mirrored unit configurations: is there a difference in patient and nurse outcomes? *J Nurs Adm*. 2011;41(6):273-9.

2346.

Watson J, Hodnett E, Armson BA, Davies B, Watt-Watson J. A randomized controlled trial of the effect of intrapartum intravenous fluid management on breastfed newborn weight loss. *J Obstet Gynecol Neonatal Nurs*. 2012;41(1):24-32. Epub 2012/07/28.

2347.

Wattana C, Srisuphan W, Pothiban L, Upchurch SL. Effects of a diabetes self-management program on glycemic control, coronary heart disease risk, and quality of life among Thai patients with type 2 diabetes. *Nursing & health sciences*. 2007;9(2):135-41.

2348.

Watt-Watson J, Stevens B, Costello J, Katz J, Reid G. Impact of preoperative education on pain management outcomes after coronary artery bypass graft surgery: a pilot. *Can J Nurs Res*. 2000;31(4):41-56.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2349.

Wearden AJ, Dowrick C, Chew-Graham C, Bentall RP, Morriss RK, Peters S, et al. Nurse led, home based self help treatment for patients in primary care with chronic fatigue syndrome: randomised controlled trial. *Bmj*. 2010;340:c1777.

2350.

Webel AR, Moore SM, Hanson JE, Patel SR, Schmotzer B, Salata RA. Improving sleep hygiene behavior in adults living with HIV/AIDS: a randomized control pilot study of the SystemCHANGE(TM)-HIV intervention. *Appl Nurs Res*. 2013;26(2):85-91.

2351.

Weber M, Grote V, Closa-Monasterolo R, Escribano J, Langhendries JP, Dain E, et al. Lower protein content in infant formula reduces BMI and obesity risk at school age: follow-up of a randomized trial. *Am J Clin Nutr*. 2014;99(5):1041-51. Epub 2014/03/14.

2352.

Webster J, Connolly A, Paton F, Corry J. The effectiveness of protocol drive, nurse-initiated discharge in a 23-h post surgical ward: a randomized controlled trial. *Int J Nurs Stud*. 2011;48(10):1173-9.

2353.

Webster J, Lloyd S, Hopkins T, Osborne S, Yaxley M. Developing a Research base for Intravenous Peripheral cannula re-sites (DRIP trial). A randomised controlled trial of hospital in-patients. *Int J Nurs Stud*. 2007;44(5):664-71.

2354.

Webster J, Osborne SR, Gill R, Chow CFK, Wallin S, Jones L, et al. Does Preoperative Oral Carbohydrate Reduce Hospital Stay? A Randomized Trial. *Aorn J*. 2014;99(2):233-42.

2355.

Weeks BP, Nilsson U. Music interventions in patients during coronary angiographic procedures: a randomized controlled study of the effect on patients' anxiety and well-being. *European journal of cardiovascular nursing : journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*. 2011;10(2):88-93. Epub 2010/08/06.

2356.

Weiner GM, Menghini K, Zaichkin J, Caid AE, Jacoby CJ, Simon WM. Self-directed versus traditional classroom training for neonatal resuscitation. *Pediatrics*. 2011;127(4):713-9.

2357.

Weiner SG, Sarff AR, Esener DE, Shroff SD, Budhram GR, Switkowski KM, et al. Single-operator ultrasound-guided intravenous line placement by emergency nurses reduces the need for physician intervention in patients with difficult-to-establish intravenous access. *J Emerg Med*. 2013;44(3):653-60. Epub 2012/10/30.

2358.

Weinert C, Cudney S, Comstock B, Bansal A. Computer intervention impact on psychosocial adaptation of rural women with chronic conditions. *Nurs Res*. 2011;60(2):82-91. Epub 2011/03/02.

2359.

Weisbrodt L, McKinley S, Marshall AP, Cole L, Seppelt IM, Delaney A. Daily interruption of sedation in patients receiving mechanical ventilation. *Am J Crit Care*. 2011;20(4):e90-8.

2360.

Wells M, Harrow A, Donnan P, Davey P, Devereux S, Little G, et al. Patient, carer and health service outcomes of nurse-led early discharge after breast cancer surgery: a randomised controlled trial. *Br J Cancer*. 2004;91(4):651-8. Epub 2004/07/09.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2361.

Wenborn J, Challis D, Head J, Miranda-Castillo C, Popham C, Thakur R, et al. Providing activity for people with dementia in care homes: a cluster randomised controlled trial. *International Journal of Geriatric Psychiatry*. 2013;28(12):1296-304.

2362.

Wengstrom Y, Haggmark C, Forsberg C. Coping with radiation therapy: effects of a nursing intervention on coping ability for women with breast cancer. *Int J Nurs Pract*. 2001;7(1):8-15.

2363.

Wennstrom B, Tornhage CJ, Nasic S, Hedelin H, Bergh I. The perioperative dialogue reduces postoperative stress in children undergoing day surgery as confirmed by salivary cortisol. *Paediatr Anaesth*. 2011;21(10):1058-65. Epub 2011/07/21.

2364.

Wentworth LJ, Briese LJ, Timimi FK, Sanvick CL, Bartel DC, Cutshall SM, et al. Massage therapy reduces tension, anxiety, and pain in patients awaiting invasive cardiovascular procedures. *Progress in cardiovascular nursing*. 2009;24(4):155-61. Epub 2009/12/17.

2365.

Wenzel JA, Griffith KA, Jingjing S, Thompson CB, Hedlin H, Stewart KJ, et al. Impact of a Home-Based Walking Intervention on Outcomes of Sleep Quality, Emotional Distress, and Fatigue in Patients Undergoing Treatment for Solid Tumors. *Oncologist*. 2013;18(4):476-84.

2366.

Westerman E, Aubrey B, Gauthier D, Aung M, Beanlands RS, Ruddy TD, et al. Positron emission tomography: a study of PET test-related anxiety. *Can J Cardiovasc Nurs*. 2004;14(2):42-8.

2367.

Westrup B, Hellstrom-Westas L, Stjernqvist K, Lagercrantz H. No indications of increased quiet sleep in infants receiving care based on the newborn individualized developmental care and assessment program (NIDCAP). *Acta Paediatr*. 2002;91(3):318-22; discussion 262-3. Epub 2002/05/23.

2368.

Westwood G, Pickering RM, Latter S, Lucassen A, Little P, Karen Temple I. Feasibility and acceptability of providing nurse counsellor genetics clinics in primary care. *J Adv Nurs*. 2006;53(5):591-604. Epub 2006/02/28.

2369.

Wettergren L, Mattsson E, von Essen L. Mode of administration only has a small effect on data quality and self-reported health status and emotional distress among Swedish adolescents and young adults. *Journal of Clinical Nursing*. 2011;20(11-12):1568-77.

2370.

Wetzels R, van Weel C, Grol R, Wensing M. Family practice nurses supporting self-management in older patients with mild osteoarthritis: a randomized trial. *BMC Fam Pract*. 2008;9:7.

2371.

Weuve JL, Boulton C, Morishita L. The effects of outpatient geriatric evaluation and management on caregiver burden. *Gerontologist*. 2000;40(4):429-36. Epub 2000/08/29.

2372.

Wheeler LA, Collins SK. The influence of concept mapping on critical thinking in baccalaureate nursing students. *J Prof Nurs*. 2003;19(6):339-46.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2373.

Whisenant DP, Woodring B. Improving attitudes and knowledge toward organ donation among nursing students. *Int J Nurs Educ Scholarsh.* 2012;9(1):22.

2374.

White E, Winstanley J. A randomised controlled trial of clinical supervision: Selected findings from a novel Australian attempt to establish the evidence base for causal relationships with quality of care and patient outcomes, as an informed contribution to mental health nursing practice development. *Journal of Research in Nursing.* 2010;15(2):151-67.

2375.

White E, Winstanley J. Does clinical supervision lead to better patient outcomes in mental health nursing? *Nurs Times.* 2010;106(16):16-8.

2376.

White LS. Reducing stress in school-age girls through mindful yoga. *J Pediatr Health Care.* 2012;26(1):45-56.

2377.

Whitebird RR, Bliss DZ, Savik K, Lowry A, Jung HJ. Comparing community and specialty provider-based recruitment in a randomized clinical trial: clinical trial in fecal incontinence. *Res Nurs Health.* 2010;33(6):500-11.

2378.

White-Traut R, Norr KF, Fabiyi C, Rankin KM, Li Z, Liu L. Mother-infant interaction improves with a developmental intervention for mother-preterm infant dyads. *Infant Behav Dev.* 2013;36(4):694-706. Epub 2013/08/22.

2379.

White-Traut RC, Berbaum ML, Lessen B, McFarlin B, Cardenas L. Feeding readiness in preterm infants: the relationship between preterm behavioral state and feeding readiness behaviors and efficiency during transition from gavage to oral feeding. *MCN Am J Matern Child Nurs.* 2005;30(1):52-9. Epub 2004/12/29.

2380.

White-Traut RC, Nelson MN, Silvestri JM, Patel M, Berbaum M, Gu GG, et al. Developmental patterns of physiological response to a multisensory intervention in extremely premature and high-risk infants. *J Obstet Gynecol Neonatal Nurs.* 2004;33(2):266-75.

2381.

White-Traut RC, Schwertz D, McFarlin B, Kogan J. Salivary cortisol and behavioral state responses of healthy newborn infants to tactile-only and multisensory interventions. *J Obstet Gynecol Neonatal Nurs.* 2009;38(1):22-34.

2382.

Whiting SM, Mallory JE. A longitudinal study to determine the effects of mentoring on middle school youngsters by nursing and other college students. *J Child Adolesc Psychiatr Nurs.* 2007;20(4):197-208. Epub 2007/11/10.

2383.

Whittemore R, Melkus G, Wagner J, Dziura J, Northrup V, Grey M. Translating the diabetes prevention program to primary care: a pilot study. *Nurs Res.* 2009;58(1):2-12. Epub 2008/12/19.

2384.

Whittemore R, Melkus GD, Alexander N, Zibel S, Visone E, Muench U, et al. Implementation of a lifestyle program in primary care by nurse practitioners. *J Am Acad Nurse Pract.* 2010;22(12):684-93.

2385.

Whittemore R, Rosenberg A, Gilmore L, Withey M, Breault A. Implementation of a diabetes prevention program in public housing

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

communities. *Public Health Nurs.* 2014;31(4):317-26. Epub 2013/11/21.

2386.

Wiggins SA. Family exemplars during implementation of a home pain management intervention. *Issues in comprehensive pediatric nursing.* 2009;32(4):160-79. Epub 2009/11/19.

2387.

Wikstrom BM. Visual art dialogues with elderly persons: effects on perceived life situation. *J Nurs Manag.* 2000;8(1):31-7.

2388.

Wikstrom BM. Works of art: a complement to theoretical knowledge when teaching nursing care. *J Clin Nurs.* 2001;10(1):25-32.

2389. Wilde MH, Zhang F, Fairbanks E, Shah S, McDonald MV, Brasch J. Perceived value of a urinary catheter self-management program in the home. *Home Healthc Nurse.* 2013;31(9):465-73. Epub 2013/10/02.

2390.

Wilke A, Gediga K, Weinhoppel U, John SM, Wulfhorst B. Long-term effectiveness of secondary prevention in geriatric nurses with occupational hand eczema: the challenge of a controlled study design. *Contact Dermatitis.* 2012;66(2):79-86. Epub 2011/10/07.

2391.

Wilkie D, Berry D, Cain K, Huang HY, Mekwa J, Lewis F, et al. Effects of coaching patients with lung cancer to report cancer pain. *Western journal of nursing research.* 2010;32(1):23-46.

2392.

Wilkie DJ, Gallo AM, Yao Y, Molokie RE, Stahl C, Hershberger PE, et al. Reproductive health choices for young adults with sickle cell disease or trait: randomized controlled trial immediate posttest effects. *Nurs Res.* 2013;62(5):352-61. Epub 2013/09/03.

2393.

Wilkinson S, Perry R, Blanchard K, Linsell L. Effectiveness of a three-day communication skills course in changing nurses' communication skills with cancer/palliative care patients: a randomised controlled trial. *Palliat Med.* 2008;22(4):365-75.

2394.

Willems DC, Joore MA, Hendriks JJ, van Duurling RA, Wouters EF, Severens JL. Process evaluation of a nurse-led telemonitoring programme for patients with asthma. *J Telemed Telecare.* 2007;13(6):310-7.

2395.

Williams A, Manias E, Liew D, Gock H, Gorelik A. Working with CALD groups: testing the feasibility of an intervention to improve medication self-management in people with kidney disease, diabetes, and cardiovascular disease. *Renal Society of Australasia Journal.* 2012;8(2):62-9.

2396.

Williams A, Manias E, Walker R, Gorelik A. A multifactorial intervention to improve blood pressure control in co-existing diabetes and kidney disease: a feasibility randomized controlled trial. *J Adv Nurs.* 2012;68(11):2515-25. Epub 2012/02/18.

2397.

Williams AB, Wang H, Li X, Chen J, Li L, Fennie K. Efficacy of an evidence-based ARV adherence intervention in China. *AIDS Patient Care STDS.* 2014;28(8):411-7. Epub 2014/07/22.

2398.

Williams AL, Selwyn PA, Liberti L, Molde S, Njike VY, McCorkle R, et al. A randomized controlled trial of meditation and massage effects on quality of life in people with late-stage disease: a pilot study. *Journal of palliative medicine.* 2005;8(5):939-52.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2399.

Williams BA, Kentor ML, Vogt MT, Irrgang JJ, Bottegal MT, West RV, et al. Reduction of verbal pain scores after anterior cruciate ligament reconstruction with 2-day continuous femoral nerve block: a randomized clinical trial. *Anesthesiology*. 2006;104(2):315-27.

2400.

Williams J, Russell I, Durai D, Cheung WY, Farrin A, Bloor K, et al. What are the clinical outcome and cost-effectiveness of endoscopy undertaken by nurses when compared with doctors? A Multi-Institution Nurse Endoscopy Trial (MINuET). *Health Technol Assess*. 2006;10(40):iii-iv, ix-x, 1-195.

2401.

Williams J, Russell I, Durai D, Cheung WY, Farrin A, Bloor K, et al. Effectiveness of nurse delivered endoscopy: findings from randomised multi-institution nurse endoscopy trial (MINuET). *Bmj*. 2009;338:b231. Epub 2009/02/12.

2402.

Williams KS, Assassa RP, Cooper NJ, Turner DA, Shaw C, Abrams KR, et al. Clinical and cost-effectiveness of a new nurse-led continence service: a randomised controlled trial. *Br J Gen Pract*. 2005;55(518):696-703.

2403.

Williams SA, Schreier AM. The effect of education in managing side effects in women receiving chemotherapy for treatment of breast cancer. *Oncol Nurs Forum*. 2004;31(1):E16-23.

2404.

Williams SA, Schreier AM. The role of education in managing fatigue, anxiety, and sleep disorders in women undergoing chemotherapy for breast cancer. *Appl Nurs Res*. 2005;18(3):138-47. Epub 2005/08/18.

2405.

Williams TA, Leslie GD. Should gastric aspirate be discarded or retained when gastric residual volume is removed from gastric tubes? *Aust Crit Care*. 2010;23(4):215-7. Epub 2010/06/19.

2406.

Willich SN, Muller-Nordhorn J, Sonntag F, Voller H, Meyer-Sabellek W, Wegscheider K, et al. Economic evaluation of a compliance-enhancing intervention in patients with hypercholesterolemia: design and baseline results of the Open Label Primary Care Study: Rosuvastatin Based Compliance Initiatives To Achievements of LDL Goals (ORBITAL) study. *Am Heart J*. 2004;148(6):1060-7. Epub 2005/01/06.

2407.

Wilson FL, Brown DL, Stephens-Ferris M. Can easy-to-read immunization information increase knowledge in urban low-income mothers? *Journal of Pediatric Nursing*. 2006;21(1):4-12.

2408.

Wilson JS, Fitzsimons D, Bradbury I, Elborn JS. Does additional support by nurses enhance the effect of a brief smoking cessation intervention in people with moderate to severe chronic obstructive pulmonary disease? A randomised controlled trial. *Int J Nurs Stud*. 2008;45(4):508-17.

2409.

Wilson K, Jamerson PA. Comparison of central venous catheter and peripheral vein samples of antibiotics in children with cystic fibrosis. *Journal for Specialists in Pediatric Nursing*. 2013;18(1):33-41.

2410.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

- Wilson RD, Klein JD, Hagler D. Computer-based or human patient simulation-based case analysis: which works better for teaching diagnostic reasoning skills? *Nurs Educ Perspect*. 2014;35(1):14-8. Epub 2014/04/11.
2411. Wilson S, Bremner AP, Mathews J, Pearson D. The Use of Oral Sucrose for Procedural Pain Relief in Infants Up to Six Months of Age: A Randomized Controlled Trial. *Pain Management Nursing*. 2012.
2412. Wimo A, Winblad B, Shah SN, Chin W, Zhang R, McRae T. Impact of donepezil treatment for Alzheimer's disease on caregiver time. *Curr Med Res Opin*. 2004;20(8):1221-5. Epub 2004/08/25.
2413. Windle PE, Kwan ML, Warwick H, Sibayan A, Espiritu C, Vergara J. Comparison of bacteriostatic normal saline and lidocaine used as intradermal anesthesia for the placement of intravenous lines. *J Perianesth Nurs*. 2006;21(4):251-8.
2414. Winter L, Gitlin LN. Evaluation of a telephone-based support group intervention for female caregivers of community-dwelling individuals with dementia. *American journal of Alzheimer's disease and other dementias*. 2006;21(6):391-7. Epub 2007/02/03.
2415. Winterburn S, Fraser R. Does the duration of postnatal stay influence breast-feeding rates at one month in women giving birth for the first time? A randomized control trial. *J Adv Nurs*. 2000;32(5):1152-7.
2416. Winters-Stone KM, Lauder milk M, Woo K, Brown JC, Schmitz KH. Influence of weight training on skeletal health of breast cancer survivors with or at risk for breast cancer-related lymphedema. *J Cancer Surviv*. 2014;8(2):260-8. Epub 2014/01/07.
2417. Wiriyasombat R, Pothiban L, Panuthai S, Sucamvang K, Saengthong S. Effectiveness of Buddhist doctrine practice-based programs in enhancing spiritual well-being, coping and sleep quality of Thai elders. *Pacific Rim International Journal of Nursing Research*. 2011;15(3):203-18.
2418. Wishart L, Macerollo J, Loney P, King A, Beaumont L, Browne G, et al. "Special steps": an effective visiting/walking program for persons with cognitive impairment. *Can J Nurs Res*. 2000;31(4):57-71.
2419. Wistrand C, Nilsson U. Effects and experiences of warm versus cold skin disinfection. *Br J Nurs*. 2011;20(3):148,50-1.
2420. Wolf D, Lehman L, Quinlin R, Rosenzweig M, Friede S, Zullo T, et al. Can nurses impact patient outcomes using a patient-centered care model? *J Nurs Adm*. 2008;38(12):532-40.
2421. Wolf DM, Lehman L, Quinlin R, Zullo T, Hoffman L. Effect of patient-centered care on patient satisfaction and quality of care. *J Nurs Care Qual*. 2008;23(4):316-21.
2422. Wong A, Chew A, Wang CM, Ong L, Zhang SH, Young S. The use of a specialised amino acid mixture for pressure ulcers: a placebo-controlled trial. *J Wound Care*. 2014;23(5):259-60, 62-4, 66-9. Epub 2014/05/09.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2423.

Wong FK, Chow S, Chang K, Lee A, Liu J. Effects of nurse follow-up on emergency room revisits: a randomized controlled trial. *Soc Sci Med.* 2004;59(11):2207-18.

2424.

Wong FK, Chow S, Chung L, Chang K, Chan T, Lee WM, et al. Can home visits help reduce hospital readmissions? Randomized controlled trial. *J Adv Nurs.* 2008;62(5):585-95.

2425.

Wong FK, Chow SK, Chan TM. Evaluation of a nurse-led disease management programme for chronic kidney disease: a randomized controlled trial. *Int J Nurs Stud.* 2010;47(3):268-78. Epub 2009/08/05.

2426.

Wong FK, Ho MM, Yeung S, Tam SK, Chow SK. Effects of a health-social partnership transitional program on hospital readmission: a randomized controlled trial. *Soc Sci Med.* 2011;73(7):960-9.

2427.

Wong FK, Mok MP, Chan T, Tsang MW. Nurse follow-up of patients with diabetes: randomized controlled trial. *J Adv Nurs.* 2005;50(4):391-402.

2428.

Wong FKY, Chow SKY, Chan TMF, Tam SKF. Comparison of effects between home visits with telephone calls and telephone calls only for transitional discharge support: a randomised controlled trial. *Age Ageing.* 2014;43(1):91-7.

2429.

Wong KW, Wong FKY, Chan MF. Effects of nurse-initiated telephone follow-up on self-efficacy among patients with chronic obstructive pulmonary disease. *J Adv Nurs.* 2005;49(2):210-22.

2430.

Wood RY, Toronto CE. Measuring critical thinking dispositions of novice nursing students using human patient simulators. *J Nurs Educ.* 2012;51(6):349-52. Epub 2012/04/27.

2431.

Woods DL, Beck C, Sinha K. The effect of therapeutic touch on behavioral symptoms and cortisol in persons with dementia. *Forsch Komplementmed.* 2009;16(3):181-9.

2432.

Woods RT, Bruce E, Edwards RT, Elvish R, Hoare Z, Hounsome B, et al. REMCARE: reminiscence groups for people with dementia and their family caregivers - effectiveness and cost-effectiveness pragmatic multicentre randomised trial. *Health Technol Assess.* 2012;16(48):v-xv, 1-116.

2433.

Wright K, Giger JN, Norris K, Suro Z. Impact of a nurse-directed, coordinated school health program to enhance physical activity behaviors and reduce body mass index among minority children: a parallel-group, randomized control trial. *Int J Nurs Stud.* 2013;50(6):727-37.

2434.

Wright K, Suro Z. Using community--academic partnerships and a comprehensive school-based program to decrease health disparities in activity in school-aged children. *J Prev Interv Community.* 2014;42(2):125-39. Epub 2014/04/08.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2435.

Wright L, Hickson M, Frost G. Eating together is important: using a dining room in an acute elderly medical ward increases energy intake. *J Hum Nutr Diet.* 2006;19(1):23-6.

2436.

Wright LK, Litaker M, Laraia MT, DeAndrade S. Continuum of care for Alzheimer's disease: A nurse education and counseling program. *Issues Ment Health Nurs.* 2000;22(3):231-52.

2437.

Wu CJ, Chang AM, Courtney M, Kostner K. Peer supporters for cardiac patients with diabetes: a randomized controlled trial. *Int Nurs Rev.* 2012;59(3):345-52.

2438.

Wu G, Liu F, Zhang C, He Q, Wang W, Gu Q. [Study on treating residual cavity of body surface after abscess drainage by sodium hyaluronate hydrogel]. *Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi.* 2008;22(9):1082-4. Epub 2008/10/01.

2439.

Wu HS, Wu SC, Lin JG, Lin LC. Effectiveness of acupuncture in improving dyspnoea in chronic obstructive pulmonary disease. *J Adv Nurs.* 2004;45(3):252-9.

2440.

Wu LM, Chiou SS, Sheen JM, Lin PC, Liao YM, Chen HM, et al. Evaluating the acceptability and efficacy of a psycho-educational intervention for coping and symptom management by children with cancer: a randomized controlled study. *J Adv Nurs.* 2014;70(7):1653-62. Epub 2014/01/01.

2441.

Wu SF, Lee MC, Liang SY, Lu YY, Wang TJ, Tung HH. Effectiveness of a self-efficacy program for persons with diabetes: a randomized controlled trial. *Nursing & health sciences.* 2011;13(3):335-43.

2442.

Wu WW, Hong HH, Shao XP, Rui L, Jing M, Lu GD. Effect of oxygen-driven nebulization at different oxygen flows in acute exacerbation of chronic obstructive pulmonary disease patients. *Am J Med Sci.* 2014;347(5):343-6. Epub 2013/05/22.

2443.

Wyatt G, Sikorskii A, Rahbar MH, Victorson D, Adams L. Intervention fidelity: aspects of complementary and alternative medicine research. *Cancer Nurs.* 2010;33(5):331-42. Epub 2010/05/15.

2444.

Wyatt G, Sikorskii A, Tamkus D, You M. Quality of life among advanced breast cancer patients with and without distant metastasis. *Eur J Cancer Care (Engl).* 2013;22(2):272-80. Epub 2012/12/21.

2445.

Wyatt G, Sikorskii A, You M. Self-reported use of complementary and alternative medicine therapies in a reflexology randomized clinical trial. *Altern Ther Health Med.* 2013;19(5):31-7. Epub 2013/08/29.

2446.

Wyatt GK, Donze LF, Beckrow KC. Efficacy of an in-home nursing intervention following short-stay breast cancer surgery. *Res Nurs Health.* 2004;27(5):322-31.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2447.

Wydra EW. The effectiveness of a self-care management interactive multimedia module. *Oncol Nurs Forum*. 2001;28(9):1399-407. Epub 2001/10/31.

2448.

Xanthos T, Bassiakou E, Koudouna E, Stroumpoulis K, Vlachos I, Johnson EO, et al. Inexperienced nurses and doctors are equally efficient in managing the airway in a manikin model. *Heart Lung*. 2012;41(2):161-6. Epub 2011/09/07.

2449.

Xiao C, Hanlon A, Zhang Q, Movsas B, Ang K, Rosenthal DJ, et al. Risk factors for clinician-reported symptom clusters in patients with advanced head and neck cancer in a phase 3 randomized clinical trial: RTOG 0129. *Cancer*. 2014;120(6):848-54. Epub 2013/12/18.

2450.

Xiao JX, Mei R. [Effect of nursing intervention on improving quality of life of patients with advanced schistosomiasis]. *Zhongguo Xue Xi Chong Bing Fang Zhi Za Zhi*. 2013;25(5):519-20, 23. Epub 2014/02/05.

2451.

Xiaomei C, Ludington-Hoe SM, Walsh S. Randomized crossover trial of kangaroo care to reduce biobehavioral pain responses in preterm infants: a pilot study. *Biol Res Nurs*. 2011;13(2):204-16. Epub 2011/01/05.

2452.

Xie XJ, Titler MG, Clarke WR. Accounting for intraclass correlations and controlling for baseline differences in a cluster-randomised evidence-based practice intervention study. *Worldviews Evid Based Nurs*. 2008;5(2):95-101. Epub 2008/06/19.

2453.

Yamamoto K, Nagata S. Physiological and psychological evaluation of the wrapped warm footbath as a complementary nursing therapy to induce relaxation in hospitalized patients with incurable cancer: a pilot study. *Cancer Nurs*. 2011;34(3):185-92. Epub 2011/01/22.

2454.

Yamamoto N, Kimura H, Misao H, Matsumoto H, Imafuku Y, Watanabe A, et al. Efficacy of 1.0% chlorhexidine-gluconate ethanol compared with 10% povidone-iodine for long-term central venous catheter care in hematology departments: a prospective study. *Am J Infect Control*. 2014;42(5):574-6. Epub 2014/03/25.

2455.

Yang BH, Chen YC, Chiang BL, Chang YC. Effects of nursing instruction on asthma knowledge and quality of life in schoolchildren with asthma. *J Nurs Res*. 2005;13(3):174-83. Epub 2005/10/21.

2456.

Yang CY, Chen CH, Chu H, Chen WC, Lee TY, Chen SG, et al. The effect of music therapy on hospitalized psychiatric patients' anxiety, finger temperature, and electroencephalography: a randomized clinical trial. *Biol Res Nurs*. 2012;14(2):197-206. Epub 2011/05/19.

2457.

Yang CY, Tsai JC, Huang YC, Lin CC. Effects of a home-based walking program on perceived symptom and mood status in postoperative breast cancer women receiving adjuvant chemotherapy. *J Adv Nurs*. 2011;67(1):158-68. Epub 2010/10/27.

2458.

Yano A, Abe A, Aizawa F, Yamada H, Minami K, Matsui M, et al. The effect of eating sea cucumber jelly on *Candida* load in the oral cavity of elderly individuals in a nursing home. *Mar Drugs*. 2013;11(12):4993-5007. Epub 2013/12/18.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2459.

Yano H, Yang G, Wakai S, Shimanuki H, Nakajima K, Hui G, et al. [Effectiveness of ability grouping in structured fall prevention exercise program for frail elderly people]. *Nihon Ronen Igakkai Zasshi*. 2006;43(3):390-7. Epub 2006/07/04.

2460.

Yao LY, Chang CK, Maa SH, Wang C, Chen CC. Brushing teeth with purified water to reduce ventilator-associated pneumonia. *J Nurs Res*. 2011;19(4):289-97.

2461.

Yap TL, Kennerly SM, Simmons MR, Buncher CR, Miller E, Kim J, et al. Multidimensional team-based intervention using musical cues to reduce odds of facility-acquired pressure ulcers in long-term care: a paired randomized intervention study. *J Am Geriatr Soc*. 2013;61(9):1552-9.

2462.

Yapucu Gunes U, Eser I. Effectiveness of a honey dressing for healing pressure ulcers. *J Wound Ostomy Continence Nurs*. 2007;34(2):184-90. Epub 2007/04/07.

2463.

Yassi A, Cooper JE, Tate RB, Gerlach S, Muir M, Trottier J, et al. A randomized controlled trial to prevent patient lift and transfer injuries of health care workers. *Spine*. 2001;26(16):1739-46.

2464.

Yastrub DJ. Relationship between type of treatment and degree of wound healing among institutionalized geriatric patients with stage II pressure ulcers. *Care Manag J*. 2004;5(4):213-8.

2465.

Yates P, Edwards H, Nash R, Aranda S, Purdie D, Najman J, et al. A randomized controlled trial of a nurse-administered educational intervention for improving cancer pain management in ambulatory settings. *Patient Educ Couns*. 2004;53(2):227-37. Epub 2004/05/14.

2466.

Yee, Kuan, Ho SSK. The effectiveness of an integrated pain management program for older persons and staff in nursing homes. *Arch Gerontol Geriatr*. 2012;54(2):e203-12.

2467.

Yeh ML, Chung YC, Chen KM, Chen HH. Pain reduction of acupoint electrical stimulation for patients with spinal surgery: a placebo-controlled study. *Int J Nurs Stud*. 2011;48(6):703-9. Epub 2010/12/03.

2468.

Yeh SH, Lin LW, Wang SY, Ho TH. Continuing education needs & knowledge of gerontological nursing among nurses in nursing homes. *Hu li yan jiu = Nursing research*. 2001;9(3):300-10.

2469.

Yeo S. Adherence to walking or stretching, and risk of preeclampsia in sedentary pregnant women. *Res Nurs Health*. 2009;32(4):379-90. Epub 2009/05/06.

2470.

Yeung SM. The effects of a transitional care programme using holistic care interventions for Chinese stroke survivors and their care providers: A randomized controlled trial: Hong Kong Polytechnic University (Hong Kong); 2012.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2471.

Yıldırım A, Hacıhasanoğlu Aşıl R, Karakurt P. Effects of a nursing intervention program on the depression and perception of family functioning of mothers with intellectually disabled children. *Journal of Clinical Nursing*. 2013;22(1/2):251-61.

2472.

Yıldırım YK, Cicek F, Uyar M. Effects of pain education program on pain intensity, pain treatment satisfaction, and barriers in Turkish cancer patients. *Pain management nursing : official journal of the American Society of Pain Management Nurses*. 2009;10(4):220-8. Epub 2009/12/01.

2473.

Yılıaz C, Kelebek Girgin N, Ozdemir N, Kutlay O. The effect of nursing-implemented sedation on the duration of mechanical ventilation in the ICU. *Ulusal Travma ve Acil Cerrahi Dergisi = Turkish Journal of Trauma & Emergency Surgery: TJTES*. 2010;16(6):521-6.

2474.

Yilmaz F, Arikan D. The effects of various interventions to newborns on pain and duration of crying. *J Clin Nurs*. 2011;20(7-8):1008-17. Epub 2010/11/09.

2475.

Yin-Yin C, Mei-Man C, Yu-Chih C, Yu-Jiun C, Shin-Shang C, Fu-Der W. Using a criteria-based reminder to reduce use of indwelling urinary catheters and decrease urinary tract infections. *Am J Crit Care*. 2013;22(2):105-14.

2476.

Yoo JB, Kim MJ, Cho SH, Shin YJ, Kim NC. [The effects of pre-operative visual information and parental presence intervention on anxiety, delirium, and pain of post-operative pediatric patients in PACU]. *J Korean Acad Nurs*. 2012;42(3):333-41. Epub 2012/08/03.

2477.

Yoo JB, Park HJ, Chae JY, Lee EJ, Shin YJ, Ko JS, et al. [Effects of ASPAN's evidence-based clinical practice guidelines for promotion of hypothermia of patients with total knee replacement arthroplasty]. *J Korean Acad Nurs*. 2013;43(3):352-60. Epub 2013/07/31.

2478.

Young D, Furler J, Vale M, Walker C, Segal L, Dunning P, et al. Patient Engagement and Coaching for Health: The PEACH study--a cluster randomised controlled trial using the telephone to coach people with type 2 diabetes to engage with their GPs to improve diabetes care: a study protocol. *BMC Fam Pract*. 2007;8:20. Epub 2007/04/13.

2479.

Young J, O'Connell B. Recovery following laparoscopic cholecystectomy in either a 23 hour or an 8 hour facility. *Journal of Quality in Clinical Practice*. 2001;21(1-2):2-7.

2480.

Yu DS, Lee DT, Woo J. Improving health-related quality of life of patients with chronic heart failure: effects of relaxation therapy. *J Adv Nurs*. 2010;66(2):392-403. Epub 2010/04/29.

2481.

Yu L, Mo L, Tang Y, Huang X, Tan J. Effects of nursing intervention models on social adaption capability development in preschool children with malignant tumors: a randomized control trial. *Psychooncology*. 2014;23(6):708-12. Epub 2014/05/03.

2482.

Yue S, Jiang X, Wong T. Effects of a nurse-led acupressure programme for stroke patients in China. *J Clin Nurs*. 2013;22(7-8):1182-8.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2483.

Yuenyong S, O'Brien B, Jirapeet V. Effects of labor support from close female relative on labor and maternal satisfaction in a Thai setting. *J Obstet Gynecol Neonatal Nurs*. 2012;41(1):45-56. Epub 2012/07/28.

2484.

Zaccardi JE, Wilson L, Mokrzycki ML. The effect of pelvic floor re-education on comfort in women having surgery for stress urinary incontinence. *Urologic nursing*. 2010;30(2):137-46, 48.

2485.

Zang Y, Zhao Y, Yang Q, Pan Y, Li N, Liu T. A randomised trial on pubertal development and health in China. *J Clin Nurs*. 2011;20(21-22):3081-91. Epub 2011/09/03.

2486.

Zenthöfer A, Dieke R, Dieke A, Wege K-C, Rammelsberg P, Hassel AJ. Improving oral hygiene in the long-term care of the elderly-a RCT. *Community Dentistry & Oral Epidemiology*. 2013;41(3):261-8.

2487.

Zhang AY, Strauss GJ, Siminoff LA. Effects of combined pelvic floor muscle exercise and a support group on urinary incontinence and quality of life of postprostatectomy patients. *Oncol Nurs Forum*. 2007;34(1):47-53.

2488.

Zhang CY, Jiang Y, Yin QY, Chen FJ, Ma LL, Wang LX. Impact of nurse-initiated preoperative education on postoperative anxiety symptoms and complications after coronary artery bypass grafting. *The Journal of cardiovascular nursing*. 2012;27(1):84-8. Epub 2011/07/12.

2489.

Zhang JE, Wong FK, You LM, Zheng MC, Li Q, Zhang BY, et al. Effects of enterostomal nurse telephone follow-up on postoperative adjustment of discharged colostomy patients. *Cancer Nurs*. 2013;36(6):419-28. Epub 2012/10/12.

2490.

Zhang LL, Zhu YQ, Mo L. Observation and nursing of complications due to high re-perfusion injury occurring after balloon angioplasty for diabetic vascular diseases of lower extremity. *Journal of Interventional Radiology*. 2011;20(3):237-9.

2491.

Zhao Y, Wong FK. Effects of a postdischarge transitional care programme for patients with coronary heart disease in China: a randomised controlled trial. *J Clin Nurs*. 2009;18(17):2444-55. Epub 2009/07/22.

2492.

Zhou KN, Li XM, Yan H, Dang SN, Wang DL. Effects of music therapy on depression and duration of hospital stay of breast cancer patients after radical mastectomy. *Chin Med J (Engl)*. 2011;124(15):2321-7. Epub 2011/09/22.

2493.

Zhou X, Xu J, Zhao Y. Risk factors of distress in Alzheimer's patients. *Ann Acad Med Singapore*. 2007;36(4):253-8. Epub 2007/05/08.

2494.

Zhou XR, Yu K, Tang QQ. Effects of nutritional intervention and individualized nursing on nutritional risk, undernutrition, and quality of life in end-stage renal disease patients with peritoneal dialysis: A randomized controlled study. *Chinese Journal of Clinical Nutrition*. 2011;19(4):222-6.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2495.

Zhu XW, You LM, Zheng J, Liu K, Fang JB, Hou SX, et al. Nurse staffing levels make a difference on patient outcomes: a multisite study in Chinese hospitals. *J Nurs Scholarsh*. 2012;44(3):266-73. Epub 2012/06/27.

2496.

Zhuang SM, An SH, Zhao Y. Yoga effects on mood and quality of life in Chinese women undergoing heroin detoxification: a randomized controlled trial. *Nurs Res*. 2013;62(4):260-8. Epub 2013/05/30.

2497. Zhuangl LX, Xu SF, D'Adamo CR, Jia C, He J, Han DX, et al. An effectiveness study comparing acupuncture, physiotherapy, and their combination in poststroke rehabilitation: a multicentered, randomized, controlled clinical trial. *Alternative Therapies in Health & Medicine*. 2012;18(3):8-14.

2498.

Zi Y C, Ling L, Huan H W, Yong Z, Jian Q Y, Yi L H, et al. Ondansetron combined with ST36 (Zusanli) acupuncture point injection for postoperative vomiting. *Acupunct Med*. 2014;32(2):124-31.

2499.

Zillich AJ, Snyder ME, Frail CK, Lewis JL, Deshotels D, Dunham P, et al. A randomized, controlled pragmatic trial of telephonic medication therapy management to reduce hospitalization in home health patients. *Health Serv Res*. 2014;49(5):1537-54. Epub 2014/04/10.

2500.

Zimmerman RS, Cupp PK, Abadi M, Donohew RL, Gray C, Gordon L, et al. The effects of framing and fear on ratings and impact of antimarijuana PSAs. *Subst Use Misuse*. 2014;49(7):824-35. Epub 2014/02/08.

2501.

Zimmerman S, Gruber-Baldini AL, Hebel JR, Sloane PD, Magaziner J. Nursing home facility risk factors for infection and hospitalization: importance of registered nurse turnover, administration, and social factors. *J Am Geriatr Soc*. 2002;50(12):1987-95. Epub 2002/12/11.

2502.

Zimmerman S, Sloane PD, Bertrand R, Olsho LE, Beeber A, Kistler C, et al. Successfully reducing antibiotic prescribing in nursing homes. *J Am Geriatr Soc*. 2014;62(5):907-12. Epub 2014/04/05.

2503.

Zohreh K, Farah AE, Mehrab M, Abbas SO, Alireza H, Soraya M, et al. Comparison of compression stocking with elastic bandage in reducing postoperative edema in coronary artery bypass graft patient. *Journal of Vascular Nursing*. 2009;27(4):103-6.

2504.

Zolfaghari M, Eybpoosh S, Hazrati M. Effects of therapeutic touch on anxiety, vital signs, and cardiac dysrhythmia in a sample of Iranian women undergoing cardiac catheterization: a quasi-experimental study. *J Holist Nurs*. 2012;30(4):225-34. Epub 2012/07/26.

2505.

Zolfaghari M, Mousavifar SA, Pedram S, Haghani H. The impact of nurse short message services and telephone follow-ups on diabetic adherence: which one is more effective? *J Clin Nurs*. 2012;21(13-14):1922-31. doi: 10.1111/j.365-2702.011.03951.x. Epub 2012 Jan 13.

Cochrane Nursing Care Field Trials Register References - Full Register Located in Cochrane Register of Studies (CRS)

2506.

Zsiros J, Brugieres L, Brock P, Roebuck D, Maibach R, Zimmermann A, et al. Dose-dense cisplatin-based chemotherapy and surgery for children with high-risk hepatoblastoma (SIOPEL-4): a prospective, single-arm, feasibility study. *Lancet Oncol.* 2013;14(9):834-42. Epub 2013/07/09.

2507.

Zucker DM. An intervention to prevent symptoms associated with hepatitis C: a pilot study. *Appl Nurs Res.* 2010;23(2):116-20. Epub 2010/04/28.